


B E A U F O R T S E A



● ● ● CHEVRON 1968
(FIXED WING)

● ● ● CHEVRON 1968
(HELICOPTER)

○ ○ ○ CAL STAN 1965
(FIXED WING)

NOTE: ELEVATION CONTROL
FROM ALTIMETERS &
N.T.S.


1 of 2

CHEVRON	STANDARD	L

LIVERPOOL BAY A
BOUGUER ANOMALY

DATUM, SEA LEVEL
ELEV. CORR. FACTOR, .066 MG PER FT.
1965 DATA ADJ., -14.0 + (.004 X ELEV.)
C. I., 5.0 MG.

SCALE	DATE	DRAWN
1" = 250,000'	NOV. 4, 1966	B. A. F.




- • • CHEVRON 1968 (FIXED WING)
- • • CHEVRON 1968 (HELICOPTER)
- ○ ○ CAL STAN 1965 (FIXED WING)

NOTE: ELEVATION CONTROL FROM ALTIMETERS & N.T.S.

CHEVRON STANDARD LIMITED			
LIVERPOOL BAY AREA BOUGUER ANOMALY MAP			
DATUM, SEA LEVEL ELEV. CORR. FACTOR, 0.66 MG PER FT. 1965 DATA ADJ., -14.0 + (.004% ELEV.) C.I., 5.0 MG.			
SCALE 1:250,000	DATE NOV. 4, 1966	DRAWN B. A. F.	2 of 2 F-11,280-2

BAY



● CHEVRON 1968
(FIXED WING)

• CHEVRON 1968
(HELICOPTER)

○ CAL STAN 1965
(FIXED WING)

(-DELTA ELEVATIONS ASSUMED TO BE
AT SEA LEVEL)

THE CALIFORNIA STANDARD COMPANY

MACKENZIE BAY AREA
STATION LOCATION MAP

-WITH ALTIMETER AND NTS ELEVATIONS

SCALE
1:250,000

DATE
JUNE 10-1963

DRAWN
PG

F-9612-3

ACKENZIE

BAY







• CHEVRON 1968

° CAL STAN 1965
(- DELTA ELEVATIONS, ASSUMED TO
BE AT SEA LEVEL)

REVISIONS	THE CALIFORNIA STANDARD COMPANY			
	RAT PASS SHEET STATION LOCATION MAP - WITH ALTIMETER AND NTS ELEVATIONS			
	SCALE	DATE	DRAWN	F-9240-28
	1 : 250,000		ACC	

B E A U F O R T S E A



- CHEVRON 1968
(FIXED WING)
- CHEVRON 1968
(HELICOPTER)
- CAL STAN 1965
(FIXED WING)
- (- DELTA ELEVATIONS, ASSUMED
TO BE AT SEA LEVEL)

REV	DATE	BY	CHKD	APPD
1	NOV 4, 1966	B. A. F.		

CHEVRON STANDARD L


LIVERPOOL BAY
STATION LOCATION
-WITH ALTIMETER AND NTS ELE

SCALE 1:250,000 DATE NOV 4, 1966 DRAWN B. A. F.



- CHEVRON 1968
(FIXED WING)
 - CHEVRON 1968
(HELICOPTER)
 - CAL STAN 1965
(FIXED WING)
- (- DELTA ELEVATIONS, ASSUMED
TO BE AT SEA LEVEL)

CHEVRON STANDARD LIMITED			
LIVERPOOL BAY AREA STATION LOCATION MAP -WITH ALTIMETER AND NTS ELEVATIONS			
2 of 2			
SCALE	DATE	DRAWN	
1:250,000	NOV 4, 1966	B A F	
			F-11,280-1





- • • CHEVRON 1968
(FIXED WING)
- • • CHEVRON 1968
(HELICOPTER)
- • • CAL STAN 1965
(FIXED WING)

4 of 4

NOTE: ELEVATIONS DERIVED FROM ALTIMETERS & N.T.S.


THE CALIFORNIA STANDARD COMPANY			
HYNDMAN LAKE AREA BOUGUER ANOMALY MAP			
DATUM, SEA LEVEL			
ELEV. CORR. FACTOR, 0.66 MG. PER FT.			
1955 DATA ADJ. -14.0 + (0.04 ELEV.)			
C.I. 5.0 MG.			
SCALE	DATE	DRAWN	F-9568-B
1:250,000		L.P.	



NOTE
The legibility of this drawing is substandard and may result in poor microfilm reproduction.

- CHEVRON 1968
(FIXED WING)
- CHEVRON 1968
(HELICOPTER)
- CAL STAN 1965
(FIXED WING)
(DELTA ELEVATIONS, ASSUMED TO BE AT SEA LEVEL)

THE CALIFORNIA STANDARD COMPANY			
HYNDMAN LAKE AREA			
STATION LOCATION MAP			
—WITH ALTIMETER AND HTS ELEVATIONS			
SCALE	DATE	DRAWN	F-9568-6
1:250,000		L.P.L.	



- • • CHEVRON 1968
- • • CAL STAN 1965


THE CALIFORNIA STANDARD COMPANY			
RAT PASS SHEET BOUGUER ANOMALY MAP			
DATUM, SEA LEVEL			
ELEV. CORR. FACTOR, 0.000 PER FT.			
1955 DATA ADJ., -140+(1004 KELEV.)			
C. I., 5.0 MG.			
SCALE	DATE	DRAWN	F-9240-30
1:250,000		A.C.C.	


44

NOTE: ELEVATION CONTROL FROM ALTIMETERS & N.T.S.

155°W
63°
150°W
62°
61°
145°W
60°

1 of





2 of 2

45-8-6-81

MACKENZIE DELTA - GROUP 215
FINAL REPORT ON GRAVITY SURVEY
CONDUCTED BY CHEVRON STANDARD LIMITED
JUNE 1968
GOVERNMENT PROJECT 45-8-6-68-8

Submitted to
Geological Survey of Canada
by
Chevron Standard Limited

CONFIDENTIAL

Area: Mackenzie Delta, N.W.T.

Government Project: 45-8-6-68-8

Group: 215




FINAL REPORT ON GRAVITY SURVEY CONDUCTED BY:

Chevron Standard Limited

June 1968

Maps in Attached Folder

Author: R. Clawson


W. J. McCormack - 1970
District Geophysicist

Contractor: United Geophysical Limited

Government Project: 45-8-6-68-8

Group: 215

Area: Mackenzie Delta, N.W.T.

- Maps:
1. Mackenzie Bay - Station location with altimeter
 2. Hyndman Lake - Station location with altimeter and N.T.S. elevations
 3. Rat Pass - " " " " " " "
 4. Liverpool Bay - " " " " " " "
 5. Mackenzie Bay - Bouguer anomaly
 6. Hyndman Lake - " "
 7. Rat Pass - " "
 8. Liverpool Bay - " "

APPENDIX 7A

GEOPHYSICAL DATA

DATA REQUIRED FOR A GRAVITY SURVEY

OWNER OF DATA - Name CHEVRON STANDARD LIMITED

Address 400 Fifth Avenue S.W., Calgary 1, Alberta

LOCATION OF SURVEY (approx. boundary) Mackenzie Delta
Lat. 68° to 70° Long. 132° to 136°

TYPE OF SURVEY - Traverse lines -- Direction --
of Systematic areal coverage Reconnaissance

AVERAGE STATION SPACING 1 in 10 miles approx.

NUMBER OF OBSERVATIONS IN SURVEY 90

YEAR OF OBSERVATION 1968 OBSERVER'S NAME United Geophysical Co.

FORM OF DATA

1. ORIGINAL TRAVERSE DATA

Gravimeters used:

Type	Serial Number	Calibration constant (mgal/div)
Worden	790	0.08469

Method of calibration By Texas Instruments

Estimated accuracy of reading in divisions ±0.02 Mg.

2. VALUES OF OBSERVED GRAVITY

Units in which observed gravity value is given Milligals

Average time interval drift checks 2 Hours

3. VALUES OF BOUGUER ANOMALY

Formula used for calculation of theoretical gravity (International Formula, or, if other, specify)

International Formula

Elevation datum used in calculation of Bouguer anomaly Sea Level

Density used in making elevation corrections (gm/cc) 2.2

Terrain corrections made? Yes

ELEVATIONS

Unit (feet or meters) Feet

Elevations determined by (Tick one):

Spirit Level

Stadia

APR

Other (specify)

Altimeters & N.T.S. Contour Ma

Elevations referred to benchmark (Specify whether Dominion, Provincial, or other) Inuvik

Estimated accuracy of elevations relative to datum ±10 Ft. in Delta

±50 in Richardson Mtns.

POSITION COORDINATES

1. SCALED FROM MAPS of scale (Tick one):

1:25,000 or less

1:50,000 X

1:125,000

1:250,000

1:500,000

2. SURVEYED

Method of Survey (e.g., plane table, triangulation, or other)

Aerial Photos and N.T.S. Maps

Units of Distance Feet

Position of origin of survey Inuvik

3. COMPUTED FROM DECCA COORDINATES (Yes or No.)

4. REFERENCED TO U.T.M. GRID SYSTEM (Yes or No)

5. REFERENCED TO WESTERN D.L.S. SYSTEM (Yes or No)

Estimated accuracy of coordinates

GRAVITY CONTROL

1. TIED TO DOMINION OBSERVATORY STATION(S)

Number

9256-62


Location


Inuvik

2. TIED TO LOCAL SYSTEM

Give location and gravity value of main reference station(s)


Airport Terminal 9825352 Gals.






FOR INDEX OF BASE MAPS IN THIS AREA SEE F-6797-E-1


THE CALIFORNIA STANDARD COMPANY			
GAYNA RIVER AREA			
BOUGUER ANOMALY MAP			
ELEV. DATUM, SEA LEVEL		FIELD WORK BY:	
CORR. FACTOR, .066 MG. PER FT.		ROVING EXPL. SERV.	
CONTOUR INTERVAL, 10 MG.		-HELICOPTER-	
CONTOURED BY P.I.B.		AUG.-SEPT/1968	
		106-H-S.W.	
SCALE	DATE	DRAWN	
1 INCH = 1 MILE	NOVEMBER, 1961	DE W	F9440A-4







THE CALIFORNIA STANDARD COMPANY			
GAYNA RIVER AREA			
STATION LOCATION MAP			
ALTIMETER			
ELEVATIONS			
FIELD WORK BY: ROVING EXPL. SERV. -HELICOPTER- AUG.-SEPT 1968			
106-H-S.W.			
SCALE	DATE	BY	F9440A-2
1 INCH = 1 MILE	NOVEMBER, 1961	DEW	


00843218M 129-C-4







THE CALIFORNIA STANDARD COMPANY			
HUME RIVER AREA STATION LOCATION MAP			
ALTIMETER ELEVATIONS		FIELD WORK BY: ROVING EXPL. SERV., -HELICOPTER- AUG.-SEPT 1968	
106-H-N.W.			
SCALE	DATE	DRAWN	PG
1 IN. = 1 MILE	DECEMBER 1967		
			F-9444A-1

00431222-10-4



THE CALIFORNIA STANDARD COMPANY			
HUME RIVER AREA			
BOUGUER ANOMALY MAP			
ELEV. DATUM, SEA LEVEL		FIELD WORK BY:	
ELEV. CORR. FACTOR, .066 MG./FT.		ROVING EXPL. SERV.	
CONTOUR INTERVAL, 1.0MG.		-HELICOPTER-	
CONTOURED BY P.I.B.		AUG-SEPT 1968	
SCALE 1 INCH = 1 MILE		DATE DECEMBER 1968	
DRAWN		PG	
		106-H-NW	
		F-9444A-3	





CONFIDENTIAL

MANITOU AND FT. GOOD HOPE

Government Project 45-8-6-68-5

Group 216

Final Report on Gravity Survey

Conducted by:

Chevron Standard Limited


Manitou Survey Conducted in April 1968

Ft. Good Hope Survey Conducted in August 1968

Maps in Attached Folder

Author: R. Clawson




W. J. McCORMACK
District Geophysicist
January 1970



Area: Manitou $65^{\circ}20'$ to $66^{\circ}20'$ N
 $129^{\circ}00'$ to $130^{\circ}15'$ W
Ft. Good Hope $65^{\circ}30'$ to $66^{\circ}00'$ N
 $129^{\circ}00'$ to $130^{\circ}00'$ W

Permits: 3291-3293, 5661, 6279, 4959, 4960

Contractor: Roving Exploration

Government Project: 45-8-6-68-5

Maps: Bouguer Anomaly - Hume River Area
Bouguer Anomaly - Ramparts River Area
Bouguer Anomaly - Gayna River Area
Bouguer & Elevations - Ft. Good Hope
Station Location & Elevations - Hume River Area
Station Location & Elevations - Ramparts River Area
Station Location & Elevations - Gayna River Area

GEOPHYSICAL DATA

DATA REQUIRED FOR A GRAVITY SURVEY

OWNER OF DATA - Name Chevron Standard Limited

Address 400 Fifth Avenue S.W., Calgary 1, Alberta

LOCATION OF SURVEY (approx. boundary) Long. 129° to 130°15'; Lat. 65°20' to 66°20'

TYPE OF SURVEY - Traverse lines X Direction Various
of Systematic areal coverage _____

AVERAGE STATION SPACING 0.2 Mile

NUMBER OF OBSERVATIONS IN SURVEY 126

YEAR OF OBSERVATION 1968 OBSERVER'S NAME Roving Exploration

FORM OF DATA

1. ORIGINAL TRAVERSE DATA

Gravimeters used:

Type	Serial Number	Calibration constant (mgal/div)
Worden	790	.08469
_____	_____	_____
_____	_____	_____
_____	_____	_____

Method of calibration Tested on Dom. OBS.

Calibration Stations

Estimated accuracy of reading in divisions 0.1 Div.

2. VALUES OF OBSERVED GRAVITY

Units in which observed gravity value is given Milligals

Average time interval drift checks 120 Min. Limit

3. VALUES OF BOUGUER ANOMALY

Formula used for calculation of theoretical gravity (International Formula, or, if other, specify)

International

Elevation datum used in calculation of Bouguer anomaly Sea Level

Density used in making elevation corrections (gm/cc) 2.3

Terrain corrections made? Yes

ELEVATIONS

Unit (feet or meters) Feet
 Elevations determined by (Tick one): Spirit Level _____
 Stadia _____
 APR _____
 Other (specify) Altimeters

Elevations referred to benchmark (Specify whether Dominion, Provincial, or other) Atlantic Col. Car. E-61 Well Site

Estimated accuracy of elevations relative to datum ± 10 Feet per Mile

POSITION COORDINATES

1. SCALED FROM MAPS of scale (Tick one): 1:25,000 or less X
 1:50,000 _____
 Air photos 1:125,000 _____
 1:250,000 _____
 1:500,000 _____
2. SURVEYED
 Method of Survey (e.g., plane table, triangulation, or other) _____
Air photos + Altimeter
 Units of Distance Feet
 Position of origin of survey Atlantic Col. Car. E-61 Well Site
3. COMPUTED FROM DECCA COORDINATES (Yes or No) No
4. REFERENCED TO U.T.M. GRID SYSTEM (Yes or No) No
5. REFERENCED TO WESTERN D.L.S. SYSTEM (Yes or No) No
 Estimated accuracy of coordinates ± 50'

GRAVITY CONTROL

1. TIED TO DOMINION OBSERVATORY STATION(S)

Number	Location
_____	<u>In front of Hudson Bay Co. Store</u>
_____	<u>Fort Good Hope</u>
_____	_____
_____	_____

2. TIED TO LOCAL SYSTEM

Give location and gravity value of main reference station(s) _____
Lat. 66°15.3' Long. 128°38'
982.34400

GEOPHYSICAL DATA

DATA REQUIRED FOR A GRAVITY SURVEY

OWNER OF DATA - Name Chevron Standard Limited

Address 400 Fifth Avenue S.W., Calgary 1, Alberta

LOCATION OF SURVEY (approx. boundary) Long. 129° to 130°; Lat. 65°30' to 66°

TYPE OF SURVEY - Traverse lines X Direction Various
of Systematic areal coverage in portions

AVERAGE STATION SPACING 1/2 Mile

NUMBER OF OBSERVATIONS IN SURVEY 410

YEAR OF OBSERVATION 1968 OBSERVER'S NAME Roving Exploration

FORM OF DATA

1. ORIGINAL TRAVERSE DATA

Gravimeters used:

Type	Serial Number	Calibration constant (mgal/div)
Worden	790	.08469

Method of calibration Tested on Dom. OBS. Calibration Stations.

Estimated accuracy of reading in divisions 0.1 Div.

2. VALUES OF OBSERVED GRAVITY

Units in which observed gravity value is given Milligals

Average time interval drift checks 120 Min. Limit

3. VALUES OF BOUGUER ANOMALY

Formula used for calculation of theoretical gravity (International Formula, or, if other, specify)

International
Elevation datum used in calculation of Bouguer anomaly Sea Level

Density used in making elevation corrections (gm/cc) 2.2

Terrain corrections made? Yes

ELEVATIONS

Unit (feet or meters)	<u>Feet</u>
Elevations determined by (Tick one):	Spirit Level <u> </u> Stadia <u> </u> APR <u> </u> Other (specify) <u>Altimeter</u>

Elevations referred to benchmark (Specify whether Dominion, Provincial, or other) Dominion
 Estimated accuracy of elevations relative to datum ± 0.5 Ft. Per Mile

POSITION COORDINATES

1. SCALED FROM MAPS of scale (Tick one):
- | | | |
|------------|------------------|---------------|
| | 1:25,000 or less | <u>X</u> |
| | 1:50,000 | <u> </u> |
| Air photos | 1:125,000 | <u> </u> |
| | 1:250,000 | <u> </u> |
| | 1:500,000 | <u> </u> |
2. SURVEYED
- Method of Survey (e.g., plane table, triangulation, or other)
- Air photos + altimeter
- Units of Distance Feet
- Position of origin of survey Ft. Good Hope
3. COMPUTED FROM DECCA COORDINATES (Yes or No.) No
4. REFERENCED TO U.T.M. GRID SYSTEM (Yes or No) No
5. REFERENCED TO WESTERN D.L.S. SYSTEM (Yes or No) No
- Estimated accuracy of coordinates ± 100 Ft.


GRAVITY CONTROL

1. TIED TO DOMINION OBSERVATORY STATION(S)

Number	Location
	Ft. Good Hope in front of Hudson
	Bay Co. Store.

- ## 2. TIED TO LOCAL SYSTEM

Give location and gravity value of main reference station(s) _____
 Lat. $66^{\circ}153'$; Long. $128^{\circ}38'$
 982.34400 Gals.



PERMITS.

3291- 3293, 5661, 6279,
4959, 4960.

GROUP 216.



1 of

2 of 2

