

2080 Walkley Rd.
Ottawa, Ont.
Canada K1G 3P5
Tel (613) 731-9571
Telex: 053-3502
Cable: TERRA

PROJ. NO. 9229-P28-13E

LINE NO. 8717

PART NO. 1 OF 3

R.R. 10X

446929, 8748-02

VERITAS SEISMIC LTD.

9229 - P28-13E

REVERSE TO FIELD POLARITY STRUCTURE SECTION

LINE NO: 8717

AREA: COLVILLE N.W.T.
DIRECTION: [redacted] NORTH
DATUM: 30[redacted] VR: 6000 m/s

PROCESSED FOR:
PETRO-CANADA

DATE PROCESSED: MARCH 1986 DATE SHOT: MARCH 1986
SHOT BY: WESTERN GEOPHYSICAL CO.

FIELD PARAMETERS

SOURCE TYPE	VIBROSEIS LRS-309	GEOPHONE TYPE	LRS 1011 14 Hz
SOURCE INTERVAL	40 m	GROUP INTERVAL	20 m
SOURCE LAYOUT	3 VIBS./40 m	GEOPHONE LAYOUT	9 over 20 m
SWEEP SPECTRUM	20 - 100 Hz	SWEEP LENGTH	6 s
INSTRUMENTATION	DFS V	GAIN MODE	I. F. P.
FIELD FILTER	8/120 Hz Notch Out	COVERAGE	2400 %
RECORD LENGTH	9 s	SAMPLE INTERVAL	2 ms
SPREAD TRACE	1 - 48 VP 49 - 96		
DISTANCE	1020 - 80 80 - 1020 m		

DISPLAY PARAMETERS

TRACES/INCH 24 INCHES/SECOND 7.5

PROCESSING PARAMETERS

1 DEMULTIPLEX
Recorded Length 3000 ms Sample Rate 2 ms
Processed Length 3000 ms Sample Rate 2 ms

2 CORRELATION

3 AMPLITUDE RECOVERY - AGC (150 ms window)

4 GEOMETRY - STRAIGHT LINE

5 DEPHASING - GEOPHONE

6 DECONVOLUTION - ZERO PHASE FREQUENCY DOMAIN
Autocorrelation 120 ms Prewhitening 1.0 %

FILTER	Distance	Design Gate	Appl. Gate
1	80 m	200 - 900	0 - 3000 ms
2	1020 m	400 - 1000	0 - 3000 ms

7 STRUCTURE STATICS - ELEVATION and DRIFT
DRIFT CONTROL PROVIDED BY 48 TR. DYNAMITE REFRACTION RECORDS APPROX. EVERY 20 STN.
Datum 305 m RSL.
Replacement Velocity 6000 m/s

8 TRACE GATHER

9 NORMAL MOVEOUT

10 STATICS - AUTOMATIC SURFACE CONSISTENT
Windows 200 - 1000 ms

11 FIRST BREAK MUTES
Distance 200 1020 2040 m
Mute 200 500 800 ms

12 STATICS - TRIM
Correlation Window 300 - 800 ms

13 STACK

14 FILTER - TIME VARIANT DIGITAL BANDPASS
FILTER 1 Pass Band 20/25 - 100/110 Appl. Gate 0 - 800 ms
FILTER 2 Pass Band 20/25 - 70/80 Appl. Gate 800 - 1500 ms
FILTER 3 Pass Band 20/25 - 60/70 Appl. Gate 1500 - 3000 ms

15 AMPLITUDE EQUALIZATION - AGC

Terra Surveys Ltd
2060 Walkley Rd. Ottawa, Ont.
Canada K1G 3P5
Tel. (613) 731-9571
Telex: 053-3502 Cable: TERRA

PROJ. NO. 9229-P28-13E

LINE NO. 8717

PART NO. 2 OF 3

R.R. 10X



WEATHERING STATICS

ONE WAY DELAY TIME

ELEVATION PROFILE METRES.

400
300
200
100

ELEVATION DATUM BP DRIFT 0

T V

LINE 715 NG BR

LINE 83FWDFOLP

STRUCTURE STATIC PROFILE

-0.1
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
1.1
1.2
1.3
1.4
1.5
1.6
1.7
1.8
1.9
2.0
2.1
2.2
2.3
2.4
2.5
2.6
2.7
2.8
2.9
3.0

STACKING FOLD

87178

Ottawa, Ont.
2060 Walkley Rd.
Canada K1G 3P5
Tel. (613) 731-9571
Telex: 053-3502 Cable: TERRA

PROJ. NO. 9229-P28-13E

LINE NO. 8717

PART NO. 3 OF 3

R.R. 10X