



2080 Wabash Rd.
Calgary, Alberta T2C 1S1
Tel: (416) 231-5871
Cable: TERRA
PROJ. NO. 9 2 2 0 - 1 2 0 - 1 0 0

LINE NO. 8 6 - P C R - 8 0 7 7

PART NO. 1 OF 3

RR. 8X

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70

LINE NO. 8 6 - P C R - 8 0 7 7

PART NO. 1 OF 3

RR. 8X

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70

LINE NO. 8 6 - P C R - 8 0 7 7

PART NO. 1 OF 3

RR. 8X


0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70

LINE NO. 8 6 - P C R - 8 0 7 7

PART NO. 1 OF 3

RR. 8X

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70



PETRO-CANADA EXPLORATION INC.

LINE: 86-PCR-8077
PROJECT: CAMERON HILLS
LOCATION: NORTHWEST TERRITORIES
NTS: 85C

SP 1801

SP 81

MIGRATED SECTION

POLARITY ☒ NP ☐ RP
FIRST KICK POLARITY ABOVE FOLD BARS. PEAKS ARE POSITIVE NUMBERS

ACQUISITION PARAMETERS

SHOT BY: SONICS EXPLORATION PTY. 901
DATE: JAN 1986
SPREAD: 630 M - 40 M + 40 M - 630 M
SOURCE INTERVAL: 50 M
RECEIVER INTERVAL: 10 M
SOURCE: VIBROSEIS, 3 VIBRS, 30 M DRAG,
12 SEC SHEEP, 14-86 HZ, 8 SUNS
DIO, 14 HZ, 9 OVER 10 METERS
RECEIVERS: D'S-V FT-1 120 TRACE
INSTRUMENTS: IFP
GAIN MODE: SEC Y
TAPE FORMAT: NOTCH: OUT
FIELD FILTERS: 120 HZ
SAMPLE RATE: 2 MS.

PROCESSING PARAMETERS

PROCESSED BY GEO-X
DATE: MAR 1986
DIGITAL CONVERSION
AMPLITUDE RECOVERY (ATIEXP(BT))
DECONVOLUTION TYPE: ZERO-PHASE
OPERATOR LENGTH: 60 MS.
PREWHITENING: 1 2
GATE: 200-1000 MS. AT 0 OFFSET
450-1030 MS. AT 630 M OFFSET
STRUCTURAL CORRECTIONS DATUM ELEVATION: 300 M
DATUM VELOCITY: 4500 M/SEC.
PROCESSING DATUM: -100 MS.
ELEVATION, WEATHERING, AND DRIFT
(DYNAMIC REFRACTION SURVEY)
ANALYSIS PRELIMINARY VELOCITIES AND STATICS
STATICS SURFACE STACK RESIDUAL
TRACE KILLS
VELOCITY ANALYSIS
FINAL MOVEOUT
MEAN SCALING 100-850 MS.
MUTE DISTANCE(M) 140 1260
TIME(MS) 210 1000
STATICS SURFACE CONSISTENT RESIDUAL
WINDOW: 100-850 MS.
TRACE GATHER FOLD: 12
STATICS CDP CROSS CORRELATION
STACK
PREDICTIVE OPERATOR LENGTH: 60 MS.
DECONVOLUTION PREDICTION DISTANCE: 30 MS.
WINDOW: 50-850 MS.
MIGRATION K-K MIGRATION
BOX STACKING VELOCITIES
FILTER 14/18 - 80/90 HZ
EQUALIZATION MEAN WINDOW: 100-850 MS.
DISPLAY HORIZONTAL SCALE = 36 TR./IN.
VERTICAL SCALE = 7.5 IN./SEC.



2060 Valley Rd. Ottawa, Ont.
Canada K1G 3P5
Tel: (613) 731-0911
Fax: (613) 731-0911
Cable: TERRA

PROJ. NO.

9

2

2

9

-

P

2

8

-

1

6

E

LINE NO.

8

6

-

P

C

R

-

8

0

7


7

PART NO. 2


OF

3

R.R. 8X



1431 1421 1411 1401 1391 1381 1371 1361 1351 1341 1331 1321 1311 1301 1291 1281 1271 1261 1251 1241 1231 1221 1211 1201 1191 1181 1171 1161 1151 1141 1131 1121 1111 1101 1091 1081 1071 1061 1051 1041 1031 1021 1011 1001 991 981 971 961 951 941 931 921 911 901 891 881 871 861 851 841 831 821 811 801 791 781 771 761 751 741 731 721 711 701 691 681 671 661 651 641 631 621



2601 2501 2401 2301 2201 2101 2001 1901 1801 1701 1601 1501 1401 1301 1201 1101



2000 Wabash Rd.
Columbus, OH 43260
Tel: (614) 231-8871
Fax: (614) 231-8872
Cable: TERRA

PROJ. NO.

9

2

2

9

-

P

2

0

-

1

0

E

.

.

.

LINE NO.

8

0

-

P

C

R

-

8

0

7

7

.

.

.

PART NO.

3

OF

3

.

.

R.R. 8X

.

.

.

.

.

.

.

