




ST 187.5 - 188.5

| TIME (S) | VEL (M/S) | ST (M) |
|----------|-----------|--------|
| 0.00     | 1700      | 1700   |
| 0.10     | 1800      | 1800   |
| 0.20     | 1900      | 1900   |
| 0.30     | 2000      | 2000   |
| 0.40     | 2100      | 2100   |
| 0.50     | 2200      | 2200   |
| 0.60     | 2300      | 2300   |
| 0.70     | 2400      | 2400   |
| 0.80     | 2500      | 2500   |
| 0.90     | 2600      | 2600   |
| 1.00     | 2700      | 2700   |
| 1.10     | 2800      | 2800   |
| 1.20     | 2900      | 2900   |
| 1.30     | 3000      | 3000   |
| 1.40     | 3100      | 3100   |
| 1.50     | 3200      | 3200   |
| 1.60     | 3300      | 3300   |
| 1.70     | 3400      | 3400   |
| 1.80     | 3500      | 3500   |
| 1.90     | 3600      | 3600   |
| 2.00     | 3700      | 3700   |

DATUM CORRECTION - 0.0 MS

ST 171.5 - 172.5

| TIME (S) | VEL (M/S) | ST (M) |
|----------|-----------|--------|
| 0.00     | 1700      | 1700   |
| 0.10     | 1800      | 1800   |
| 0.20     | 1900      | 1900   |
| 0.30     | 2000      | 2000   |
| 0.40     | 2100      | 2100   |
| 0.50     | 2200      | 2200   |
| 0.60     | 2300      | 2300   |
| 0.70     | 2400      | 2400   |
| 0.80     | 2500      | 2500   |
| 0.90     | 2600      | 2600   |
| 1.00     | 2700      | 2700   |
| 1.10     | 2800      | 2800   |
| 1.20     | 2900      | 2900   |
| 1.30     | 3000      | 3000   |
| 1.40     | 3100      | 3100   |
| 1.50     | 3200      | 3200   |
| 1.60     | 3300      | 3300   |
| 1.70     | 3400      | 3400   |
| 1.80     | 3500      | 3500   |
| 1.90     | 3600      | 3600   |
| 2.00     | 3700      | 3700   |

DATUM CORRECTION - 0.0 MS

ST 137.5 - 138.5

| TIME (S) | VEL (M/S) | ST (M) |
|----------|-----------|--------|
| 0.00     | 1700      | 1700   |
| 0.10     | 1800      | 1800   |
| 0.20     | 1900      | 1900   |
| 0.30     | 2000      | 2000   |
| 0.40     | 2100      | 2100   |
| 0.50     | 2200      | 2200   |
| 0.60     | 2300      | 2300   |
| 0.70     | 2400      | 2400   |
| 0.80     | 2500      | 2500   |
| 0.90     | 2600      | 2600   |
| 1.00     | 2700      | 2700   |
| 1.10     | 2800      | 2800   |
| 1.20     | 2900      | 2900   |
| 1.30     | 3000      | 3000   |
| 1.40     | 3100      | 3100   |
| 1.50     | 3200      | 3200   |
| 1.60     | 3300      | 3300   |
| 1.70     | 3400      | 3400   |
| 1.80     | 3500      | 3500   |
| 1.90     | 3600      | 3600   |
| 2.00     | 3700      | 3700   |

DATUM CORRECTION - 0.0 MS

ST 111.5 - 112.5

| TIME (S) | VEL (M/S) | ST (M) |
|----------|-----------|--------|
| 0.00     | 1700      | 1700   |
| 0.10     | 1800      | 1800   |
| 0.20     | 1900      | 1900   |
| 0.30     | 2000      | 2000   |
| 0.40     | 2100      | 2100   |
| 0.50     | 2200      | 2200   |
| 0.60     | 2300      | 2300   |
| 0.70     | 2400      | 2400   |
| 0.80     | 2500      | 2500   |
| 0.90     | 2600      | 2600   |
| 1.00     | 2700      | 2700   |
| 1.10     | 2800      | 2800   |
| 1.20     | 2900      | 2900   |
| 1.30     | 3000      | 3000   |
| 1.40     | 3100      | 3100   |
| 1.50     | 3200      | 3200   |
| 1.60     | 3300      | 3300   |
| 1.70     | 3400      | 3400   |
| 1.80     | 3500      | 3500   |
| 1.90     | 3600      | 3600   |
| 2.00     | 3700      | 3700   |

DATUM CORRECTION - 0.0 MS

9220-P28-19E

LINE: L8093  
S.P. RANGE: 101 - 351  
MIGRATION

NORMAL POLARITY  
NORTHEAST

PETRO CANADA INC.

AREA: CAMERON HILLS  
REPLACEMENT VELOCITY: 2100 M/SEC  
PROCESSING DATUM ELEVATION: 850 METERS  
DISPLAY DATUM ELEVATION: 750 METERS  
SURVEY DATE: MARCH 1989  
RECORDED BY: WESTERN GEOPHYSICAL PARTY, 363

RECORDING INFORMATION

SOURCE:  
ENERGY SOURCE: DYNAMITE  
CHARGE SIZE: 3 BY 5 KG  
CHARGE DEPTH: 8 METERS  
SOURCE TO FIRST RECEIVER: 40 METERS  
SHOT POINT INTERVAL: 100 METERS

INSTRUMENTS:  
AMPLIFIER: BPS 5  
FILTER: 12 - 128 HZ  
SAMPLING INTERVAL: 2 MSEC  
RECORD LENGTH: 4 SEC  
60 HZ NOTCH FILTER: 0.01  
TAPE FORMAT: SEC-B  
PREAMP GAIN: 50 DB

RECEIVERS:  
GEOPHONE TYPE: MARK 10 HZ  
GEOPHONES PER GROUP: 9 OVER 30 METERS  
GROUPS RECORDED: 20  
GROUP INTERVAL: 20 METERS  
PERCENT COVERAGE: 1000 %

SPREAD GEOMETRY:  
SOURCE: 120-----61-----1  
TRACES: 120M 60M 120M  
DIRECTION: SOUTHWEST 60M SOUTHWEST 60M NORTHEAST

PROCESSED BY: WESTERN GEOPHYSICAL  
CALGARY, ALBERTA

PROCESSING SEQUENCE AND PARAMETERS

PROCESSING SAMPLE INTERVAL: 2 MSEC  
DEMULTIPLEX: 1  
INDIVIDUAL TRACE EDIT: 1  
DATA LENGTH: 5 SECONDS

PRE-PROCESSOR  
LINE GEOMETRY AND FIELD STATICS  
INSTRUMENT & GEOPHONIC PHASE COMPENSATION  
AMPLITUDE COMPENSATION  
TIME FUNCTION EXPONENT: 1.75

DECONVOLUTION  
TYPE: MINIMUM PHASE INVERSE FILTER  
ONE WINDOW: 1  
START TIME: NEAR TRACE 50 MSEC  
STOP TIME: LINEAR MOVEOUT VELOCITY 1700 MSEC  
MINIMUM PREDICTION DISTANCE: 100 MSEC  
OPERATION LENGTH: 120 MSEC  
PERCENT WHITE LIGHT: 6.15

TRACE BALANCE (2000 RMS)  
DRIFT & WEATHERING STATICS (P.E.E.L.R.)  
PATH ESTIMATION & OPTICAL LATITUDE REDUCTION

PRELIMINARY VELOCITY ANALYSIS  
TYPE (VELAMP): SEMBLANCE  
AUTOMATIC SURFACE CONSISTANT STATICS  
CORRELATION WINDOW: 100-1200 MSEC  
MAXIMUM SHIFT: 30 MSEC

VELOCITY ANALYSIS  
TYPE (EXPANDED VELOCITY ANALYSIS): VELAMP SEMBLANCE  
AUTOMATIC SURFACE CONSISTANT STATICS  
CORRELATION WINDOW: 100-1200 MSEC  
MAXIMUM SHIFT: 12 MSEC

MULTIPLE F-K FILTER IN SHOT DOMAIN  
TEMPORARILY HMO CORRECTED BY 800 STACKING VELOCITY  
800 - 20 TO 1.1 MSEC PER TRACE REJECT FAN  
TAPER +/- 4 & +/- 5 MSEC PER TRACE

VELOCITY VERIFICATION  
COMMON OFFSET STACKS WITH HMO AND STATICS APPLIED

NORMAL MOVEOUT APPLICATION

MUTE  
OFFSET IN M: 200 150 100 50 0 50 100 150 200  
TIME IN MSEC: 0 100 200 300 400 500 600 700 800 900 1000

TRIM STACK (1200 Z)  
WITH COP CORRELATION TRIM STATICS  
CORRELATION WINDOW: 100-1200 MSEC  
MAXIMUM SHIFT: 30 MSEC  
MODELS: 3 TRACES

FINITE DIFFERENCE MIGRATION  
MIGRATION VELOCITY: 1724 - 85 M SEC PER OCTAVE  
NUMBER OF CASCADES: 100 %

BAND PASS FILTER  
1274 - 85 M SEC PER OCTAVE

AMPLITUDE DECAY ANALYSIS GAIN RECOVERY  
MOVE TO DISPLAY DATUM  
DISPLAY ON FILM

DISPLAY PARAMETERS

HORIZONTAL SCALE: 24 TRACES PER INCH  
VERTICAL SCALE: 7.5 INCHES PER SECOND  
PLOTTER GAIN: 13 DB

PROJ. NO.

0220-P28-10E

LINE NO.

L0093

PART NO.

2 OF 3

R.R. 8X

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70

ELEVATION IN METERS

AVERAGE CMP STATIC CORRECTION TO DATUM

| TIME (S) | RAW (m) | STATION |
|----------|---------|---------|
| 0.00     | 1700    | 1700    |
| 0.10     | 1800    | 1800    |
| 0.20     | 1900    | 1900    |
| 0.30     | 2000    | 2000    |
| 0.40     | 2100    | 2100    |
| 0.50     | 2200    | 2200    |
| 0.60     | 2300    | 2300    |
| 0.70     | 2400    | 2400    |
| 0.80     | 2500    | 2500    |
| 0.90     | 2600    | 2600    |
| 1.00     | 2700    | 2700    |
| 1.10     | 2800    | 2800    |
| 1.20     | 2900    | 2900    |
| 1.30     | 3000    | 3000    |
| 1.40     | 3100    | 3100    |
| 1.50     | 3200    | 3200    |
| 1.60     | 3300    | 3300    |
| 1.70     | 3400    | 3400    |
| 1.80     | 3500    | 3500    |
| 1.90     | 3600    | 3600    |
| 2.00     | 3700    | 3700    |
| 2.10     | 3800    | 3800    |
| 2.20     | 3900    | 3900    |
| 2.30     | 4000    | 4000    |
| 2.40     | 4100    | 4100    |
| 2.50     | 4200    | 4200    |
| 2.60     | 4300    | 4300    |
| 2.70     | 4400    | 4400    |
| 2.80     | 4500    | 4500    |
| 2.90     | 4600    | 4600    |
| 3.00     | 4700    | 4700    |
| 3.10     | 4800    | 4800    |
| 3.20     | 4900    | 4900    |
| 3.30     | 5000    | 5000    |
| 3.40     | 5100    | 5100    |
| 3.50     | 5200    | 5200    |
| 3.60     | 5300    | 5300    |
| 3.70     | 5400    | 5400    |
| 3.80     | 5500    | 5500    |
| 3.90     | 5600    | 5600    |
| 4.00     | 5700    | 5700    |
| 4.10     | 5800    | 5800    |
| 4.20     | 5900    | 5900    |
| 4.30     | 6000    | 6000    |
| 4.40     | 6100    | 6100    |
| 4.50     | 6200    | 6200    |
| 4.60     | 6300    | 6300    |
| 4.70     | 6400    | 6400    |
| 4.80     | 6500    | 6500    |
| 4.90     | 6600    | 6600    |
| 5.00     | 6700    | 6700    |
| 5.10     | 6800    | 6800    |
| 5.20     | 6900    | 6900    |
| 5.30     | 7000    | 7000    |
| 5.40     | 7100    | 7100    |
| 5.50     | 7200    | 7200    |
| 5.60     | 7300    | 7300    |
| 5.70     | 7400    | 7400    |
| 5.80     | 7500    | 7500    |
| 5.90     | 7600    | 7600    |
| 6.00     | 7700    | 7700    |
| 6.10     | 7800    | 7800    |
| 6.20     | 7900    | 7900    |
| 6.30     | 8000    | 8000    |
| 6.40     | 8100    | 8100    |
| 6.50     | 8200    | 8200    |
| 6.60     | 8300    | 8300    |
| 6.70     | 8400    | 8400    |
| 6.80     | 8500    | 8500    |
| 6.90     | 8600    | 8600    |
| 7.00     | 8700    | 8700    |
| 7.10     | 8800    | 8800    |
| 7.20     | 8900    | 8900    |
| 7.30     | 9000    | 9000    |
| 7.40     | 9100    | 9100    |
| 7.50     | 9200    | 9200    |
| 7.60     | 9300    | 9300    |
| 7.70     | 9400    | 9400    |
| 7.80     | 9500    | 9500    |
| 7.90     | 9600    | 9600    |
| 8.00     | 9700    | 9700    |
| 8.10     | 9800    | 9800    |
| 8.20     | 9900    | 9900    |
| 8.30     | 10000   | 10000   |
| 8.40     | 10100   | 10100   |
| 8.50     | 10200   | 10200   |
| 8.60     | 10300   | 10300   |
| 8.70     | 10400   | 10400   |
| 8.80     | 10500   | 10500   |
| 8.90     | 10600   | 10600   |
| 9.00     | 10700   | 10700   |
| 9.10     | 10800   | 10800   |
| 9.20     | 10900   | 10900   |
| 9.30     | 11000   | 11000   |
| 9.40     | 11100   | 11100   |
| 9.50     | 11200   | 11200   |
| 9.60     | 11300   | 11300   |
| 9.70     | 11400   | 11400   |
| 9.80     | 11500   | 11500   |
| 9.90     | 11600   | 11600   |
| 10.00    | 11700   | 11700   |
| 10.10    | 11800   | 11800   |
| 10.20    | 11900   | 11900   |
| 10.30    | 12000   | 12000   |
| 10.40    | 12100   | 12100   |
| 10.50    | 12200   | 12200   |
| 10.60    | 12300   | 12300   |
| 10.70    | 12400   | 12400   |
| 10.80    | 12500   | 12500   |
| 10.90    | 12600   | 12600   |
| 11.00    | 12700   | 12700   |
| 11.10    | 12800   | 12800   |
| 11.20    | 12900   | 12900   |
| 11.30    | 13000   | 13000   |
| 11.40    | 13100   | 13100   |
| 11.50    | 13200   | 13200   |
| 11.60    | 13300   | 13300   |
| 11.70    | 13400   | 13400   |
| 11.80    | 13500   | 13500   |
| 11.90    | 13600   | 13600   |
| 12.00    | 13700   | 13700   |
| 12.10    | 13800   | 13800   |
| 12.20    | 13900   | 13900   |
| 12.30    | 14000   | 14000   |
| 12.40    | 14100   | 14100   |
| 12.50    | 14200   | 14200   |
| 12.60    | 14300   | 14300   |
| 12.70    | 14400   | 14400   |
| 12.80    | 14500   | 14500   |
| 12.90    | 14600   | 14600   |
| 13.00    | 14700   | 14700   |
| 13.10    | 14800   | 14800   |
| 13.20    | 14900   | 14900   |
| 13.30    | 15000   | 15000   |
| 13.40    | 15100   | 15100   |
| 13.50    | 15200   | 15200   |
| 13.60    | 15300   | 15300   |
| 13.70    | 15400   | 15400   |
| 13.80    | 15500   | 15500   |
| 13.90    | 15600   | 15600   |
| 14.00    | 15700   | 15700   |
| 14.10    | 15800   | 15800   |
| 14.20    | 15900   | 15900   |
| 14.30    | 16000   | 16000   |
| 14.40    | 16100   | 16100   |
| 14.50    | 16200   | 16200   |
| 14.60    | 16300   | 16300   |
| 14.70    | 16400   | 16400   |
| 14.80    | 16500   | 16500   |
| 14.90    | 16600   | 16600   |
| 15.00    | 16700   | 16700   |
| 15.10    | 16800   | 16800   |
| 15.20    | 16900   | 16900   |
| 15.30    | 17000   | 17000   |
| 15.40    | 17100   | 17100   |
| 15.50    | 17200   | 17200   |
| 15.60    | 17300   | 17300   |
| 15.70    | 17400   | 17400   |
| 15.80    | 17500   | 17500   |
| 15.90    | 17600   | 17600   |
| 16.00    | 17700   | 17700   |
| 16.10    | 17800   | 17800   |
| 16.20    | 17900   | 17900   |
| 16.30    | 18000   | 18000   |
| 16.40    | 18100   | 18100   |
| 16.50    | 18200   | 18200   |
| 16.60    | 18300   | 18300   |
| 16.70    | 18400   | 18400   |
| 16.80    | 18500   | 18500   |
| 16.90    | 18600   | 18600   |
| 17.00    | 18700   | 18700   |
| 17.10    | 18800   | 18800   |
| 17.20    | 18900   | 18900   |
| 17.30    | 19000   | 19000   |
| 17.40    | 19100   | 19100   |
| 17.50    | 19200   | 19200   |
| 17.60    | 19300   | 19300   |
| 17.70    | 19400   | 19400   |
| 17.80    | 19500   | 19500   |
| 17.90    | 19600   | 19600   |
| 18.00    | 19700   | 19700   |
| 18.10    | 19800   | 19800   |
| 18.20    | 19900   | 19900   |
| 18.30    | 20000   | 20000   |
| 18.40    | 20100   | 20100   |
| 18.50    | 20200   | 20200   |
| 18.60    | 20300   | 20300   |
| 18.70    | 20400   | 20400   |
| 18.80    | 20500   | 20500   |
| 18.90    | 20600   | 20600   |
| 19.00    | 20700   | 20700   |
| 19.10    | 20800   | 20800   |
| 19.20    | 20900   | 20900   |
| 19.30    | 21000   | 21000   |
| 19.40    | 21100   | 21100   |
| 19.50    | 21200   | 21200   |
| 19.60    | 21300   | 21300   |
| 19.70    | 21400   | 21400   |
| 19.80    | 21500   | 21500   |
| 19.90    | 21600   | 21600   |
| 20.00    | 21700   | 21700   |
| 20.10    | 21800   | 21800   |
| 20.20    | 21900   | 21900   |
| 20.30    | 22000   | 22000   |
| 20.40    | 22100   | 22100   |
| 20.50    | 22200   | 22200   |
| 20.60    | 22300   | 22300   |
| 20.70    | 22400   | 22400   |
| 20.80    | 22500   | 22500   |
| 20.90    | 22600   | 22600   |
| 21.00    | 22700   | 22700   |
| 21.10    | 22800   | 22800   |
| 21.20    | 22900   | 22900   |
| 21.30    | 23000   | 23000   |
| 21.40    | 23100   | 23100   |
| 21.50    | 23200   | 23200   |
| 21.60    | 23300   | 23300   |
| 21.70    | 23400   | 23400   |
| 21.80    | 23500   | 23500   |
| 21.90    | 23600   | 23600   |
| 22.00    | 23700   | 23700   |
| 22.10    | 23800   | 23800   |
| 22.20    | 23900   | 23900   |
| 22.30    | 24000   | 24000   |
| 22.40    | 24100   | 24100   |
| 22.50    | 24200   | 24200   |
| 22.60    | 24300   | 24300   |
| 22.70    | 24400   | 24400   |
| 22.80    | 24500   | 24500   |
| 22.90    | 24600   | 24600   |
| 23.00    | 24700   | 24700   |
| 23.10    | 24800   | 24800   |
| 23.20    | 24900   | 24900   |
| 23.30    | 25000   | 25000   |
| 23.40    | 25100   | 25100   |
| 23.50    | 25200   | 25200   |
| 23.60    | 25300   | 25300   |
| 23.70    | 25400   | 25400   |
| 23.80    | 25500   | 25500   |
| 23.90    | 25600   | 25600   |
| 24.00    | 25700   | 25700   |
| 24.10    | 25800   | 25800   |
| 24.20    | 25900   | 25900   |
| 24.30    | 26000   | 26000   |
| 24.40    | 26100   | 26100   |
| 24.50    | 26200   | 26200   |
| 24.60    | 26300   | 26300   |
| 24.70    | 26400   | 26400   |
| 24.80    | 26500   | 26500   |
| 24.90    | 26600   | 26600   |
| 25.00    | 26700   | 26700   |
| 25.10    | 26800   | 26800   |
| 25.20    | 26900   | 26900   |
| 25.30    | 27000   | 27000   |
| 25.40    | 27100   | 27100   |
| 25.50    | 27200   | 27200   |
| 25.60    | 27300   | 27300   |
| 25.70    | 27400   | 27400   |
| 25.80    | 27500   | 27500   |
| 25.90    | 27600   | 27600   |
| 26.00    | 27700   | 27700   |
| 26.10    | 27800   | 27800   |
| 26.20    | 27900   | 27900   |
| 26.30    | 28000   | 28000   |
| 26.40    | 28100   | 28100   |
| 26.50    | 28200   | 28200   |
| 26.60    | 28300   | 28300   |
| 26.70    | 28400   | 28400   |
| 26.80    | 28500   | 28500   |
| 26.90    | 28600   | 28600   |
| 27.00    | 28700   | 28700   |
| 27.10    | 28800   | 28800   |
| 27.20    | 28900   | 28900   |
| 27.30    | 29000   | 29000   |
| 27.40    | 29100   | 29100   |
| 27.50    | 29200   | 29200   |
| 27.60    | 29300   | 29300   |
| 27.70    | 29400   | 29400   |
| 27.80    | 29500   | 29500   |
| 27.90    | 29600   | 29600   |
| 28.00    | 29700   | 29700   |
| 28.10    | 29800   | 29800   |
| 28.20    | 29900   | 29900   |
| 28.30    | 30000   | 30000   |
| 28.40    | 30100   | 30100   |
| 28.50    | 30200   | 30200   |
| 28.60    | 30300   | 30300   |
| 28.70    | 30400   | 30400   |
| 28.80    | 30500   | 30500   |
| 28.90    | 30600   | 30600   |
| 29.00    | 30700   | 30700   |
| 29.10    | 30800   | 30800   |
| 29.20    | 30900   | 30900   |
| 29.30    | 31000   | 31000   |
| 29.40    | 31100   | 31100   |
| 29.50    | 31200   | 31200   |
| 29.60    | 31300   | 31300   |
| 29.70    | 31400   | 31400   |
| 29.80    | 31500   | 31500   |
| 29.90    | 31600   | 31600   |
| 30.00    | 31700   | 31700   |
| 30.10    | 31800   | 31800   |
| 30.20    | 31900   | 31900   |
| 30.30    | 32000   | 32000   |
| 30.40    | 32100   | 32100   |
| 30.50    | 32200   | 32200   |
| 30.60    | 32300   | 32300   |
| 30.70    | 32400   | 32400   |
| 30.80    | 32500   | 32500   |
| 30.90    | 32600   | 32600   |
| 31.00    | 32700   | 32700   |
| 31.10    | 32800   | 32800   |
| 31.20    | 32900   | 32900   |
| 31.30    | 33000   | 33000   |
| 31.40    | 33100   | 33100   |
| 31.50    | 33200   | 33200   |
| 31.60    | 33300   | 33300   |
| 31.70    | 33400   | 33400   |
| 31.80    | 33500   | 33500   |
| 31.90    | 33600   | 33600   |
| 32.00    | 33700   | 33700   |
| 32.10    | 33800   | 33800   |
| 32.20    | 33900   | 33900   |
| 32.30    | 34000   | 34000   |
| 32.40    | 34100   | 34100   |
| 32.50    | 34200   | 34200   |
| 32.60    | 34300   | 34300   |
| 32.70    | 34400   | 34400   |
| 32.80    | 34500   | 34500   |
| 32.90    | 34600   | 34600   |
| 33.00    | 34700   | 34700   |
| 33.10    | 34800   | 34800   |
| 33.20    | 34900   | 34900   |
| 33.30    | 35000   | 35000   |
| 33.40    | 35100   | 35100   |
| 33.50    | 35200   | 35200   |
| 33.60    | 35300   | 35300   |
| 33.70    | 35400   | 35400   |
| 33.80    | 35500   | 35500   |
| 33.90    | 35600   | 35600   |
| 34.00    | 35700   | 35700   |
| 34.10    | 35800   | 35800   |
| 34.20    | 35900   | 35900   |
| 34.30    | 36000   | 36000   |
| 34.40    | 36100   | 36100   |
| 34.50    | 36200   | 36200   |
| 34.60    | 36300   | 36300   |
| 34.70    | 36400   | 36400   |
| 34.80    | 36500   | 36500   |
| 34.90    | 36600   | 36600   |
| 35.00    | 36700   | 36700   |



0220-P28-10E

**LINE NO.**

7  
8  
9  
6  
3

PART NO.

OF 3

**R-R-8X**

