

TEXACO N. F. A. BOVIE LAKE # 1

Drilling Authority No.

Date Issued

WELL NAME TELACO N.P.A. BOYLE LAKE #1

FIELD Willacat

Area: Port Lland

LOCATION: Unit

Section

Grid

Latitude 00°02'09" N.

Longitude 122°53'36" W.

From Established Reference Marker

Rig Release Date: March 1, 1957

Status Dry and Abandoned

Information Release Date March 1, 1959

CHANGE OF NAME:

DATE RECEIVED	INDEX
	Application for a Drilling Authority. Well Completion Data. Well History Report. Application to Amend a Drilling Authority. Application to change a Well Name. Application to Abandon a Well or Suspend Drilling. Application to Alter Condition of a Well. Well History Supplement. Well Completion Data. Work-over Report No. Application to Commingle Production before Measurement. Approval to Commingle Production before Measurement. Application to Amend Approval No. to Commingle Production before Measurement. Application for M.P.R.—Oil. New Oil Well Report. New Gas Well Report. Well Inspection Report. Rig Inspection Report. Battery Inspection Report. Field Abandonment Programme and Approval. Well Card. Well Visit. Daily Drilling Reports.

C A N A D A

DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES

NORTHERN ADMINISTRATION AND LANDS BRANCH

(ABANDONMENT)
~~CONCESSION~~
~~SUBSIDY~~

REPORT

(Stroke out operations which do not apply)

To be submitted in triplicate in accordance with Section 70 of the Territorial Oil and Gas Regulations to the Conservation Engineer at Edmonton, Alberta.

Name of well Texaco N.F.A. Revie Lake #1 Permit No. 227
Registered owner Mobil Oil of Canada, Ltd. ~~Arrow Drilling Company~~ Arrow Drilling Company (Canada) Ltd.
Location: (Survey description) .60°02'09" N. Lat., 122°58'36" W. Long.
Elevation: Ground 1756 Kellyushing 1758.6 Depth 1400'
Spudded January 21, 1957 Finished drilling February 27/57 released March 1/57
Deviations from vertical 2-3/4° at 1366'

CASING

DATE	Size O.D. inches	Weight lbs/foot	Grade	Set at feet	Sacks cement
1. Feb. 6	13-3/8"	48	H-40 H-2	263'	225
2. Feb. 12	9-5/8"	36	J-55 H-2	709.45	500
3.					

TUBING

No tubing run

Status of well on completion of drilling. Dry Hole

Producing zone None

Cored intervals None

Interval logged: E-log .710 - 1400 M-log .710 - 1400


R-log 0 - 1400 Other

DRILLSTEM TESTS

Test No.	Date	Interval tested	Duration	Results
----------	------	-----------------	----------	---------

No Tests

(Over)



DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES
NORTHERN ADMINISTRATION AND LANDS BRANCH

NOTICE OF INTENTION TO ABANDON A WELL

(Stroke out operations which do not apply).

To be submitted in triplicate to the Conservation Engineer at Edmonton, Alberta.

In accordance with Sections 60, 61, or 62 of the Territorial Oil and Gas Regulations, notice is hereby given of our intention to

Abandon the well named Texaco N.F.A. Boyie Lake #1 on Oil and Gas (Permit No. 227) registered in the name of Mobil Oil of Canada, Ltd.

Depth 1400 feet. Elevation above sea level: Ground surface 1756 ft. Kelly bushing 1768.6 ft.

Location (if not accurately stated in Notice of Intention to Begin Drilling Operations):

(N of S boundary) of (Permit No.) at approx 60° 02' 09" N Lat.
(S of N boundary) of (Lease No.)
(W of E boundary) of (Permit No.) at approx 122° 58' 36" W Long.
(E of W boundary) of (Lease No.)

Survey description Refer to Texaco N.F.A. Boyie Lake #1 wellsite plat forwarded February 22, 1957

CASING RECORD


Size O.D. inches	Weight lbs/ft.	Amount feet	Set at feet	Sacks cement	Method	To be Withdrawn
1. <u>13-3/8</u>	<u>48</u>	<u>8 jts. 240'</u>	<u>263'</u>	<u>225</u>	<u>Cement truck</u>	<u>No</u>
2. <u>9-5/8</u>	<u>36</u>	<u>23 jts. 690'</u>	<u>709.45</u>	<u>500</u>	<u>"</u>	<u>No</u>
3.						

OIL, GAS and WATER

<u>Encountered</u>	<u>Cement plugs to be set</u>
Oil fromfeet to.....feet.	Fromfeet tofeet with.....sacks
.....	
.....	
Gas from feet to.....feet.	Fromfeet to.....feet with.....sacks.
.....	
.....	

*noted
Pgh*

(Over)



Water from.....feet tofeet. From.....feet to.....feet with.....sacks.
.....
.....

Bottom plug from 1400 feet to 1350 feet with 20
Casing plug from 750 feet to 650 feet with 35 sacks.

Surface plug from 10 feet to 0 feet with 10 sacks.

Date of last operations February 28, 1957 Total depth. 1400

Nature of liquid in well Drilling mud Level from surface 0'

Present condition of well in addition to above:

An electric log (will be ~~run~~) run. (strike out what is non-applicable)

On abandonment we shall comply with Section 60 (3) and (4) of the Regulations with respect to filling excavations and marking the well site, *W.L.* (Please Initial)

Program of operation not included above

Responsible agents of permittee or lessee in charge of operation:

At well K. H. Neish At registered office: W. L. Irwin

Postal Address Box 1318 Postal Address 237 - 7th Ave. West,

. DAWSON CREEK, B. C. CALGARY Alberta.

It is understood that if changes in this Notice of Intention become necessary we will promptly notify you.

Dated at Calgary . . . this 28th . . day of February 1957


Signed by *W. L. Irwin*
Superintendent, N.F.A.
TEXACO EXPLORATION COMPANY

This program is approved subject to the following provisions:

.....
.....
.....

6th March 1957
Date

B. J. Jones
Conservation Engineer



TEXACO EXPLORATION COMPANY
PLAN SHOWING LOCATION OF

TEXACO N.F.A. BOVIE LAKE No. 1

LAT 60° 02' 09" — LONG 122° 58' 36"
UNSURVEYED TERRITORY

FORT LIARD — AREA

NORTH WEST TERRITORIES

1957

NOTE:

K.B. at Well Location 17686', based on
Top of Bury Monument O.P. Con. 411 M. 17 Elev 1384.9'
Referenced to Ground At NE Cor. Sec. 33-88-15-6-Elev 2385'
Altitudes in Northern B.C. Pub. No. 52 Page 29 (G.S.C.)

CO-ORDINATES:

Well is located 13,141.5' North and 6,054.8' East of
O.P. Con. Pit M. 17 On the British Columbia North West
Territories Boundary

SURVEYED JANUARY 27th 1957

Survey points set shown thus

Survey marks found as indicated

For TEXACO EXPLORATION COMPANY

W. L. Irwin

W. L. IRWIN
Superintendent

NORTHERN FOOTHILLS AGREEMENT

I hereby certify this to be a true and correct survey

Lawrence D. Olsen
Dominion Land Surveyor

R. G. B. [Signature]
Witness

NORTH WEST TERRITORIES
BRITISH COLUMBIA

HAMILTON & OLSEN LIMITED
EDMONTON — ALBERTA
HAB 0181214-46 A 18

C A N A D A

DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES

NORTHERN ADMINISTRATION AND LANDS BRANCH

NOTICE OF INTENTION TO BEGIN DRILLING OPERATIONS

(To be submitted in triplicate to the Conservation Engineer at Edmonton, Alberta at least 15 days prior to the commencement of drilling).

In accordance with Section 59 of the Territorial Oil and Gas Regulations, notice is hereby given of our intention to begin drilling a well on Oil and Gas Permit No. 227...registered in the name of Mobil Oil of Canada, Ltd.
Lease No.

TYPE OF WELL:

Stratigraphic test: Wildcat: . . .X. . . .
Structure Test: Development:
Anticipated number of holes: (Required for Structure Test Only)
Expected total depth: . . .9000 feet.

The well will be located:

.....(N of S boundary) of (Permit No.....)
.....(S of N boundary) (Lease No.) at approx.60°02'11"N Lat.
.....(W of E boundary) of (Permit No.....)
.....(E of W boundary) (Lease No.....) at approx.122°58'18"W Long.

Survey description of location The access road is presently being constructed
... and the survey plat of the wellsite will be forwarded in the near future.

Approximate surface elevation of . 1857 . feet above sea level.

Name of well:Texaco N.F.A. Bovie Lake #1

Type of drilling rig: . Rotary.

Expected date of commencement: .January 1, 1957 on or before

We propose to use the following strings of casing, cementing them as indicated below:

Size O.D. inches	Weight lbs/feet	Grade	Brand	New or used	Estimated depth	Sacks of cement
1. 13-3/8	48#	A		New	600'	475
2. 5 1/2	54.5 #	J				
3.						

Expected depth of water, gas and oil horizons and method of control:

.Top of Middle Devonian at 5400'-. mud control and mechanical
.S.O.P.'s (Shaffer & Hydril)

(Over)

*noted on
records.
2-7-12-56
Hels*

An electric log (will ~~not~~) be run.

The well will be drilled by: Arrow Drilling Company (Canada) Ltd. (name of company)

CONTRACTOR:

Responsible agents of permittee or lessee in charge of operation:

At well . K.H. Neish At registered office: . W.I. Irwin

Postal address: Box 1318 Postal address: . 237-7th Avenue West,
DAWSON CREEK, B. C. CALGARY, Alberta.

It is understood that if changes in this Notice of Intention become necessary we will promptly notify you.

Dated at . CALGARY this . 19 day of . . December 1956

Signed by . . . W. I. Irwin

This program is approved subject to the following provisions (if any):

.....
.....
.....
.....
.....


20th . . . December . . . 1956
Date


..... B. H. Thomas
Conservation Engineer

LGB SEC TWP RGE W M
 60° 02' 09" N. LAT. 122° 58' 36" W. LONG.
 CONTRACTOR ARROW DRILLING RIG NO. 7
 DRILLING DATE JANUARY 21/87 TIME 2:00 P.M.
 RELEASE DATE MARCH 1/87 TIME 2:00 P.M.
 DRILLED ON FOOTAGE RATE TO _____ K B
 DRILLED ON DAYWORK RATE TO 1403' K B
 FTD 1403' K B ELEVATION 1768.6'

[illegible]

REMARKS: BREAKDOWN TIME INCLUDES 3 HOURS FISHING CASING TIME
INCLUDES RUNNING AND CEMENTING CONDUCTOR PIPE.
WELL WAS ABANDONED BEFORE REACHING TD. BECAUSE OF EXCESSIVE DEVIATION FROM
VERTICAL AND PRESSURE TEST ON CEMENT JOB DID NOT HOLD.





TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

ARROW DRILLING

DATE

March 5/57

RIG NO.

7

ROTARY ☐SERVICE ☐

REPORT NUMBER

FIELD

W. 10 cat.

LEASE

Texaco N.E.A.

WELL NO.

B-11-L-4041

LOCATION

N.W.T.

PROVINCE

N.W.T.

MORNING TOUR

M. TO

M

DRILLER

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE/HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
--------------	----	---------------	----	-------------	----	-------	-------	------	----	--------------------------	------	------	------	------

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

M. TO

M

DRILLER

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE/HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
--------------	----	---------------	----	-------------	----	-------	-------	------	----	--------------------------	------	------	------	------

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR

M. TO

M

DRILLER

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE/HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
--------------	----	---------------	----	-------------	----	-------	-------	------	----	--------------------------	------	------	------	------

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRILL TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

Larson

CO. R.

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

2. H. H. DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

ARROW DRG

DATE March 4/57

RIG NO. 7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

MORNING TOUR

M. TO

M

DRILLER

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE D.C.														
NO. D.C.														
PUMP STROKE														
LINER SIZE														

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
FROM	TO	FROM	TO	FROM	TO						

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

M. TO

M

DRILLER

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE D.C.														
NO. D.C.														
PUMP STROKE														
LINER SIZE														

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
FROM	TO	FROM	TO	FROM	TO						

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Loading Trucks & Moving out.
16 Hrs. - 16 Men

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR

M. TO

M

DRILLER

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE D.C.														
NO. D.C.														
PUMP STROKE														
LINER SIZE														

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
FROM	TO	FROM	TO	FROM	TO						

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

DATE

Co. R.

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Arrow DRUG

DATE

MARCH 3/57

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

Wildcat

LEASE

Texaco W.F.A.

WELL NO.

Bar-chick #1

LOCATION

N.W.T.

MORNING TOUR

M TO

M

DRILLER

OPERATING DATA			BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM		NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA			SURVEYS		RIG TIME DATA THIS TOUR					DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
FROM	TO	FROM	TO	FROM	TO						

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

M TO

M

DRILLER

OPERATING DATA			BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM		NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA			SURVEYS		RIG TIME DATA THIS TOUR					DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
FROM	TO	FROM	TO	FROM	TO						

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Loading Logging Out. 17 Hrs. 17 Men.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR

M TO

M

DRILLER

OPERATING DATA			BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM		NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA			SURVEYS		RIG TIME DATA THIS TOUR					DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
FROM	TO	FROM	TO	FROM	TO						

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

J. H. H.

CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO  EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT FR20W DR LG

DATE 4/22/57

REPORT NUMBER

FIELD W. H. H. 4

LEASE *Townsend - A. A.*

WELL NO. 20101-1-1

LOCATION

PROVINCE N. W. T.RIG NO. 7

ROTARY ☒

SERVICE ☐

MORNING TOUR

M. TO _____ M.

DRILLER

[illegible]

DAYLIGHT TOUR

M to _____ M

DRILLER

[illegible]

EVENING TOUR

M. TO _____ M.

DRILLER

[illegible]

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS

MRS. WITH DRILL PIPE

HRS. WITHOUT DRILL: 8195

SIGNED

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

—Co. R.

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT ARROW DRG.DATE MARCH 1/57RIG NO. 7ROTARY ☒ SERVICE ☐REPORT NUMBER 46
FIELD W. Idcat
LEASE Tex. N.F.A.
WELL NO. Reich Lake #1
LOCATION
PROVINCE N.W.T.

MORNING TOUR

M. TO

M

DRILLER 32 Briggs

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE O.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGLHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CORING, CASING RUN, CEMENT PLUGS, ETC.)

Run Plugs by Howco.

Clean Mud Tanks.

Tearing Out.

Run Plug #1 w/25 sac.

by cement w/ 2% CaCl₂.

Interval. 1403 to 1350'.

Run Plug #2 w/ 70 sac.

by Cement w/ 2% CaCl₂.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

M. TO

M

DRILLER

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE O.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGLHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CORING, CASING RUN, CEMENT PLUGS, ETC.)

Interval. 670' to 770'.

Plug Down @ 11:55 AM.

W.O.C. (R. 500)
Run in. Feeding
1 Key Down D. Pipe
Key Down B.C. 2s.
Run Plug #3 & weld
on hole cover.

Tearing Out.

Felt Plug #2 @ 645' K.B.

w/ 10,000

Cement by Hand Top

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR

M. TO

M

DRILLER J. Little

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE O.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGLHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CORING, CASING RUN, CEMENT PLUGS, ETC.)

Plug 5 sac. & weld cover on casing.

Rig Released @ 2:00 P.M.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE


SIGNED K. H. Welch

Co. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE



TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 45

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

CONTRACT

DATE

RIG NO.

ROTARY ☒SERVICE ☐MORNING TOUR 12 A.M. TO 9 A.M.DRILLER Mary Bray

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO			HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CURING, CASING RUN, CEMENT PLUGS, ETC.)

Logging by Schlumberger.Ran 1-5 709 to T.D.2" x 5" Scale.Ran Mirc. log 709 to T.D.2" x 5" Scale.Ran Sim. R.A. (Neutron)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 4:00 P.M.DRILLER J. Lattelle

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO			HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CURING, CASING RUN, CEMENT PLUGS, ETC.)

gamma 110' to T.D.2" x 5" Scale.T.D. Logger 1403'T.D. writer (Measur.)1403'

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 A.M.DRILLER J. Lattelle

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO			HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CURING, CASING RUN, CEMENT PLUGS, ETC.)

4:00 2:00 Logging by Schlumberger

2:00 10:00 Run in & waiting on cement truck

10:00 12:00 Hooking up Washburn

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

HRS. WITH DRILL PIPE


HRS. WITHOUT DRILL PIPE

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

SIGNED J. H. Newk Co. R.

DATE



TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 44

FIELD _____

LEASE _____

WELL NO. _____

LOCATION _____

PROVINCE _____

CONTRACT ARRIS DRLGDATE FEB 27 1957RIG NO. 7ROTARY ☒SERVICE ☐MORNING TOUR 12 4 M. TO 9 A MDRILLER W. J. Smith

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINEAR SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P. HRS.	W.O.P. MIN.	W.O.P. HRS.
1400								12:00	12:05	Day Service & Check B.O.C.			
								12:05	12:00	Wait on Log Truck			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 M. TO 4:00 MDRILLER J. L. Smith

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINEAR SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P. HRS.	W.O.P. MIN.	W.O.P. HRS.
1400								8:00	8:15	Day Service			
								8:15	8:30	Wait on Logging Truck			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 MDRILLER J. L. Smith

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINEAR SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P. HRS.	W.O.P. MIN.	W.O.P. HRS.
12:00								4:00	4:00	Waiting on Log Truck			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. _____

TOTAL DRLG TIME THIS 24 HRS. _____

HRS. WITH DRILL PIPE _____

HRS. WITHOUT DRILL PIPE _____

TOTAL DAY WORK THIS 24 HRS. _____


SIGNED H. H. Smith

Co. R.

D. FOOTAGE THIS 24 HRS. _____

IS YOUR REPORT COMPLETE? _____

DATE _____



TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Perm 1119

DATE

Feb 26 1957

RIG NO.

7

ROTARY

☒

SERVICE

☐

REPORT NUMBER

FIELD

LEASE

Bonne Lake

WELL NO.

1111111

LOCATION

W.D. 1111111

PROVINCE

N.W.T.

MORNING TOUR 12:00 M. TO 9:00 A.M.

DRILLER


J. H. H. H.

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR							
SIZE O.C.	PUMP SPH	NO. O.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.			
6 1/2	50	28	300	28	3/4	MHL	35	13:00	98	65	62	13	200 # Lime						
6	300	29	300	29	3/4	MHL	1	14:00	97	65			Carbonate	100 #					
16	70							15:00	98	67			Trimmer	100 #					
6 1/2	8000							16:00	97	65			Carbonate	450 #					
HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES							
DRILLED		RATHOLED		REAMED		DEPTH		FROM		TO		DESCRIPTION OF OPERATION		W.O.P.		W.O.P.			
FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO		
1354	1367							13:00	14:00										
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)																HRS. MIN.		HRS. MIN.	
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																			

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR							
SIZE O.C.	PUMP SPH	NO. O.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.			
6 1/2	53	29	300	29	3/4	MHL	22	17:00	97	60	62	13							
6	300							18:00	97	65									
16	80							19:00	97	70									
6 1/2	5000							20:00	97	68									
HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES							
DRILLED		RATHOLED		REAMED		DEPTH		FROM		TO		DESCRIPTION OF OPERATION		W.O.P.		W.O.P.			
FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO		
1367	1380							17:00	18:00										
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)																HRS. MIN.		HRS. MIN.	
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																			

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR							
SIZE O.C.	PUMP SPH	NO. O.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.			
6 1/2	60	29	350	29	1 1/4	MHL	34	19:00	97	70			Diabase	50 #					
6	350							20:00	97	70			Carbonate	100 #					
16	63							21:00	97	68	54	13							
6 1/2	6000							22:00	97	68									
HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES							
DRILLED		RATHOLED		REAMED		DEPTH		FROM		TO		DESCRIPTION OF OPERATION		W.O.P.		W.O.P.			
FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO	FROM	TO		
1380	1400							19:00	20:00										
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)																HRS. MIN.		HRS. MIN.	
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																			

TOTAL FOOTAGE THIS 24 HRS.		TOTAL DRLG TIME THIS 24 HRS.		TOTAL DAY WORK TIME THIS 24 HRS.	
HRS. WITH DRILL PIPE		HRS. WITHOUT DRILL PIPE		SIGNED	
D/W FOOTAGE THIS 24 HRS.		IS YOUR REPORT COMPLETE?		DATE	



TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Know drilling

DATE

Feb 29/57

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

MORNING TOUR 12:00 A. M. TO 2:00 P. M.

DRILLER J. L. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	6	200	24	8 3/4	MH	70	2:00	96	68					
								4:00	96	68	13				
								6:00	96	65	6				
								8:00	96	65	18				

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.D.P.
12:00	12:00		1228	5 1/2		8:00	12:00	Run rig + check B.O.P.			
						12:00	8:00	Drilling 8 3/4 hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A. M. TO 4:00 P. M.

DRILLER J. L. Satterfield

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	6	200	24	8 3/4	MH	52	8:00	96	68			Carbonox	200	
								10:00	96	68			Lime	200	
								12:00	96	70			Lime	100	
								2:00	96	70	72	13	Carbonox	100	

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.D.P.
12:00	12:00		1228	5 1/2		8:00	2:00	Run rig + check B.O.P.			
						2:00	8:00	Drilling 8 3/4 hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 8:00 P. M. TO 12:00 A. M.

DRILLER J. L. Satterfield

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	6	200	24	8 3/4	MH	38	8:00	96	68			Carbonox	200	
								10:00	96	68					
								12:00	96	68					

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.D.P.
12:00	12:00		1228	5 1/2		8:00	12:00	Run rig + check B.O.P.			
						12:00	8:00	Drilling 8 3/4 hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO, ST. CO.

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRLG TIME THIS 24 HRS.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO, ST. CO.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED J. L. Satterfield

Co. R.

DOWN FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Arrow Data Co.

DATE Feb 22/57

RIG NO. 7

ROTARY ☒SERVICE ☐

REPORT NUMBER 39

FIELD WILCOAT

LEASE SHELBY

WELL NO. 1

LOCATION

PROVINCE NW/7

MORNING TOUR 1200 A.M. TO 800 P.M.

DRILLER M. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	22	8 3/4	MWD	32	24	1200	9.6	58				Quagail	800		
NO. D.C.	PUMP PRESS	200	25	8 3/4	OW	7	4 1/2	800	9.6	60	7.0	13	Flaming	50		
PUMP STROKE	ROTARY RPM	20						600	9.6	65			Caustic	50		
LINER SIZE	WT. ON BIT	60											Drillpress	25		

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	PATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.D.P.
FROM	TO	FROM	TO	FROM	TO	1200	1209			HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

1200 1205 SERV RIG + Check Rep.
 1205 1210 Drilling 8 3/4 Hole
 1210 1215 SUPPLY AT 1200
 1215 1220 Trip for bit
 1220 1225 Drilling 8 3/4 Hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 800 A.M. TO 400 P.M.

DRILLER J. Sattler

OPERATING DATA			BIT DATA					MUD TEST DATA					MUD ADDED THIS TOUR				
SIZE D.C.			NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	PUMP SPM	50	23	8 3/4	OW	17	1234	800	9.6	65							
NO. D.C.	PUMP PRESS	200							1000	9.6	65						
PUMP STROKE	ROTARY RPM	20							1200	9.6	65						
LINER SIZE	WT. ON BIT	60							800	9.6	70	6.4	13				

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	PATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.D.P.
FROM	TO	FROM	TO	FROM	TO	800	1231			HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

800 815 SERV RIG + Check Rep.
 815 830 Drilling 8 3/4 Hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 400 P.M. TO 1200 A.M.

DRILLER J. Sattler

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	23	8 3/4	OW	26	1234	400	96	65						
NO. D.C.	PUMP PRESS	200	24	8 3/4	OW		600	96	65						
PUMP STROKE	ROTARY RPM	20					800	96	68	6.	13				
LINER SIZE	WT. ON BIT	600					1000	96	68						

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	PATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.D.P.
FROM	TO	FROM	TO	FROM	TO	1231	1237			HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

1231 1237 SERV RIG + Check Rep.
 1237 1240 Drilling 8 3/4 Hole
 1240 1245 Trip for bit
 1245 1250 Drilling 8 3/4 Hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRILL TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

R.A. W. P. Co.

DATE Feb 21/59

RIG NO. 7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

MORNING TOUR 1200 A.M. TO 800 P.M.

DRILLER M. R. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	22	8 3/4	MHM	12	12 1/2	200	96	50				LIME	50	
NO. D.C.	PUMP PRESS							200	96	50			LIME	50	
PUMP STROKE	ROTARY RPM							400	96	60	20	13	CAUSTIC	50	
LINE SIZE	WT. ON BIT							600	6.5				TANNEA	80	

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.	HRS.	MIN.
1165	1180					1123	50								

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

1200 hrs low rig & check R.O.P.
 6:15 4 1/2" drilling 8 3/4" hole
 4:45 300 ft run of 1173
 5:00 5 1/2" rig to run 3 shell
 5:45 8" drilling 8 3/4" hole
 Tannea bit.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 800 A.M. TO 400 P.M.

DRILLER J. LaRue

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	22	8 3/4	MHM	19	14 1/2	800	96	60				Shl	1000	
NO. D.C.	PUMP PRESS							1000	96	58			Tannea	500	
PUMP STROKE	ROTARY RPM							1200	96	58			Caustic	500	
LINE SIZE	WT. ON BIT							200	96	53	15	13			

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.	HRS.	MIN.
1180	1187					1123	50								

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

800 hrs low rig & check R.O.P.
 8:15 4 1/2" drilling 8 3/4" hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 400 P.M. TO 1200 A.M.

DRILLER J. LaRue

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	55	22	8 3/4	MHM	32	22 1/2	800	96	55				Shl	1200	Carbonate 500
NO. D.C.	PUMP PRESS							800	96	58			Tannea	200	
PUMP STROKE	ROTARY RPM							800	96	60			Caustic	200	
LINE SIZE	WT. ON BIT							800	96	60	74	13	Lime	400	

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.	HRS.	MIN.
1187	1187					1123	50								

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

4:00 4 1/2" low rig & check R.O.P.
 4:12 4 1/2" drilling 8 3/4" hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. _____ TOTAL DRILL TIME THIS 24 HRS. _____ TOTAL DAY WORK TIME THIS 24 HRS. _____
 HRS. WITH DRILL PIPE _____ HRS. WITHOUT DRILL PIPE _____ SIGNED J. H. Hersh Co. R.
 D/W FOOTAGE THIS 24 HRS. _____ IS YOUR REPORT COMPLETE? _____ DATE _____

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Anson Drilling Co.

DATE

Feb 20/57

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

N.W.T.

MORNING TOUR 12:00 A.M. TO 2:00 P.M.

DRILLER M. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	21	8 1/4	REG	15	8 3/4	12:09	45					Building up			
NO. O.C.	PUMP PRESS							2:00	9.5	40			Volume			
PUMP STROKE	ROTARY RPM							1:00	8.2	32	72	13	6.5	6000		
LINEAR SIZE	WT. ON BIT							6:00	9.6	60						

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES				
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
11:01	11:55					1136	534	12:00	12:00	Sp. for 8 1/4 hole				
								12:00	12:00	Drilling 8 1/4 hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

1

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 6:00 P.M. TO 4:00 P.M.

DRILLER J. Lattin

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	21	8 1/4	REG	15	11:34	12:00	9.6	58							
NO. O.C.	PUMP PRESS							2:00	9.6	58	9.8	12.5				
PUMP STROKE	ROTARY RPM															
LINEAR SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES				
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
11:55	11:57					1136	534	6:00	6:00	Sp. for 8 1/4 hole				
								8:00	8:00	Sp. for 8 1/4 hole				
								9:00	9:00	Sp. for 8 1/4 hole				
								12:00	12:00	Waiting on development				
								1:00	1:00	Sp. for 8 1/4 hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

1

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 P.M.

DRILLER J. Lattin

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	21	8 1/4	REG	22	18 1/2	12:00	9.0	58				Caustic	50	Tanner	50
NO. O.C.	PUMP PRESS							8:00	9.0	58			Pine	100		
PUMP STROKE	ROTARY RPM							8:00	9.0	58			Urethane	25		
LINEAR SIZE	WT. ON BIT							10:00	9.5	58						

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES				
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
11:57	11:58					1136	534	4:00	4:00	Sp. for 8 1/4 hole				
								12:00	12:00	Sp. for 8 1/4 hole				
								12:00	12:00	Sp. for 8 1/4 hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

1

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRLG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

K. H. New

Co. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Hudson Drill Co

DATE FEB 18/57

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

35

FIELD

W.H. 607

LEASE

Hudson Lease

WELL NO.

NEP 71400

LOCATION

H.W.

PROVINCE

H.W.

MORNING TOUR 1200 A.M. TO 600 P.M.

DRILLER M. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE O.C.	PUMP BPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	19	200	19	8 3/4	API	30 21 34	200	93	45						
6 3/4	200							400	94	48						
PUMP STROKE	70							600	94	50	58	13				
LINER SIZE	15"															

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RAITHOLED	REAMED		DEPTH	ANGLE			FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.	HRS.	MIN.
1077	1093			1093	6"			1200	1800	Run rig + check B.O.P.					
								1200	1800	Pulling 8 3/4 hole					
								600	700	Spinning 9" 1093					
								700	800	Run rig + check B.O.P.					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 800 A.M. TO 400 P.M.

DRILLER J. Sattula

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE, O.C.	PUMP STROKES	NO.	SIZE	TYPE	FTAGE	HRS. RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.	
6 3/4	50	20	9 7/8	API	15	28 24 15	200	94	45	54	13					
NO. O.C.	PUMP PRESS						1000									
PUMP STROKE	ROTARY RPM															
LINER SIZE	WT. PER FOOT															

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RAITHOLED	REAMED		DEPTH	ANGLE			FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.	HRS.	MIN.
1093	1101			1101	6"			800	1100	Run rig + check B.O.P.					
								800	1100	Pulling 8 3/4 hole					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 700 P.M. TO 1200 A.M.

DRILLER J. Sattula

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGE	HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	20	1 3/4	API	30	15 1/2	600	94	48						
NO. D.C.	PUMP PRESS						500	94	48						
PUMP STROKE	ROTARY RPM	70					1000	94	45						
LINER SIZE	WT. ON BIT	4000													

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RAITHOLED	REAMED		DEPTH	ANGLE			FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.	HRS.	MIN.
1101	1123			1123	6"			700	1100	Run rig + check B.O.P.					
								700	1100	Pulling					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DR.G TIME THIS 24 HRS.

TOTAL DAY WORK TIME 24 HRS.

WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED R. H. Neush CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

DAILY DRILLING WELL REPORT

CONTRACT

DATE _____

RIG NO.

NOTARY PUBLIC

SERVICE ☐

MORNING TOUR

DRILLER

REPORT NUMBER

FIELD

LEASE

WELL No.

LOCATION

PROVINCE

[illegible][illegible][illegible]

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRLG TIME THIS 24 HRS

TOTAL DAY WORK TIME 24 HRS

12. WITH DRILL PIPE

MRS. WITHOUT DRILL PIPE

SIGNED *J. H. Hersh*

D/W FOOTAGE THIS 24 HRS

IS YOUR REPORTING ON THE...

FRANCHISE

Co. R.

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Arrow Drilling

DATE Feb 16, 1957

RIG NO. 7

ROTARY ☒SERVICE ☐

REPORT NUMBER 30

FIELD

Wildcat
Barn Lake

LEASE

WELL NO. 1

LOCATION

PROVINCE N.W.T.

MORNING TOUR 12:00 A.M. TO 8:00 A.M.

DRILLER H. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	30	17	8 3/4	DM	7	33										
NO. D.C.	PUMP PRESS															
5	200															
PUMP STROKE	ROTARY RPM															
16	90															
LINER SIZE	WT. ON BIT															
6 1/2	5000															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
1028	1035		1026	5 1/4			12:00-12:00 Pull out with fish legs joints with				
							12:15-12:15 Change drill bit				
							12:20-12:20 Rig 3rd bit with RST.				
							2:00-3:00 Run in to bit & break circulation				
							3:00-4:50 Stop pipe in hole				
							4:50-8:00 Run in to bottom				
							Only 2 1/2 hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 4:00 P.M.

DRILLER H. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	17	8 3/4	DM	22	11 1/2										
NO. D.C.	PUMP PRESS															
5	200															
PUMP STROKE	ROTARY RPM															
16	20															
LINER SIZE	WT. ON BIT															
6 1/2	5															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
1035	1050		1026	5 1/4			8:00-8:00 Run in to bit & break circulation				
							8:15-4:00 Drilling 8 3/4 hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 A.M.

DRILLER H. Sattler

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	17	8 3/4	DM	23	11 1/2										
NO. D.C.	PUMP PRESS															
3	200															
PUMP STROKE	ROTARY RPM															
16	20															
LINER SIZE	WT. ON BIT															
6 1/2	500															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
1050	1055		1051	5 1/2			4:00-4:00 Drilling				
							4:30-4:30 Run in to bit & break circulation				
							4:30-5:00 Drilling 8 3/4 hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK 24 1/2 20 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Amoco Indus

DATE

206-15

RIG NO.

ROTARY ☒SERVICE ☐

REPORT NUMBER

32

FIELD

LEASE

Parrish Levee

WELL NO.

Weld on D

PROVINCE

N.W.T.

MORNING TOUR 12 A M. TO 8 A M

DRILLER

J. H. Hark

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN
6 3/4	50	16	8 3/4	56	23	8 1/4	
NO. D.C.	PUMP PRESS						
11	200						
PUMP STROKE	ROTARY RPM						
16	80						
LINER SIZE	WT. ON BIT						
6 1/2	500						

TIME	WT.	VIS	W.L.	P.W.	MATERIAL	LBS.	MATERIAL	LBS.

HOLE DATA

SURVEYS

RIG TIME DATA THIS TOUR

DAY WORK RATES

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE
FROM TO	FROM TO	FROM TO		
1026	1029		1026	5 1/4

FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
12:00	12:15	Run Survey at check B.O.P.				
12:15	1:00	Make collar life on hole. Making up on 5 1/8 and down collar to bottom per 43 x 44 log				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A M TO 4:00 P M

DRILLER

M. Boren

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN
6 3/4	50	17	8 3/4	MYN			
NO. D.C.	PUMP PRESS						
10	200						
PUMP STROKE	ROTARY RPM						
16							
LINER SIZE	WT. ON BIT						
6 3/4							

TIME	WT.	VIS	W.L.	P.W.	MATERIAL	LBS.	MATERIAL	LBS.
11:00	9.5	55			Carbox	150	CEL.	1500
					Coastic	75		
					Liquor	250		
					LIME	300		

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE
FROM TO	FROM TO	FROM TO		
1029			1026	5 1/4

FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
8:00	8:15	Run sign check B.O.P.				
8:15	9:00	Run on 5 1/8 and wait on logs to see over bit.				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P M TO 12:00 A M

DRILLER

J. Satterlee

OPERATING DATA

BIT DATA

MUD TEST DATA

MUD ADDED THIS TOUR

SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN
6 3/4	50	17	8 3/4	MYN			
NO. D.C.	PUMP PRESS						
	200						
PUMP STROKE	ROTARY RPM						
LINER SIZE	WT. ON BIT						

TIME	WT.	VIS	W.L.	P.W.	MATERIAL	LBS.	MATERIAL	LBS.
7:30	9.5	55			Carbox	150		
					Carbonox	500		
					Coastic	250		

DRILLED	RATHOLED	REAMED	DEPTH	ANGLE
FROM TO	FROM TO	FROM TO		
1029				

FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
4:00	4:15	Run sign check B.O.P.				
4:15	4:30	Waiting on logs for over bit.				
4:30	11:00	Make up guide on 5 1/8 and run in with over shot and later on to fish and shut out of hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK TIME 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

J. H. Hark

Co. R.

DWN FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Arrow 4414

DATE

Feb 13 - 57

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

30

FIELD

W. J. C. O.

LEASE

Brown Lake

WELL NO.

1

LOCATION

V. C. C.

PROVINCE

V. C. C.

MORNING TOUR 12:15 M. TO 9:15 M.

DRILLER H. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP BPM			NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4				15	8 1/2	56										
NO. D.C.	11	PUMP PRESS	400													
PUMP STROKE	16	ROTARY RPM														
LINER SIZE	6 1/2	WT. ON BIT														

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.	HRS.	MIN.
						960	5°	12:15	13:00	Rig Service					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Pressure Tested 7 1/4" casing to 1000 psi for 15 minutes, held O.K.

12:15 13:00 Rig Service
12:15 2:00 Circulating
2:00 3:00 Change pumps to 9 1/2"
3:00 3:20 Pressure up pipe runs to 1000 held O.K.
3:20 4:00 Pressure up Hydrul to 1000 held O.K.
4:00 5:00 Washing to plug at 672.99

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 4:00 P.M.

DRILLER H. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.	
6 3/4	11	15	8 1/2	56	1009.6	40						CEL	200			
NO. D.C.	PUMP PRESS															
PUMP STROKE	116	ROTARY RPM	56													
LINEAR SIZE	6 1/2	WT. ON BIT	500													

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.	HRS.	MIN.
760	925					960	5°	4:00	5:00	Same as					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Pressure Tested Cement job to 500 psi. Did not hold. Bleed from 500 psi to 0 in approximately 2 minutes.

4:00 5:00 Same as
5:00 6:00 Running out plug & then
6:00 7:00 Plug at 675.99
7:00 8:00 Pressure up to 500
8:00 9:00 Bleed from 500
9:00 10:00 Holding 675.99

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 A.M.

DRILLER J. Satterlee

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP BPM	NO.	PUMP PRESS	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	11	58	200	15	8 1/2	56	15 11 3/4						Carbon	1500	Red	800
PUMP STROKE	16	ROTARY RPM	70										Carbon	1000		
LINEAR SIZE	6 1/2	WT. ON BIT	500										Carbon	100		

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.	HRS.	MIN.
925	975					960	5°	4:00	4:45	Same as					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Re tested Cement job - no indication of leak at surface or in annular space between 13 1/4" & 9 5/8" casing. Failed to hold, bleed from 800 psi to 0 in 3 minutes.

4:45 5:00 Pressured up formation
5:00 5:15 mud at 1000
5:15 5:30 Running 8 1/4" hole up
5:30 5:45 500 lbs. wt.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRILL TIME THIS 24 HRS.

TOTAL DAY WORK TIME THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED J. H. Newsham Co. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

Arrow Drilling

DATE

Feb 12/67

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

29

FIELD

Wildcat

LEASE

Bowie Lake

WELL NO.

1

LOCATION

N.W.T.

PROVINCE

N.W.T.

MORNING TOUR 1200 P.M. TO 200 P.M.

DRILLER

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P.		W.O.O.P.		
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.	HRS.	MIN.	
	960					960	5°	1100	900	W.O.C. - Clean up well, leaving mud tanks set slips and cut off casing.					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 800 P.M. TO 400 P.M.

DRILLER

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P.		W.D.O.P.		
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.	HRS.	MIN.	
760								900	400	W.O.C.					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 400 P.M. TO 1200 A.M.

DRILLER

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P.		W.O.O.P.		
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.	HRS.	MIN.	

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRLG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

L. H. Newk

CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

ARROW DRG.

DATE

FEB 9/52

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

MORNING TOUR 12:00 A.M. TO 1:00 A.M.

DRILLER J. Lattin

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	13	12 1/4	OSC-1	31	5 1/4	12 1/4	9.8	55				TANNEX	50	
NO. O.C.	PUMP PRESS	14	12 1/4	OSC-1	9	3	12 1/4	9.8	55						
PUMP STROKE	ROTARY RPM	25						12 1/4	9.8	55					
LINER SIZE	WT. ON BIT	25													

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.
916	916		750	1 1/4		12:00	1:00	Run rig			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

12:00 1:00 Run rig
 12:00 1:00 Drilling 12 1/4" hole
 12:00 1:00 Taper for bit @ 900
 12:00 1:00 Drilling tapered bit
 12:00 1:00 Drilling 12 1/4" hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 1:00 P.M.

DRILLER H. B. B. B.

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	14	12 1/4	OSC-1	51	10 1/4	10 1/4	9.7	45	9.8	10.5		Bicarbonate of Soda	200 lb.	
NO. O.C.	PUMP PRESS	200						10 1/4	9.7	50					
PUMP STROKE	ROTARY RPM	70													
LINER SIZE	WT. ON BIT	200						10 1/4	9.8	55					

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.
916	950		850	1 1/4		8:00	9:00	Run rig			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

8:00 9:00 Run rig
 8:00 9:00 Drilling 12 1/4" hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 A.M.

DRILLER M. B. B. B.

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE O.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	LBS.
6 3/4	50	14	12 1/4	OSC-1	51	12 1/4	12 1/4	9.8	60						
NO. O.C.	PUMP PRESS	200						12 1/4	9.8	58					
PUMP STROKE	ROTARY RPM	70													
LINER SIZE	WT. ON BIT	20													

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.
950	950		950	4°		4:00	4:45	Run rig			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

4:00 4:45 Run rig
 4:45 5:45 Drilling 12 1/4" hole
 5:45 7:00 Run rig with hole condition
 7:00 12:00 Run rig to run casing

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

J. H. B. B. B.

Co. R.

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

2/11/52

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT HARROW DRILL DATE FEB 7 1957
 RIG NO. 7 ROTARY ☒ SERVICE ☐

REPORT NUMBER 25
 FIELD WIDGOT
 LEASE BONE 1442
 WELL NO. 1
 LOCATION
 PROVINCE N.M.

MORNING TOUR 12:00 A.M. TO 8:00 A.M.

DRILLER H. Satterlee

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	11	12 1/2	SY	310	30		12:00	75	94			TANNER	100		
NO. D.C.	PUMP PRESS	12	12 1/2	OSG	110	1		2:00	65	94						
PUMP STROKE	ROTARY RPM							4:00	55	94						
LINE SIZE	WT. ON BIT							6:00	65	94						

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.	
706	750					12:00	12:00	Load rig					
						12:00	6:00	Drilling 12 1/2" hole					
						2:00	2:00	Stop for bit to 740					
						7:00	8:00	Drilling 12 1/2" hole					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 4:00 P.M.

DRILLER H. Berry

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	12	12 1/2	OSG	110	10		8:00	95	80	11		Tanner	60 lb.		
NO. D.C.	PUMP PRESS							11:00	87	65						
PUMP STROKE	ROTARY RPM							12:00	77	60						
LINE SIZE	WT. ON BIT							2:00	97	60						

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.	
700	850			257	12	8:00	9:00	Load rig + survey					
						9:00	4:00	Drilling 12 1/2" hole					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 10:00 P.M.

DRILLER H. Berry

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP BPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	12	12 1/2	OSG	196	11		4:00	99	66			Ball			
NO. D.C.	PUMP PRESS	13	12 1/2	OSG	10	234		6:00	99	65			40 lb.			
PUMP STROKE	ROTARY RPM							10:00	99	80	9.6	105	G/L	1000		
LINE SIZE	WT. ON BIT												TANNER	50		

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.	
750	856			250	12 1/2	4:00	6:00	Load rig + survey					
						6:00	7:00	Drilling 12 1/2" hole					
						7:00	9:00	Stop for new bit to 850					
						9:00	12:00	Drilling 12 1/2" hole					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. _____ TOTAL DRG TIME THIS 24 HRS. _____ TOTAL DAY WORK THIS 24 HRS. _____
 HRS. WITH DRILL PIPE _____ HRS. WITHOUT DRILL PIPE _____ SIGNED H. H. Berry CO. R.
 D/W FOOTAGE THIS 24 HRS. _____ IS YOUR REPORT COMPLETE? _____ DATE _____

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT

ARROW DRILL

DATE

2/2/67

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

FOUR LAKE

WELL NO.

1

LOCATION

N.W.T.

MORNING TOUR

8:00 A.M.

TO 1:00 P.M.

DRILLER

OPERATING DATA			BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.	
11	275	11	2 1/4	39	300	2 1/2									
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P. HRS.	W.D.O.P. HRS.	MIN.
6:00	12:00							12:00	12:00	Run rig			
								12:00	12:00	Wait for 12:00			
								12:00	12:00	Run rig			
										Top of cement 10:20			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

8:00 A.M.

TO 4:00 P.M.

DRILLER

G. Ruff.

OPERATING DATA			BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.	
11	66	10	7	036	600										
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P. HRS.	W.D.O.P. HRS.	MIN.
6:00	6:00							8:00	8:00	Run rig			
								8:00	8:00	Wait for 8:00			
								8:00	8:00	Run rig			
										Drilling 10:00 hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR

4:00 P.M.

TO 12:00 P.M.

DRILLER

M. Brown.

OPERATING DATA			BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.	
11	60	11	1 1/4	34	360	4:00	94	38							
NO. D.C.	PUMP PRESS														
PUMP STROKE	ROTARY RPM														
LINER SIZE	WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P. HRS.	W.D.O.P. HRS.	MIN.
6:00	7:00							4:00	4:00	Run rig			
								4:00	4:00	Drilling 10:00 hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT Arrow Drilling Co. DATE Feb. 6 1957

RIG NO. 2

ROTARY ☒ SERVICE ☐

REPORT NUMBER 23
FIELD Wildcat
LEASE Evig Lake
WELL NO. _____
LOCATION _____
PROVINCE N.W.T.

MORNING TOUR 12:00 P.M. TO 5:00 P.M.

DRILLER *Lee Baker*

[illegible]

DAYLIGHT TOUR _____ M TO _____ M

DRILLER [illegible]

EVENING TOUR M TO 12:00 P.M.

DRILLER

[illegible]

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS.

TOTAL PAY WORK THIS 24 HRS

MRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED X H. H. H. H. Pg. 8

~~RECEIVED~~ THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

DAILY DRILLING WELL REPORT

CONTRACT NO. Harbor D/L Co

DATE FEB 6/52

RIG NO. 2

ROTARY ☒ SERVICE ☐

MORNING TOUR 1000 A.M. TO 1200 P.M.

DRILLER

[illegible]

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED		RAITHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.G.R.
FROM	TO	FROM	TO	FROM	TO							HRS.	MIN.
	L-80												

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,
CORING, CASING RUN, CEMENT PLUGS, ETC.)

700 700 Drawing up of 12th record
700 300 Pull to new logging

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 9:00 A. M TO 1:00 P. M.

DRILLER [Signature]

OPERATING DATA			BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
			NO.	SIZE	TYPE	FTAGCHRS.RUN	TIME	WT	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE D.C.	6-7/8	PUMP SPM													
NO. D.C.		PUMP PRESS													
PUMP STROKE	20	ROTARY RPM													
LINER SIZE	4 1/2	WT. ON BIT													

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED		HATHMOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.
FROM	TO	FROM	TO	FROM	TO							HRS.	MIN.
6:40						6:40	7:15	15	15				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,
CORING, CASING RUN, CEMENT PLUGS, ETC.)

8 th	7 th	very good - 90% - 3 years		
		Chlorinated in good condition		
9 th	6 th	very good - 85% - 3 years		
12 th	4 th	Thinner, paper & cardboard same		

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4 P M TO 12 A M

DRILLER *WIR*[illegible]

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR			DAY WORK RATES	
DRILLED		RAITHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P.	W.C.D.P.
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.
								8:00	5:00	Line down 11 feet		

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING
CORING, CASING RUN, CEMENT PLUGS, ETC.)

5 ⁰⁰	6 ⁰⁰	pick up 2 joints & weld collars
6 ⁰⁰	7 ⁰⁰	Went to rig, prepared for satellite handling
7 ⁰⁰	7 ²⁵	Open the Circulate Boring
7 ²⁵	7 ³⁰	Min. Circumf.
7 ⁴⁰	8 ⁰⁰	Drop plug and pump
8 ⁰⁰	12 ⁰⁰	Drill. Clean up collar.

Run 3 1/2" 207.38 ft of 13 3/4"
 40# 1 1/2" Rd. thd. rgs 2,
 H-40, Italian Surface
 Casing. Casing landed at
 263.17 feet K.B. with
 245.67 feet left in pipe. Shoe
 landed at 261.62 feet K.B. Then
 at 233.09 feet K.B. T.B.
 640' K.B. Plug in bottom at
 8:00 PM with 960 psi. Gled back
 to 500 psi. Cemented with
 225 sacks of Island Cement 290

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL DAY WORK THIS 24 HRS _____
 SIGNED R. A. [Signature] CO. R

TOTAL DRUG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS

MRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACTOR

PRAIRIE DRILL CO

DATE

FEB 9 1957

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

21

FIELD

Wildcat

LEASE

Keweenaw

WELL NO.

21

LOCATION

NW 1/4

PROVINCE

N.W.T.

MORNING TOUR 12⁰⁰ P.M. TO 8⁰⁰ P.M.

DRILLER Harry Satchell

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR							
SIZE D.C.	PUMP SPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.			
6 3/4	50	200	78																
NO. D.C.	7																		
PUMP STROKE	16																		
LYNER SIZE	6 1/2																		
HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES							
DRILLED		PATHOLED		REAMED		DEPTH		FROM		TO		DESCRIPTION OF OPERATION		HRS. MIN.		HRS. MIN.			
FROM	TO	FROM	TO	FROM	TO			FROM	TO										
6 3/4								12 ⁰⁰	12 ¹⁵										
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)								Two rig bleeding tight spots + casing pulled out + run in bleeding tight spots											
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																			

DAYLIGHT TOUR 8⁰⁰ A.M. TO 4⁰⁰ P.M.

DRILLER

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR							
SIZE D.C.	PUMP SPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.			
6 3/4																			
NO. D.C.	10																		
PUMP STROKE	16																		
LYNER SIZE	6 3/4																		
HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES							
DRILLED		PATHOLED		REAMED		DEPTH		FROM		TO		DESCRIPTION OF OPERATION		HRS. MIN.		HRS. MIN.			
FROM	TO	FROM	TO	FROM	TO			FROM	TO										
6 3/4								8 ⁰⁰	8 ¹⁵										
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)								Two rig bleeding tight spots + casing pulled out + run in bleeding tight spots											
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																			

EVENING TOUR 4⁰⁰ P.M. TO 12⁰⁰ A.M.

DRILLER

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR							
SIZE D.C.	PUMP SPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGE HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.			
6 3/4	30																		
NO. D.C.	10																		
PUMP STROKE	16																		
LYNER SIZE	6 3/4																		
HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES							
DRILLED		PATHOLED		REAMED		DEPTH		FROM		TO		DESCRIPTION OF OPERATION		HRS. MIN.		HRS. MIN.			
FROM	TO	FROM	TO	FROM	TO			FROM	TO										
6 3/4								4 ⁰⁰	4 ¹⁵										
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)								Two rig bleeding tight spots + casing pulled out + run in bleeding tight spots											
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																			

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRILL TIME THIS 24 HRS.

TOTAL DAY WORK TIME THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

Co. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

REPORT NUMBER: 26

FIELD Wilder

LEASE Blue 1

WELL NO. 1

LOCATION

PROVINCE *N.W.T.*

CONTRACTOR H. H. New Drug Co

DATE FEB 9 1977

RIG NO. 2ROTARY ☒ SERVICE ☐

MORNING TOUR 1200 P.M. TO 500 P.M.

DRILLER *L. L. Luce*

[illegible]

DAYLIGHT TOUR _____ A M TO _____ P M

DRILLER _____

[illegible]

EVENING TOUR 12 MTD 12.4 M

DRILLER C. H. Bena

[illegible]

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS. -

TOTAL DAY WORK THIS 24 HRS

MRB WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED *[Signature]* b6
b7C

D\W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

REPORT NUMBER 19
FIELD Wildcat
LEASE Exotic Lake
WELL NO. 1
LOCATION -
PROVINCE N.W.T.

DAILY DRILLING WELL REPORT

CONTRACT

Arrow Drilling

DATE February 2/57

RIG NO.

ROTARY

SERVICE ☐PROVINCE ANT

MORNING TOUR 1200 H M. TO 200 H M

DRILLER *D. E. Brown*

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR								
SIZE D.C.	PUMP SPM	SS	NO.	SIZE	TYPE	FTAGE	HRS RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.					
6-3/4			87	1 1/2"	Ream.	353	10 1/2	12:00	97.4	44			Hel	44							
NO. D.C.	PUMP P.I.E.S.S	210			Ream			2:00	9.7	45											
PUMP STROKE	ROTARY RPM	55																			
LINER SIZE	WT. ON BIT	2100																			
HOLE DATA				SURVEY		RIG TIME DATA THIS TOUR										DAY WORK RATES					
DRILLED		RAT HOLE		REAMED		DEPTH	ANGLE											W.B.P.		W.O.O.P.	
FROM	TO	FROM	TO	FROM	TO			FROM	TO	DESCRIPTION OF OPERATION			HRS.	MIN.	HRS.	MIN.					
6-10				553	670	640	78	12:00	5:00	down rig											
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)								12:00	5:30	Running In 1794 hole.											
								5:30	6:00	Spec. run casing											
								6:00	6:30	Survey at 6:00'											
								6:30	8:00	Reaming multiple bit turning											
								8:00	8:30	1st hole moving mud + reaming pipe											
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																					

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 7:00 A. M. TO 4:00 P. M.

DRINKER Don Seabrooke

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP-SPM	NO.	SIZE	TYPE	FTAGE	MRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.	
6 1/4	55											5.0	10			
10	210												13			
PUMP PRESS																
ROTARY RPM																
WT. ON BIT																
HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR								
DRILLED		RAYHOLED		REAMED		DEPTH	ANGLE	DAY WORK RATES								
FROM	TO	FROM	TO	FROM	TO	690	7 1/2	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.		
6 1/4				6 1/4				8 00	8 15	Run rig						
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)								8 15	8 30	Changing pipe & running						
								8 30	8 45	Well next to run						
								8 45	8 55	Logging						
								8 55	9 10	Logging trip to run casing						
								9 10	9 25	Logging casing 13 1/2						
								9 25	9 40	Working casing & cement						
								9 40	9 55	Same						
								9 55	10 10	Running casing on D.C. / hole						
TOTAL DAY WORK TIME CHARGEABLE TO TEXACO																

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4 PM. M TO 12 A M

DRILLER H. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE O.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	55	10	17 1/2	6mm												
NO. O.C.	PUMP PRESS															
10	200															
PUMP STROKE	ROTARY RPM															
16	40															
LINER SIZE	WT. ON BIT							15.45	9.6	70			Water	3900		
6 1/2	2000															
HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR					DAY WORK RATES			
DRILLED		BATHOLED		REAMED		DEPTH		W.O.B.		W.O.B.		W.O.B.		W.O.B.		
FROM	TO	FROM	TO	FROM	TO	640	640	FROM	TO	DESCRIPTION OF OPERATION		MRS.	MIN.	MRS.	MIN.	
				630	640			41	41	Finish pulling casing						
REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)								45	45	Raising up to run in hole						
										On pump & running tight spots						
										& working to bottom						
								TOTAL DAY WORK TIME CHARGEABLE TO TEXACO								

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS

MRB. WITH DRILL PIPE

MR. WITHOUT DRILL PIPE

SIGNED L. H. Reich

D\W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

CO. R.

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACTOR Harlow Drilling Co. DATE FEB 1/57

RIG NO. 2

ROTARY ☒ SERVICE ☐

REPORT NUMBER: 17-00000

FIELD Whidbey

LEASE Barrington

WELL NO. 1

LOCATION _____

PROVINCE NEW YORK

MORNING TOUR 12.00

DRILLER William Brown

[illegible]

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

DEILLER

[illegible]

TOTAL PAY WORK TIME CHARGEABLE TO TEXACO

EVENING NEWS 17

33133

[illegible]

IDEAL FAX WORK 1-800-848-8888

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS.

TOTAL DAY WORK TIME 24 HRS

MRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED F. H. New Co. B

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 17FIELD WildcatLEASE Paris LakeWELL NO. 1LOCATION W.T.PROVINCE W.T.CONTRACTOR Arrow DrillingDATE January 31/57RIG NO. 7ROTARY ☒SERVICE ☐MORNING TOUR 1200 A M. TO 300 P M.DRILLER Morton Bowers

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	600	50	9	15	RA 172	10 1/4	12 30	94	50						
NO. D.C.								10 30	94	60						
PUMP STROKE	16							12 30	94	65	94	10				
LINER SIZE	6 3/4	WT. ON BIT	1500					6 00	99	70						

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE					W.C.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO			FROM	TO	DESCRIPTION OF OPERATION		MRS.	MIN.
	600			323	408	248	1 1/2	1230	1236	Run rig			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 3 00 P M. TO 4 00 P M.DRILLER D. Satterlon

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	600	50	9	15	RA 172	10 1/4	6 00	97	70			CLAYSTIC	95		
NO. D.C.	10							10 00	97	64			THIN LAYER	75		
PUMP STROKE	16							12 00	97	56						
LINER SIZE	6 3/4	WT. ON BIT	1500					2 00	97	56	6	10				

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE					W.O.P.	
FROM	TO	FROM	TO	FROM	TO			FROM	TO	DESCRIPTION OF OPERATION	MRS.	MIN.	
				2 00	2 40	443	1 0	12 00	12 00	Run rig			
								2 00	4 00	Reaming to 15" hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4 00 P M. TO 1200 A M.DRILLER D. Satterlon

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	650	55	9	15	P.R. 273	26	1 00	99	55	82	10				
NO. D.C.	10							6 00	10	58						
PUMP STROKE	16							5 00	10	60						
LINER SIZE	6 3/4	WT. ON BIT	1500					10 00	10	10						

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE					W.O.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO			FROM	TO	DESCRIPTION OF OPERATION		HRS. MIN.	HRS. MIN.
				460	561	473	10	400	45	Run 5' 11" 15"			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. _____

TOTAL DRILL TIME THIS 24 HRS. _____

TOTAL DAY WORK THIS 24 HRS. _____

HRS. WITH DRILL PIPE _____

HRS. WITHOUT DRILL PIPE _____

SIGNED D. Satterlon CO. R.

D/W FOOTAGE THIS 24 HRS. _____

IS YOUR REPORT COMPLETE? _____

DATE: _____

REPORT NUMBER

DAILY DRILLING WELL REPORT

CANTR

DATE _____

RIG NO.

ROTARY

SERVICE

FIELD

FIELD

LEASE

LOCATION

PROVINCE

MORNING TOUR 12/11 M. TO 12/11 M.

DRILLER W. J. Jones

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR								
SIZE D.C.	PUMP BE.	NO.	SIZE	TYPE	FTAGE	HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.						
6 3/4	50	3	17 1/2	Reg	265	18 1/2	12:00	9.5	60			GEL.	2400								
NO. D.C.	PUMP PRESS						4:00	9.4	65	02	11										
PUMP STROKES	ROTARY RPM						6:00	9.4	45												
LINER SIZE	WT. ON BIT																				
HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR								DAY WORK RATES					
DRILLED		BATHOLED		REAMED		DEPTH		ANGLE		FROM TO DESCRIPTION OF OPERATION								W.O.P.		W.O.O.P.	
FROM	TO	FROM	TO	FROM	TO					HRS. MIN. HRS. MIN.											
6 3/4				212	245					12:00 12:05 12:05 12:10 12:10 12:15 12:15 12:20 12:20 12:25 12:25 12:30 12:30 12:35 12:35 12:40 12:40 12:45 12:45 12:50 12:50 12:55 12:55 1:00 1:00 1:05 1:05 1:10 1:10 1:15 1:15 1:20 1:20 1:25 1:25 1:30 1:30 1:35 1:35 1:40 1:40 1:45 1:45 1:50 1:50 1:55 1:55 2:00 2:00 2:05 2:05 2:10 2:10 2:15 2:15 2:20 2:20 2:25 2:25 2:30 2:30 2:35 2:35 2:40 2:40 2:45 2:45 2:50 2:50 2:55 2:55 3:00 3:00 3:05 3:05 3:10 3:10 3:15 3:15 3:20 3:20 3:25 3:25 3:30 3:30 3:35 3:35 3:40 3:40 3:45 3:45 3:50 3:50 3:55 3:55 4:00 4:00 4:05 4:05 4:10 4:10 4:15 4:15 4:20 4:20 4:25 4:25 4:30 4:30 4:35 4:35 4:40 4:40 4:45 4:45 4:50 4:50 4:55 4:55 5:00 5:00 5:05 5:05 5:10 5:10 5:15 5:15 5:20 5:20 5:25 5:25 5:30 5:30 5:35 5:35 5:40 5:40 5:45 5:45 5:50 5:50 5:55 5:55 6:00 6:00 6:05 6:05 6:10 6:10 6:15 6:15 6:20 6:20 6:25 6:25 6:30 6:30 6:35 6:35 6:40 6:40 6:45 6:45 6:50 6:50 6:55 6:55 7:00 7:00 7:05 7:05 7:10 7:10 7:15 7:15 7:20 7:20 7:25 7:25 7:30 7:30 7:35 7:35 7:40 7:40 7:45 7:45 7:50 7:50 7:55 7:55 8:00 8:00 8:05 8:05 8:10 8:10 8:15 8:15 8:20 8:20 8:25 8:25 8:30 8:30 8:35 8:35 8:40 8:40 8:45 8:45 8:50 8:50 8:55 8:55 9:00 9:00 9:05 9:05 9:10 9:10 9:15 9:15 9:20 9:20 9:25 9:25 9:30 9:30 9:35 9:35 9:40 9:40 9:45 9:45 9:50 9:50 9:55 9:55 10:00 10:00 10:05 10:05 10:10 10:10 10:15 10:15 10:20 10:20 10:25 10:25 10:30 10:30 10:35 10:35 10:40 10:40 10:45 10:45 10:50 10:50 10:55 10:55 11:00 11:00 11:05 11:05 11:10 11:10 11:15 11:15 11:20 11:20 11:25 11:25 11:30 11:30 11:35 11:35 11:40 11:40 11:45 11:45 11:50 11:50 11:55 11:55 12:00 12:00 12:05 12:05 12:10 12:10 12:15 12:15 12:20 12:20 12:25 12:25 12:30 12:30 12:35 12:35 12:40 12:40 12:45 12:45 12:50 12:50 12:55 12:55 1:00 1:00 1:05 1:05 1:10 1:10 1:15 1:15 1:20 1:20 1:25 1:25 1:30 1:30 1:35 1:35 1:40 1:40 1:45 1:45 1:50 1:50 1:55 1:55 2:00 2:00 2:05 2:05 2:10 2:10 2:15 2:15 2:20 2:20 2:25 2:25 2:30 2:30 2:35 2:35 2:40 2:40 2:45 2:45 2:50 2:50 2:55 2:55 3:00 3:00 3:05 3:05 3:10 3:10 3:15 3:15 3:20 3:20 3:25 3:25 3:30 3:30 3:35 3:35 3:40 3:40 3:45 3:45 3:50 3:50 3:55 3:55 4:00 4:00 4:05 4:05 4:10 4:10 4:15 4:15 4:20 4:20 4:25 4:25 4:30 4:30 4:35 4:35 4:40 4:40 4:45 4:45 4:50 4:50 4:55 4:55 5:00 5:00 5:05 5:05 5:10 5:10 5:15 5:15 5:20 5:20 5:25 5:25 5:30 5:30 5:35 5:35 5:40 5:40 5:45 5:45 5:50 5:50 5:55 5:5											

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

DRILLER W. J. [Signature]

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	PUMP PRESS	ROTARY RPM	WT. ON BIT	NO.	SIZE	TYPE	FTS/GHRS. RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	55	140	48	114	1	1 1/4	Steel	28 1/2	7:00	18	24			Water	10.00		
NO. D.C.	?																
PUMP STROKE	16																
LINE SIZE	6 1/2																
HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR								DAY WORK RATES			
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION				W.O.P.			
FROM	TO	FROM	TO	FROM	TO									HRS.	MIN.		
						28 1/2	1 1/4	7:00	7:15	Pulled in							
								7:15	7:30	Running 6 3/4 hole							
								7:30	7:45	Running 6 3/4 hole							
								7:45	8:00	Running 6 3/4 hole							
								8:00	8:15	Running 6 3/4 hole							
								8:15	8:30	Running 6 3/4 hole							
								8:30	8:45	Running 6 3/4 hole							
								8:45	9:00	Running 6 3/4 hole							
								9:00	9:15	Running 6 3/4 hole							
								9:15	9:30	Running 6 3/4 hole							
								9:30	9:45	Running 6 3/4 hole							
								9:45	10:00	Running 6 3/4 hole							
								10:00	10:15	Running 6 3/4 hole							
								10:15	10:30	Running 6 3/4 hole							
								10:30	10:45	Running 6 3/4 hole							
								10:45	11:00	Running 6 3/4 hole							
								11:00	11:15	Running 6 3/4 hole							
								11:15	11:30	Running 6 3/4 hole							
								11:30	11:45	Running 6 3/4 hole							
								11:45	12:00	Running 6 3/4 hole							
								12:00	12:15	Running 6 3/4 hole							
								12:15	12:30	Running 6 3/4 hole							
								12:30	12:45	Running 6 3/4 hole							
								12:45	1:00	Running 6 3/4 hole							
								1:00	1:15	Running 6 3/4 hole							
								1:15	1:30	Running 6 3/4 hole							
								1:30	1:45	Running 6 3/4 hole							
								1:45	2:00	Running 6 3/4 hole							
								2:00	2:15	Running 6 3/4 hole							
								2:15	2:30	Running 6 3/4 hole							
								2:30	2:45	Running 6 3/4 hole							
								2:45	3:00	Running 6 3/4 hole							
								3:00	3:15	Running 6 3/4 hole							

TOTAL PAY WORK TIME CHARGEABLE TO TSCAO:

EVENING TOUR 10:00 **M TH** 10:00 **M**

DRILLER James R. [Signature]

[illegible]

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS.

TOTAL DAY/WORK THIS 24 HRS

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED F. H. H. H. Co. R.

D\W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

Co. R.

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACTOR

Arrow Drilling

DATE

January 29/57

LEASE

Boring Lake

WELL NO.

LOCATION

PROVINCE

N.W.T.

RIG NO.

7

ROTARY

☒

SERVICE

☐

MORNING TOUR

12⁰⁰ P.M. TO 8⁰⁰ A.M.

DRILLER

J. L. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP RPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	30	150	50	7	15	22	121	5:00	92	53			CAUSTIC	50		
NO. D.C.																
16								6:00	92	50	9.2	105	TANNEX	100		
PUMP STROKE													GEL	100		
LINE SIZE																
6 3/4	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.O.P.
FROM	TO	FROM	TO	FROM	TO					HRS.	MIN.
6:40		170	191			12:00	12:00	running plug #3 2175 ft			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CORING, CASING RUN, CEMENT PLUGS, ETC.)

Re-cemented Conductor Pipe with 17 sac of cement. 4 7/8 Cals added mixed and pumped by Dowell. Cement in place at 13:15 AM. Cement Plug No. 3.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

8⁰⁰ A.M. TO 4⁰⁰ P.M.

DRILLER

J. L. Sattler

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP RPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	110	30	7	15	22	206	8:00	92	53						
NO. D.C.																
2								12:00	92	55						
PUMP STROKE																
16								2:00	92	53						
LINE SIZE																
6 3/4	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.O.P.
FROM	TO	FROM	TO	FROM	TO					HRS.	MIN.
6:40	191	206	0	112		8:00	8:00	Run rig			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CORING, CASING RUN, CEMENT PLUGS, ETC.)

Running to 15" hole - survey
Pulled out 11" rig to
ream to 12 1/4" hole
Running to 12 1/4" hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR

7 P.M. TO 12 A.M.

DRILLER

J. L. Sattler

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP RPM	PUMP PRESS	ROTARY RPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	100	50	7	17	Rud	212	4:00	94	60						
NO. D.C.																
4								6:00	94	62						
PUMP STROKE																
16								8:00	94	60	9.4	11				
LINE SIZE																
6 3/4	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.O.P.
FROM	TO	FROM	TO	FROM	TO					HRS.	MIN.
6:40		172	212			4:00	4:00	Run rig			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING,

CORING, CASING RUN, CEMENT PLUGS, ETC.)

Running to 17 1/4" hole

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRIG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

J. H. Nash

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

DAILY DRILLING WELL REPORT

CONTRACT

Arrow Drilling

DATE January 28/57

FIELD

LEASE

WELL No.

LOCATION

PROVINCE

RIG NO.

ROTARY

SERVICE ☐

MORNING TOUR 1200 A. M. TO 1400 M.

PRILLER *Christen Priller*

OPERATING DATA			BIT DATA					MUD TEST DATA					MUD ADDED THIS TOUR			
			NO.	SIZE	TYPE	FTAGE	HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE O.C.	6 1/2	PUMP RPM	50	6	9	OSC-10 1/2	4 1/2	12	9.2	45	9.8	11.5	GEL.	1000		
NO. O.C.	1	PUMP PRESS	110	9	15	OSC 3	9 1/2	5	4.20	9.2	47					
PUMP STROKE	16	ROTARY RPM	46						6.10	9.3	47					
LINER SIZE	6 1/2	WT. ON BIT	880						7.00	9.3	55					

HOLE DATA				SURVEYS		RIG TIME DATA - THIS TOUR				DAY WORK RATES		
CRILLED		RATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P.	W.O.G.P.
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.
630	640			0	98	640	150	150	150	beam run		

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING).

CORING, CABING RUN, CEMENT PLUGS, ETC.]

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 4:00 P.M.

PSILLER *[Signature]*

[illegible]

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE					W.O.P.		W.O.P.	
FROM	TO	FROM	TO	FROM	TO			FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.	HRS.	MIN.
						640	14								

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING)

CORING, CASING RUN, CEMENT PLUGS, ETC.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 12:00 M TO 12:00 M

DRILLER *AL Smith*

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR					
SIZE O.C.	PUMP	SPM		NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE O.C.	6 3/4	PUMP	50	7	15	0563	170	19		100	93	52		11				
NO. O.C.	4	PUMP	100								94	55	102					
PUMP STROKE	16	ROTARY									9.4	58						
LINER SIZE	62	WT. ON BIT	16000							1000	9.4	65						

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK HAYES	
DRILLED		RATHOLLO		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.
FROM	TO	FROM	TO	FROM	TO							MRS.	MIN.
1100	1110			1100	1110			1100	1110	Run Pipe			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING)

CORING, CASING RUN, CEMENT PLUGS, ETC.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRUG TIME THIS 24 HRS

TOTAL DAY WORK TIME 24 HRS

MRB. WITH DRILL PIPE

REF WITHOUT ORAL SIGN

SIGNED W. H. H. H. H.

D\W FOOTAGE THRU 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACTOR

ARROW DRILL

DATE JAN 27/57

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

12

WILLCAT

BONNE LAKE

#1

N.M.T.

MORNING TOUR 12⁰⁰ P.M. TO 8⁰⁰ A.M.

DRILLER W. L. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPH	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	10	65	5	9	OSC	66	100	12:00	9.3	28						
NO. D.C.	PUMP PRESS							2:00	9.4	60						
PUMP STROKE	ROTARY RPM							4:00	9.3	28	28	11.2				
LINEAR SIZE	WT. ON BIT							6:00	9.3	50						

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P		W.O.P	
FROM	TO	FROM	TO	FROM	TO							HRS.	MIN.	HRS.	MIN.
406	451					378	10	12:00	2:00	Run rig					
								12:00	8:00	Drilling 9" hole.					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8⁰⁰ A.M. TO 4⁰⁰ P.M.

DRILLER J. Satterlee

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPH	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	10	55	5	9	OSC	139	15	8:00	9.3	35						
NO. D.C.	PUMP PRESS							10:00	9.3	35						
PUMP STROKE	ROTARY RPM							12:00	9.4	60						
LINEAR SIZE	WT. ON BIT							2:00	9.4	60	22	11.5				

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		RATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P.		W.O.O.P.		
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.	HRS.	MIN.	
484	545					500	70	8:00	8:00	Run rig					
								8:00	4:00	Drilling 9" hole					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4⁰⁰ P.M. TO 12⁰⁰ A.M.

DRILLER H. Barry

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPH	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	10	55	5	9	OSC	180	20	4:00	9.5	10			Portland cement	150		
NO. D.C.	PUMP PRESS							6:00	9.6	65	19.6	11.5	Concrete	25		
PUMP STROKE	ROTARY RPM							8:00	9.6	65						
LINEAR SIZE	WT. ON BIT							10:00	9.6	65						

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES		
DRILLED		WATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.W	W.G.O.W		
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.	HRS.	MIN.
545	620					576	78	4:00	4:00	Run rig				
								4:00	7:00	Drilling 9" hole				
								7:00	9:00	Drilling 9" hole				
								9:00	12:00	Drilling 9" hole				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. 214

TOTAL DRILL TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

J. H. H. H.

CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 12FIELD WildcatLEASE Barig LakeWELL NO. 1LOCATION N.W.T.PROVINCE N.W.T.CONTRACT NO. Arrow DrillingDATE January 26/57RIG NO. 7ROTARY ☒SERVICE ☐MORNING TOUR 12:00 A.M. TO 8:00 A.M.DRILLER W. Bray

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	55	3	9"	M4M	100	11 1/2		11:15	9.1	50	11.2	11.5	Baroid	1000		
NO. D.C.	PUMP PRESS							12:00	9.1	53						
PUMP STROKE	ROTARY RPM							1:00	9.2	53						
LINEAR SIZE	WT. ON BIT							6:00	9.1	55	120	11				

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.
250	285		286	1°		12:00	12:15	Rig Service			
						12:15	1:00	Drilling 9" hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 4:00 P.M.DRILLER M. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	68	7	9	56	69	6 1/2		10:00	9.3	50	13.0	11.5				
NO. D.C.	PUMP PRESS							12:00	9.2	55						
PUMP STROKE	ROTARY RPM							2:00	9.3	57						
LINEAR SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.
216	367		368	1°		10:00	10:15	Lower rig			
						10:15	10:30	Run of cement 166'			
						10:30	10:45	Run of cement 166'			
						10:45	11:00	Drilling 9" hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Wt. on bit increased to 20,000 lbs. on basis of last survey.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 A.M.DRILLER J. Satterlee

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	55	4	9	56	103	10 1/2		4:00	9.2	60						
NO. D.C.	PUMP PRESS							6:00	9.2	68						
PUMP STROKE	ROTARY RPM							8:00	9.3	63						
LINEAR SIZE	WT. ON BIT							10:00	9.3	67	129	11.5				

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED	DEPTH	ANGLE		FROM	TO	DESCRIPTION OF OPERATION		HRS.	MIN.
369	406		388	1°		4:00	4:15	Lower rig			
						4:15	4:30	Drilling 9" hole			
						4:30	4:45	Run of cement 166'			
						4:45	4:55	Run of cement 166'			
						4:55	5:00	Drilling 9" hole			

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Wt. on bit increased to 25,000 lbs. on basis of last survey at 388 feet.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. 156'

TOTAL DRLG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED J. H. Hall

CO. R.

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACTOR

Arrow Drilling

DATE

Jan 25

RIG NO.

ROTARY ☒SERVICE ☐

REPORT NUMBER

11

FIELD

Wichita Co. T.

LEASE

Barrick Co. T.

WELL NO.

11

LOCATION

Wichita Co. T.

PROVINCE

Wichita Co. T.

MORNING TOUR 11 A.M. TO 2 P.M.

DRILLER

D. King

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 1/2	40	1	150	1	4"	OSC	106	6	11	8.5	40		1700 lbs. Cement			
16	40	1	150	2	4"	OSC	106	6	11	8.5	40		1700 lbs. Cement			
6 1/2	40	1	150	3	4"	OSC	106	6	11	8.5	40		1700 lbs. Cement			
6 1/2	40	1	150	4	4"	OSC	106	6	11	8.5	40		1700 lbs. Cement			

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	TO	RATHOLED	TO	REAMED	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P.	W.D.P.	W.D.P.	W.D.P.	W.D.P.
60	145					100	1 1/4	11	12	11" 12" 11" 12" 11" 12"					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 7:00 P.M. TO 4:00 P.M.

DRILLER

D. King

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS. RUN	TIME	WT	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 3/4	50	1	9"	OSC	106	10	8:00	8.5	42			CAUSTIC	25		
NO. D.C.	PUMP PRESS	2	9"	OSC	10	4 1/4	10:00	8.5	45			TAKNEX	100		
PUMP STROKE	16														
LINER SIZE	6 1/2						1:00	9.0	41	15.2	9.0	CEL	1500		
	WT. ON BIT														

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	TO	RATHOLED	TO	REAMED	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P.	W.D.P.	W.D.P.	W.D.P.	W.D.P.
60	145					100	1 1/4	11	12	11" 12" 11" 12" 11" 12"					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 A.M.

DRILLER

D. King

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
6 1/2	55	1	150	1	9"	OSC	22	7 1/2	5	8.5	50	-	3MUS	50		
16	48	2	150	2	9"	OSC	22	7 1/2	5	8.5	50	-	CEL	200		
6 1/2	WT. ON BIT															

HOLE DATA				SURVEYS				RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	TO	RATHOLED	TO	REAMED	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P.	W.D.P.	W.D.P.	W.D.P.	W.D.P.
175	250					195	1 1/4	11	12	11" 12" 11" 12" 11" 12"					

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Encountered semi-consolidated formation from 140' down to 235, where consolidated formation started. Post survey indicated increasing hole diameter so weight on bit was cut back to 15,000 lbs. RPM was increased slightly.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. 250

TOTAL DRILL TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

D. King

Co. R.

DOW FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 10
 FIELD WILLIAM
 LEASE BOONE HALL
 WELL NO. 1
 LOCATION NEW YORK
 PROVINCE N.Y.

CONTRACTOR Arrow Drilling DATE Jan 24
 RIG NO. 7 ROTARY ☒ SERVICE ☐

MORNING TOUR 12 M. TO 8 A.M.

DRILLER Harry Bray

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINER SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES				
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
12.00	12.15									Run Service				
12.15	2.30									Wash on water				
2.30	5.30									Welding on bit hole & hole not hole				
5.30	8.00									Run and + turned washed but off bottom of sockets running in and try to screw into same 2.1				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8 A.M. TO 4 P.M.

DRILLER W. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINER SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES				
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
8.00	8.15									Run 1/2				
8.15	1.00									Stop well hole & washing				
1.00	4.00									Run and				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4 P.M. TO 12.00 P.M.

DRILLER J. Sullivan

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINER SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES				
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
3.00	4.15									Start rig				
4.15	5.00									Started drilling				
5.00	6.00									hole lost circ				
										Rigging up derrick & running lost circ. plug				
										40 sacks inland cement				
										4% Cal. Chloride				
										W.B.C.				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

lost circulation to unconsolidated formation and washed out fill dirt along side conductor pipe. Cemented with 40 sacks of inland cement with 4% Cal. Chloride. Cemented by 6.00 P.M.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. 11 TOTAL DRILL TIME THIS 24 HRS. TOTAL DAY WORK THIS 24 HRS.
 HRS. WITH DRILL PIPE HRS. WITHOUT DRILL PIPE SIGNED J. Sullivan CO. R.
 D/W FOOTAGE THIS 24 HRS. IS YOUR REPORT COMPLETE? DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

 REPORT NUMBER 8
 FIELD Wildcat
 LEASE Barre Lake
 WELL NO. 1
 LOCATION N.W.T.
 PROVINCE N.W.T.

CONTRACTOR

Arrow Drilling

DATE

January 22 / 57

RIG NO.

7ROTARY ☒SERVICE ☐MORNING TOUR 12:00 A.M. TO 8:00 A.M.

DRILLER

D. Bray

OPERATING DATA			BIT DATA					MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.		PUMP SPM	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.	
6 5/8		PUMP										Oil Sol	4600			
NO. D.C.		PRESS										500				
PUMP		ROTARY														
STROKE		RPM														
LINE		WT. ON BIT														
SIZE																

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	BATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.	HRS.	MIN.
FROM	TO	FROM	TO										

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

12:00 12:15 Rig Service
 12:15 2:00 Mud mixed & filtered
 2:00 4:00 Log 15" hole
 4:00 5:00 Wash on water
 5:00 6:00 Mud mixed & filtered
 6:00 7:00 Log 15" hole
 7:00 8:00 Wash on water

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 4:00 P.M.

DRILLER

M. Brown

OPERATING DATA			BIT DATA					MUD TEST DATA					MUD ADDED THIS TOUR			
			NO.	SIZE	TYPE	STAGE	HRS.	RUN	TIME	WT.	VIS.	W.L.	P.H.	MATERIAL	LBS.	MATERIAL
SIZE D.C.		PUMP SPM											Gel	6200		
NO. D.C.		PUMP PRESS											Caustic	25		
PUMP STROKE		ROTARY RPM											SAVES	30		
LINER SIZE		WT. ON BIT											SAVES	30		

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	BATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.	HRS.	MIN.
FROM	TO	FROM	TO										

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

8:00 8:15 Log 15" hole
 8:15 9:00 Mud mixed & filtered
 9:00 10:00 Log 15" hole
 10:00 11:00 Mud mixed & filtered
 11:00 12:00 Log 15" hole
 12:00 1:00 Wash on water
 1:00 2:00 Mud mixed & filtered
 2:00 3:00 Log 15" hole
 3:00 4:00 Wash on water

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 4:00 P.M. TO 12:00 A.M.

DRILLER

J. Lattin

OPERATING DATA			BIT DATA					MUD TEST DATA					MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM		NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS																
PUMP STROKE	ROTARY SPM																
LINER SIZE	WT. ON BIT																

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	BATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.O.P.	W.O.P.	HRS.	MIN.
FROM	TO	FROM	TO										

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

4:00 4:15 Log 15" hole
 4:15 5:00 Mud mixed & filtered
 5:00 6:00 Log 15" hole
 6:00 7:00 Mud mixed & filtered
 7:00 8:00 Log 15" hole
 8:00 9:00 Wash on water
 9:00 10:00 Mud mixed & filtered
 10:00 11:00 Log 15" hole
 11:00 12:00 Wash on water

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

Co. R.

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT NO. ARROW DRILL

DATE JAN 20 1957

REPORT NUMBER 5
FIELD Wildcat
LEASE 80111 1000
WELL NO. 1
LOCATION SWT.
PROVINCE SWT.

RIG NO. 2

ROTARY ☒ SERVICE ☐

MORNING TOUR

M. TO 12:00 M

DRILLER J. Sattler

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO					HRS. MIN.	HRS. MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Raised Derrick, finished putting up pre-rigs, hung steel & Kelly, repaired all broken join lines in drawworks, hooked up mud tanks, lined up pumps, hung tanks.

8:00 6:00 Rigging up

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR

M. TO 12:00 M

DRILLER J. Fra

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO					HRS. MIN.	HRS. MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

8:00 6:00

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR

M. TO 12:00 M

DRILLER J. Fra

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.	PUMP SPM	NO. D.C.	PUMP PRESS	NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.
FROM	TO	FROM	TO	FROM	TO					HRS. MIN.	HRS. MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

8:00 6:30 Rigging up

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. _____ TOTAL DRG TIME THIS 24 HRS. _____ TOTAL DAY WORK THIS 24 HRS. _____
HRS. WITH DRILL PIPE _____ HRS. WITHOUT DRILL PIPE _____ SIGNED J. Fra Co. R. _____
D/W FOOTAGE THIS 24 HRS. _____ IS YOUR REPORT COMPLETE? _____ DATE _____

DAILY DRILLING WELL REPORT

CONTRACTOR

Arrow Drilling

DATE January 19/57

RIG NO.

ROTARY

SERVICE ☐

REPORT NUMBER

FIELD Wildcat

LEASE Boris Loko

WELL NO.

LOCATION

PROVINCE N.H.T.

MORNING TOUR 10:00 AM. TO THE

DRILLER *[Signature]*[illegible]

DAYLIGHT TOUR 8:00 A M TO M

DEILER [illegible]

EVENING TOUR 8:00 A M TO

DRILLER *Y. K. R. 11*

[illegible]

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DLG TIME THIS 24 HRS.

TOTAL PAY/WORK THIS 24 HRS

MRS. WITH DRILL PIPE

HRS. WITHOUT DRILL: 8195

SIGNED *[Signature]*

D\W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE _____

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 4FIELD WildcatLEASE Revis LakeWELL NO. 1

LOCATION _____

PROVINCE N. W. T.CONTRACTOR Arrow DrillingDATE January 18/67RIG NO. 7ROTARY ☒SERVICE ☐

MORNING TOUR _____

M. TO _____ M

DRILLER J. Sattelle

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.		PUMP SPM		NO.	SIZE	TYPE	FT/AGHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.		PUMP PRESS														
PUMP STROKE		ROTARY RPM														
LINER SIZE		WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.		
FROM	TO	FROM	TO	FROM	TO					HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

String blocks, lay steel and water lines, rigged up boiler.

Rigging up

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR _____

M. TO _____ M

DRILLER G. Bray

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.		PUMP SPM		NO.	SIZE	TYPE	FT/AGHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.		PUMP PRESS														
PUMP STROKE		ROTARY RPM														
LINER SIZE		WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.		
FROM	TO	FROM	TO	FROM	TO					HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Rigging up

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR _____

M. TO _____ M

DRILLER M. Brown

OPERATING DATA				BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE D.C.		PUMP SPM		NO.	SIZE	TYPE	FT/AGHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.		PUMP PRESS														
PUMP STROKE		ROTARY RPM														
LINER SIZE		WT. ON BIT														

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED	RATHOLED	REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION		W.D.P.	W.O.D.P.		
FROM	TO	FROM	TO	FROM	TO					HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Rigging up.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. 0TOTAL DRUG TIME THIS 24 HRS. 0

TOTAL DAY WORK THIS 24 HRS. _____

HRS. WITH DRILL PIPE 0

HRS. WITHOUT DRILL PIPE _____

SIGNED D. H. Smith CO. R.

D/W FOOTAGE THIS 24 HRS. _____

IS YOUR REPORT COMPLETE? _____

DATE _____

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 3FIELD WildcatLEASE Berie LakeWELL NO. 1LOCATION 1PROVINCE N.W.T.CONTRACTOR Arrow DrillingDATE January 17/57.RIG NO. 7ROTARY ☒SERVICE ☐MORNING TOUR Side M. to 6:00 P.M.DRILLER J. L. H. H. H.

OPERATING DATA		BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
		NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE D.C.	PUMP SPM													
NO. D.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		BATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.D.P		W.D.P		
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.	HRS.	MIN.	

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Spot down works and
motors.

lost truck off location
at 11:00 P.M.

Released two D-7
cats at 12:00 P.M.
(Otto Krause).

Released 1 TD-14
Cat at 7:00 P.M.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 5:00 P.M. to 6:00 P.M.DRILLER J. L. H. H. H.

OPERATING DATA		BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
		NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE D.C.	PUMP SPM													
NO. D.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES			
DRILLED		BATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	W.O.P.		W.O.P.		
FROM	TO	FROM	TO	FROM	TO						HRS.	MIN.	HRS.	MIN.	

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Unloading Trucks
and rigging up.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 5:00 P.M. to 6:00 P.M.DRILLER J. L. H. H. H.

OPERATING DATA		BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
		NO.	SIZE	TYPE	FTAGEHRS.RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
SIZE D.C.	PUMP SPM													
NO. D.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA						SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES		
DRILLED		BATHOLED		REAMED		DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.
FROM	TO	FROM	TO	FROM	TO									
										11:11				

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Unloading Trucks
and rigging up.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRIG TIME THIS 24 HRS.

TOTAL DAY WORK TIME THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED J. H. H. H. CO. R.

D.W. FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?

DATE

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

REPORT NUMBER 2FIELD WildcatLEASE Exie LakeWELL NO. 1LOCATION N.W.TCONTRACTOR Arrow DrillingDATE January 16, 1957RIG NO. 7ROTARY ☒ SERVICE ☐MORNING TOUR 8:00 A M. TO 6:00 P MDRILLER J. H. Hays

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINER SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		F & B TIME DATA THIS TOUR		DAY WORK RATES						
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Pulled derrick and sub structure. Spotted buildings.

Pull trucks up hill and spot equipment.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A M. TO 6:00 P MDRILLER J. H. Hays

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINER SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR		DAY WORK RATES						
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Pull trucks up to casing and spotting equipment.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 8:00 A M. TO 6:00 P MDRILLER J. H. Hays

OPERATING DATA				BIT DATA				MUD TEST DATA				MUD ADDED THIS TOUR				
SIZE D.C.	PUMP SPM	NO.	SIZE	TYPE	FTAGE	HRS.	RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. D.C.	PUMP PRESS															
PUMP STROKE	ROTARY RPM															
LINER SIZE	WT. ON BIT															

HOLE DATA				SURVEYS		RIG TIME DATA THIS TOUR		DAY WORK RATES						
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	FROM	TO	DESCRIPTION OF OPERATION	HRS.	MIN.	HRS.	MIN.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Pulling trucks up the hill and spotting buildings.

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS. 0TOTAL DRG TIME THIS 24 HRS. 0TOTAL DAY WORK THIS 24 HRS. 0HRS. WITH DRILL PIPE 0HRS. WITHOUT DRILL PIPE 0SIGNED J. H. Hays CO. R.FOOTAGE THIS 24 HRS. 0IS YOUR REPORT COMPLETE? YESDATE Jan 16, 1957

TEXACO EXPLORATION CO.

DAILY DRILLING WELL REPORT

CONTRACT NO.

Arrow Drilling

DATE

January 15, 1957

RIG NO.

7

ROTARY ☒SERVICE ☐

REPORT NUMBER

FIELD

LEASE

WELL NO.

LOCATION

PROVINCE

MORNING TOUR 8:00 A.M. TO 6:00 P.M.

DRILLER

OPERATING DATA		BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE O.C.	PUMP RPM	NO.	SIZE	TYPE	FTAGE/HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. O.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA			SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	DESCRIPTION OF OPERATION	W.D.P. HRS.	W.O.D.P. HRS.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Rig released at 12:00 P.M.
December 23, 1956 from
Boundary Lake No. 3. Rigged
out at Boundary Lake No. 3
December 27, 1956.
Rig moved to Fort St.
John via Grand Prairie
December 29, 1956. Rig
stacked in Fort St. John
till January 4, 1957.
Reloaded rig on January
4 and 6. Moved to Fort

Pulling Trucks to
location and unloading

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

DAYLIGHT TOUR 8:00 A.M. TO 6:00 P.M.

DRILLER

OPERATING DATA		BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE O.C.	PUMP RPM	NO.	SIZE	TYPE	FTAGE/HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. O.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA			SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	DESCRIPTION OF OPERATION	W.D.P. HRS.	W.O.D.P. HRS.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Nelson on January 6, 1957.
Waited on orders January 7.
Started into bush on January
8. First trucks at
location on January 15.

Pull trucks up to
location and unload
same

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

EVENING TOUR 8:00 A.M. TO 6:00 P.M.

DRILLER

OPERATING DATA		BIT DATA				MUD TEST DATA					MUD ADDED THIS TOUR			
SIZE O.C.	PUMP RPM	NO.	SIZE	TYPE	FTAGE/HRS. RUN	TIME	WT.	VIS	W.L.	P.H.	MATERIAL	LBS.	MATERIAL	LBS.
NO. O.C.	PUMP PRESS													
PUMP STROKE	ROTARY RPM													
LINER SIZE	WT. ON BIT													

HOLE DATA			SURVEYS		RIG TIME DATA THIS TOUR				DAY WORK RATES	
DRILLED FROM	TO	RATHOLED FROM	TO	REAMED FROM	TO	DEPTH	ANGLE	DESCRIPTION OF OPERATION	W.D.P. HRS.	W.O.D.P. HRS.

REMARKS AND REPORTS OF SPECIAL OPERATIONS (TESTING, CORING, CASING RUN, CEMENT PLUGS, ETC.)

Unloaded trucks on
Jan. 15, 1957. Cats
still have no lease.

Pull trucks up to
location and unload

TOTAL DAY WORK TIME CHARGEABLE TO TEXACO

TOTAL FOOTAGE THIS 24 HRS.

TOTAL DRG TIME THIS 24 HRS.

TOTAL DAY WORK THIS 24 HRS.

HRS. WITH DRILL PIPE

HRS. WITHOUT DRILL PIPE

SIGNED

DATE

Co. R.

D/W FOOTAGE THIS 24 HRS.

IS YOUR REPORT COMPLETE?