

SHELL LIARD No. 2

D-75

Drilling Authority No.

Date Issued

WELL NAME Shell Liard No. 2

FIELD Wildcat

Area: Fort Liard

LOCATION: Unit 2

Section 75

Grid 61-20-122-30

Latitude 61°14' 03.9" N.

Longitude 122°44' 58.9" W.

From Established Reference Marker

Rig Release Date: 6-4-59

Status D & A

Information Release Date 6-4-61

CHANGE OF NAME:

DATE RECEIVED	INDEX
	Application for a Drilling Authority. Well Completion Data. Well History Report. Application to Amend a Drilling Authority. Application to change a Well Name. Application to Abandon a Well or Suspend Drilling. Application to Alter Condition of a Well. Well History Supplement. Well Completion Data. Work-over Report No. Application to Commingle Production before Measurement. Approval to Commingle Production before Measurement. Application to Amend Approval No. to Commingle Production before Measurement. Application for M.P.R.—Oil. New Oil Well Report. New Gas Well Report. Well Inspection Report. Rig Inspection Report. Battery Inspection Report. Field Abandonment Programme and Approval. Well Card. Well Visit. Daily Drilling Reports.

CANADA

DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES

NORTHERN ADMINISTRATION AND LANDS BRANCH

(ABANDONMENT)

REPORT

(Stroke out operations which do not apply)

To be submitted in triplicate in accordance with Section 32 of the Territorial Oil and Gas Regulations to the Conservation Engineer at Edmonton, Alberta.

686970471
Name of well Shell Liard River #2 Permit No. 1912
Lease No.
Registered owner Shell Oil Co. of Canada Ltd. Drilling Company Shell Oil Co. of Canada Ltd.
Location: (Survey description) 61° 14' 35.9" N
122° 44' 58.9" W
Elevation: Ground 627 Kelly bushing 622 Depth 2237
Spudded 2/26/59 Finished drilling 4/6/59 Rig released 4/5/59
Deviations from vertical 1/2° = 878, 3/4° = 1710, 2-1/2° = 7145

CASING

Date	Size O.D.	Weight lbs/foot	Grade	Set at feet	Sacks cement
7/21/59	13-7/8	61 and 54.54	J-55	1229	650 sacks
1.					
2.					
3.					

TUBING


Status of well on completion of drilling D & A
Producing zone
Cored intervals 1906-1909
2085-2085.5
Interval logged: E-log 1229-2237 M-log 1229-2235
R-log 150-2237 Other

DRILLSTEM TESTS

Test No.	Date	Interval tested	Duration	Results
		none		

(Over)

<u>Test No.</u>	<u>Date</u>	<u>Interval tested</u>	<u>Duration</u>	<u>Results</u>
-----------------	-------------	------------------------	-----------------	----------------



Perforations: (Gun.....)
(Det.....) . none

Shootings:

Hydraulically fracturing:

Chemical treatment:

Date Initial Production tests:

Initial production data

Pumping or flowing

Plug back:

Other:

.

.

CEMENT PLUGS SET

<u>Date</u>	<u>Plug set at</u>	<u>Sacks cement</u>	<u>Method</u>	<u>Top found at</u>
4/8/59 . . .	surface . . .	. . . 10 sacks . . .	dropped . . .	surface . . .
.				
.				
.				
.				

Well samples have been sent to: Shell Oil Co. of Canada - Edmonton

Cores will be stored at: Shell Oil Co. of Canada - Edmonton

Electric log is appended: Yes No x . .

Radioactivity log is appended: Yes No ☒

Micrometer log is appended: Yes No X

Geologic record or strip log (is) submitted Yes No . X .
(will be)

Results of tests for porosity, permeability, and saturation of each stratum containing oil, gas or water (are) submitted (will be) Yes No . x .

With respect to abandonment we have complied with Section 60(3) and (4) of the Regulations. ~~Initial here~~ ~~See below~~

ADDITIONAL DETAILS AND COMMENTS . . . (Initial here) ~~See below~~ See below

. Erection of marker post and general cleanup of

.. lease will be done when rig is moved off the location.

Signed A. K. Sherry Address P. O. Box 186, Edmonton.

E. R. Shorey, Jr

C A N A D A

DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES

NORTHERN ADMINISTRATION AND LANDS BRANCH

(~~RECONSTRUCTION~~)
(~~ABANDON~~)
NOTICE OF INTENTION TO (~~RECONSTRUCTION~~) A WELL
(~~RECONSTRUCTION~~)
(~~RECONSTRUCTION~~)

(Stroke out operations which do not apply).

To be submitted in triplicate to the Conservation Engineer at Edmonton, Alberta.

In accordance with Sections ~~60, 61, or 62~~ ^{68, 69, 71 & 72} of the Territorial Oil and Gas Regulations, notice is hereby given of our intention to

~~Abandon~~ the well named ~~Shell Lined River #2~~ on Oil and Gas (Permit No. ¹⁰¹²) registered in the name of ~~Shell Oil Company of Canada Ltd.~~
(Lease No.)

Depth ²²³⁷ feet. Elevation above sea level: Ground surface ⁶⁰⁷ ft.
Kelly bushing ⁶²² ft.

Location (if not accurately stated in Notice of Intention to Begin Drilling Operations):

(N of S boundary) of (Permit No.) at approx N Lat.
(S of N boundary) of (Lease No.)
(W of E boundary) of (Permit No.) at approx W Long.
(E of W boundary) of (Lease No.)

Survey description : ^{61° 14' 05.9" N 122° 44' 58.9" W}

CASING RECORD

Size O.D. inches	Weight lbs/ft.	Amount feet	Set at feet	Sacks cement	Method	To be Withdrawn
1. 1 3/8	61.0	299				
2. 1 3/8	54.5	847		530 sacks + 8% gel		
3. 1 3/8	61.0	80	1229	120 sacks + 2% CaCl ₂	displacement	none

OIL, GAS and WATER

<u>Encountered</u>	<u>Cement plugs to be set</u>
Oil fromfeet to.....feet. none	Fromfeet tofeet with.....sacks
.....	
.....	
Gas from ... feet to.....feet. none	Fromfeet to.....feet with.....sacks.
.....	
.....	

(Over)

Water from.....feet tofeet. From.....feet to.....feet with.....sacks.

none.....

Bottom plug fromfeet tofeet withsacks

Surface plug from ..Q....feet to ..Q....feet with...Q.....sacks.

Date of last operations ..April 18, 1959.Total depth. 2277.

Nature of liquid in well Level from surface

Present condition of well in addition to above: Steel plate and manquent not installed
at present. We intend to return to the well as soon as conditions permit and install . . .

Notes:

An electric log (will be) run. (strike out what is non-applicable)
(will not be)

On abandonment we shall comply with Section 60 (3) and (4) of the Regulations with
respect to filling excavations and marking the well site (Please Initial)
E. R. S.

Program of operation not included above

Responsible agents of permittee or lessee in charge of operation:

At well E. W. Little At registered office: E. R. Shorey, Jr.

Postal Address Box 186 Postal Address Shell Oil Co. of Canada Ltd., Box 186
Edmonton Edmonton

It is understood that if changes in this Notice of Intention become necessary
we will promptly notify you.

Dated at Edmonton . . . this . . 13th . . day of . . . April 1959...

Signed by
E. R. Shorey, Jr.

This program is approved subject to the following provisions:

And confirms oral approval given by Telephone

20 April 1959
Date

B. H. Jones
Conservation Engineer

C A N A D A

DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES

NORTHERN ADMINISTRATION AND LANDS BRANCH

NOTICE OF INTENTION TO BEGIN DRILLING OPERATIONS

(To be submitted in triplicate to the Conservation Engineer at Edmonton, Alberta at least 15 days prior to the commencement of drilling).

58

In accordance with Section 92 of the Territorial Oil and Gas Regulations, notice is hereby given of our intention to begin drilling a well on Oil and Gas Permit No. registered in the name of Shell Oil Co. of Canada Ltd.

Lease No. * Border of Permits 1012 and 1013

TYPE OF WELL:

Stratigraphic test: Wildcat: .X.
Structure Test: Development:
Anticipated number of holes ¹ (Required for Structure Test Only)
Expected total depth: . . . 10,000 . . . feet.

The well will be located:

.....(N of S boundary) of (Permit No.....) at approx. 61° 14' N Lat.
.....(S of N boundary) of (Lease No.) at approx. 122° 47' W Long.
.....(W of E boundary) of (Permit No.....) at approx. 122° 47' W Long.
.....(E of W boundary) of (Lease No.....) at approx. 122° 47' W Long.

Survey description of location . Will be forwarded when survey made approximately one week prior to spudding of test.

Approximate surface elevation of . 1000 . . . feet above sea level.

Name of well: , . Shell Liard River No. 2

Type of drilling rig: . . Rotary - National 100 - Shell owned

Expected date of commencement: . . . July 15

We propose to use the following strings of casing, cementing them as indicated below:

Size O.D. inches	Weight lbs/feet	Grade	Brand	New or used	Estimated depth	Sacks of cement
1. 13-3/4	61 & 54.5	J-55	Dominion	New	1200	770 (1330 cu ft)
2.						
3.						

Expected depth of water, gas and oil horizons and method of control:

Depth and nature of porous horizons are relatively unknown. Adequate control will be maintained with casing, drilling mud and blow out preventers.

.
.
.

(Over)

An electric log (will ~~will not~~) be run.

The well will be drilled by: .Shell Oil Company of Canada, Ltd. (name of company)

CONTRACTOR: Shell Oil Company of Canada, Limited


Responsible agents of permittee or lessee in charge of operation:

At well .B.W. Little. At registered office: E. R. Shorey, Jr. . .

Postal address: Box 186, Edmonton. . Postal address: Box 186, Edmonton, Alberta.

It is understood that if changes in this Notice of Intention become necessary we will promptly notify you.


Dated at . Edmonton this . . 23rd . . day of . . . May 1958

Signed by 
E. R. Shorey, Jr.
Manager
Edmonton Division Production

This program is approved subject to the following provisions (if any):

. . Drilling may be commenced at an earlier date if conditions . . .
. . allow. Please inform this office of the date of spudding. . . .
.
.

. . 28 May, 1958.
Date


Conservation Engineer

SHELL OIL COMPANY OF CANADA, LIMITED


PLAN SHOWING LOCATION OF

SHELL LIARD RIVER N° 2

Lat. 61° 14' 05.9" Long. 122° 44' 58.9"

Scale 1" = 4000

1958



ELEVATION	DATUM BM	AREAS		COORDINATES
607.3' gr.	Helicopter Altimeter	ORIGINAL	REDUCED	2661.0'S 3603.2'W of Shoran Control Point
		WELLSITE ACCESS ROAD TANK BATTERY FLOW LINE		
		TOTAL		

I certify that the survey represented by this plan is correct and true to the best of my knowledge and was completed on the 13th day of June 1958

Survey Monuments found shown thus $\diamond$
2"x2" wooden posts planted shown thus $\circ$
Other survey posts found shown thus $\bullet$
Portions referred to outlined in red

[Signature]
P. Eng.
[Signature]
APPROVED

[Signature]
WITNESS
[Signature]
WITNESS

DATE

April 8/59

[illegible]

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME		No.	PROVINCE							
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO.	PIPE SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER			
Shell Oil Company																			
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																	
C.D. Paulson																			
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		17 STANDS DP 155876 FT.		RUN NO. 49														TIME	
DRILLING ACTUAL		SNGLS. DP		FT. SIZE						2238								WEIGHT	
REAMING		D.C. ID		MFG.														VISC.	
CIRCULATING		21 OD 637:87 FT.		TYPE														W.L.C.C.	
TRIPS		RMR BODY OD		FT.		NO. 3		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
DEVIATION SURVEY		STB BODY OD		FT.		NO. 1/6													PH
TEST B.O.P.		SUBS OD		FT.		SER. NO. 55569													SD. CONT.
CUT OFF DRILL LINE		BIT OR C.B.		FT.		DEPTH OUT 2238													
REPAIR RIG				FT.		CUMULATIVE HOURS RUN 2 1/2													
CORING		KELLY DOWN 41:20 FT.		COND. OF BIT															
WIRE LINE LOGGING		TOTAL 2238:83 FT.		REAMER CUTTER NO.															
OTHER 12		WT. OF STRING		LBS.		TYPE													
FISHING		DRILLER		F. Bertram															
COMPLETING (A) PERFORATING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
(B) RUNNING TUBING		STANDS DP		FT. RUN NO.														TIME	
(C) SWABBING		SNGLS. DP		FT. SIZE						72 2237								WEIGHT	
(D) TESTING		D.C. ID		MFG.														VISC.	
(E) ACIDIZING		OD		FT. TYPE														W.L.C.C.	
(F) ADDITIONAL		RMR BODY OD		FT.		NO. NO.		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
TOTALS 12		STB BODY OD		FT.		NO. SIZE													PH
TIME SUMMARY (OFFICE USE ONLY)		SUBS OD		FT.		SER. NO.													SD. CONT.
CONTRACTOR'S TIME HRS.		BIT OR C.B.		FT.		DEPTH OUT													
OPERATOR'S TIME:				FT.		CUMULATIVE HOURS RUN													
HRS. W/D.P.		KELLY DOWN		FT.		COND. OF BIT													
HRS. WO/D.P.		TOTAL		FT.		REAMER CUTTER NO.													
HRS. STANDBY		WT OF STRING		LBS.		TYPE													
WIRE LINE RECORD		DRILLER		R. Young															
REEL NO.		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
NO. OF LINES. SIZE		STANDS DP		FT. RUN NO.														TIME	
FEET SLIPPED		SNGLS. DP		FT. SIZE														WEIGHT	
FEET CUT OFF		D.C. ID		MFG.														VISC.	
PRESENT LENGTH		OD		FT. TYPE														W.L.C.C.	
TON MI. or TRIPS SINCE LAST CUT CUMULATIVE		RMR BODY OD		FT.		NO. NO.		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
TON MI. or TRIPS		STB BODY OD																	

OPERATOR						LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME SHELL LIARD RIVER							No.	PROVINCE N.W.T.							
CONTRACTOR Shell Oil Company						RIG NO. 2	DRILL PIPE STRING NO. SIZE 5"		TOOL JOINT TYPE THD I-F.	OD	PUMPS				CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO		PERFORATIONS FROM TO		CEMENT USED	OTHER					
OPERATOR'S REPRESENTATIVE C.D. Paulson						CONTRACTOR'S TOOL PUSHER						NO.	MANUFACTURER NATIONAL		TYPE C-350	STROKE LENGTH 18"												
TIME DISTRIBUTION—HOURS						NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA-RY R.P.M.	WT. ON BIT 1000±	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD						
DRILLING ACTUAL 11 ⁴ /4 10 ³ / ₄						16 STANDS DP	1528.01 FT.	RUN NO.	44								6030 ⁰⁰⁰	900	6 ¹ / ₂	72	6 ¹ / ₂	Circ.	TIME 10.00 2 ⁰⁰					
REAMING						2 SNGLS. DP	FT.	SIZE	9"			11 ³ / ₄	2145	2194								WEIGHT 9.0 9.0						
CIRCULATING						D.C. ID	FT.	MFG.	H.T.C.												VISC. 46 47							
TRIPS						21 D.C. OD	637.87 FT.	TYPE	RG-1													W.L.-C.C. 10.2 10.2						
DEVIATION SURVEY						RMR BODY OD	FT.	NOZ.	NO. 3													FLTR. CK. 732 732						
TEST B.O.P.						STB BODY OD	FT.	SIZE	1 ¹ / ₁₆ "													PH 10.0 10.0						
CUT OFF DRILL LINE						SUBS OD	FT.	SER. NO.	55569													SD. CONT.						
REPAIR RIGGER 1/4						BIT OR C.B.	FT.	DEPTH OUT																				
CORING							FT.	CUMULATIVE HOURS RUN	11 ³ / ₄																			
WIRE LINE LOGGING						KELLY DOWN 29.12	FT.	COND. OF BIT																				
OTHER						TOTAL 2194.00	FT.	REAMER CUTTER NO.																				
FISHING						WT. OF STRING 82 ⁰⁰⁰	LBS.	TYPE																				
COMPLETING (A) PERFORATING						DRILLER L. Beaman																						
(B) RUNNING TUBING						NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA-RY R.P.M.	WT. ON BIT 1000±	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD						
(C) SWABBING						17 STANDS DP	1538.76 FT.	RUN NO.	44								11530	900	6 ¹ / ₂	70	6 ¹ / ₂	1	TIME 8:00 12:00 3:00					
(D) TESTING						SNGLS. DP	FT.	SIZE	9			10 ³ / ₄	2194	2238								WEIGHT 9.0 9.0 9.1						
(E) ACIDIZING						ID	FT.	MFG.	H.T.C.													VISC. 45 44 42						
(F) ADDITIONAL						21 D.C. OD	137.87 FT.	TYPE	RG-1													W.L.-C.C. 10.0 10.2 11.0						
TOTALS 12 12						RMR BODY OD	FT.	NOZ.	NO. 3													FLTR. CK. 732 732 732						
TIME SUMMARY (OFFICE USE ONLY)						STB BODY OD	FT.	SIZE	1 ¹ / ₁₆													PH 10.0 10.0 10.0						
CONTRACTOR'S TIME HRS:						SUBS OD	FT.	SER. NO.	53369													SD. CONT.						
OPERATOR'S TIME:						BIT OR C.B.	FT.	DEPTH OUT	2238																			
HRS. W/D.P.:							FT.	CUMULATIVE HOURS RUN	222																			
HRS. WO/D.P.:						KELLY DOWN 41.20	FT.	COND. OF BIT	Run																			
HRS. STANDBY:						TOTAL 2237.83	FT.	REAMER CUTTER NO.																				
WIRE LINE RECORD						WT. OF STRING 82 ⁰⁰⁰	LBS.	TYPE																				
REEL NO.						DRILLER K. Young																						
NO. OF LINES SIZE						NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA-RY R.P.M.	WT. ON BIT 1000±	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD						
FEET SLIPPED						STANDS DP	FT.	RUN NO.															TIME 8:00 8:00 A.M. 9.1					
FEET CUT OFF						SNGLS. DP	FT.	SIZE															VISC. 47					
PRESENT LENGTH						ID	FT.	MFG.															W.L.-C.C.					
TON MI. or TRIPS SINCE LAST CUT						D.C. OD																						

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME		No.		PROVINCE								
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO.	TOOL JOINT	PUMPS		CASING & LINER RECORD		SIZE	WT & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER					
Shell Oil Company		2	2	TYPE THD I-F.	NO. MANUFACTURER TYPE STROKE LENGTH		1. NATIONAL C-350 18				FROM TO		FROM TO								
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER				2. "		C-350 18													
						3.															
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CO'E RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD		
DRILLING ACTUAL		15 STANDS DP		FT. RUN NO. 42 43		2		2085	2086		80 1000 8000 6 30								TIME	12 00 5 00	
REAMING		2 SINGLS. DP		1436.52 FT. SIZE 6 8" 9"		34		2086	2098		45 30 800 6 70								WEIGHT	9.0 9.0	
CIRCULATING		21 D.C. ID		637.87 FT. MFG. Boyle H.T.C.															VISC.	4.7 4.8	
TRIPS		RMR BODY OD		FT. NO. 3		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	W.L.-C.C.	10.6 10.4
DEVIATION SURVEY		STB BODY OD		FT. NOZ. SIZE 2 3/16 1 1/4"															FLTR. CK.	2 3/2 2 3/2	
TEST B.O.P.		SUBS OD		FT. SER. NO. R.R.															PH	10.0 10.0	
CUT OFF DRILL LINE		BIT OR C.B.		FT. DEPTH OUT 2086															SD. CONT.		
REPAIR RIG				FT. CUMULATIVE HOURS RUN 1 1/2 17 1/4																	
CORING		KELLY DOWN		24:00 FT. COND. OF BIT BALD																	
WIRE LINE LOGGING		TOTAL		2098:39 FT. REAMER CUTTER NO.																	
OTHER		WT. OF STRING		80 000 LBS. TYPE																	
FISHING		DRILLER		F. Beedman																	
COMPLETING (A) PERFORATING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD		
(B) RUNNING TUBING		16 STANDS DP		1466.44 FT. RUN NO. 43 44		9 3/4		2098	2145		45 50 800 6 70 6 70								TIME	8:00 12:00 5:00	
(C) SWABBING		21 D.C. ID		67 OD 637.97 FT. MFG. H.T.C. H.T.C.															WEIGHT	9.0 9.0 9.1	
(D) TESTING		RMR BODY OD		FT. NO. 3		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	VISC.	4.6 4.7 4.4
(E) ACIDIZING		STB BODY OD		FT. NOZ. SIZE 2 3/16 1 1/4"															W.L.-C.C.	10.0 10.2 10.4	
(F) ADDITIONAL		SUBS OD		FT. SER. NO. RB 5356															FLTR. CK.	2 3/2 2 3/2 2 3/2	
TOTALS		12 1/2		12															PH	10.0 10.0 10.0	
TIME SUMMARY (OFFICE USE ONLY)		KELLY DOWN		41:20 FT. COND. OF BIT Loose New															SD. CONT.		
CONTRACTOR'S TIME HRS.		TOTAL		2145:51 FT. REAMER CUTTER NO.																	
OPERATOR'S TIME		WT. OF STRING		82 000 LBS. TYPE																	
HRS. W/D.P.		DRILLER		K. Young																	
HRS. WO/D.P.																					
HRS. STANDBY																					
WIRE LINE RECORD		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD		
REEL NO.		16 STANDS DP		FT. RUN NO.															TIME		
NO. OF LINES		21 SINGLS. DP		FT. SIZE															WEIGHT		
FEET SLIPPED		D.C. ID		FT. MFG.											</						

APRIL 4-57

OPERATOR		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE					
CONTRACTOR Shell Oil Company		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD		MANUFACTURER			TYPE	STROKE LENGTH					
APRIL 4-57		2		1-P.		NATIONAL			C-350	18					
SHELL LIARD RIVER															
N.W.T.															

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE	PUMP NO. 2 LINER SIZE	METHOD PUMPS RUN	MUD RECORD			
DRILLING ACTUAL	MORNING	DAY	15	STANDS DP	1376.15 FT.	RUN NO.	40	41										TIME	10.00	3.00	7.00
REAMING				SNGLS. DP	FT.	SIZE	9"	9"	934	1999	2036							WEIGHT	9.0	9.0	9.0
CIRCULATING				D.C. ID	FT.	MFG.	H.T.C.	H.T.C.										VISC.	50	49	48
TRIPS	2	2 1/4		OD	637.87 FT.	TYPE	W-7R	W-7R										W.L.C.C.	11.0	11.2	11.2
DEVIATION SURVEY				RMR BODY OD	FT.	NOZ.	NO.	3										FLTR. CK.	272	272	272
TEST B.O.P.				STB BODY OD	FT.	SIZE	1/16	1/16										PH	9.5	9.5	9.5
CUT OFF DRILL LINE				SUBS OD	FT.	SER. NO.	13132	16493										SD. CONT.			
REPAIR RIG	4			BIT OR C.B.	FT.	DEPTH OUT	2015														
CORING					FT.	CUMULATIVE HOURS RUN	64	5													
WIRE LINE LOGGING				KELLY DOWN	22.00 FT.	COND. OF BIT	FAIR	RUN													
OTHER				TOTAL	2036.02	REAMER CUTTER NO.															
FISHING				WT. OF STRING	6000	LBS.	TYPE														
COMPLETING (A) PERFORATING				DRILLER	F. Reisman																
(B) RUNNING TUBING																					
(C) SWABBING																					
(D) TESTING																					
(E) ACIDIZING																					
(F) ADDITIONAL																					
TOTALS	12	12																			
TIME SUMMARY (OFFICE USE ONLY)																					
CONTRACTOR'S TIME HRS.																					
OPERATOR'S TIME																					
HRS. W/D.P.																					
HRS. WO/D.P.																					
HRS. STANDBY																					
WIRE LINE RECORD																					
REEL NO.																					
NO. OF LINES 8 SIZE 1/4																					
FEET SLIPPED																					
FEET CUT OFF																					
PRESENT LENGTH																					
TON MI. OF TRIPS SINCE LAST CUT																					
CUMULATIVE TON MI. OF TRIPS																					
NO. OF DAYS FROM SPUD																					
CUMULATIVE ROTATING HRS.																					

NO. DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE	PUMP NO. 2 LINER SIZE	METHOD PUMPS RUN	MUD RECORD			
15	STANDS DP	1405.95 FT.	RUN NO.	41												TIME	8:00	12:00	
1	SNGLS. DP	FT.	SIZE	9	74	2036	2085									WEIGHT	9.0	9.0	
	ID	FT.	MFG.	HTC												VISC.	46	43	
21	OD	637.87 FT.	TYPE	W-7R												W.L.C.C.	10.8		
	RMR BODY OD	FT.	NOZ.	NO.	3											FLTR. CK.	272		
	STB BODY OD	FT.	SIZE	1/16	1/16											PH	9.5	10.5	
	SUBS OD	FT.	SER. NO.	16493												SD. CONT.			
	BIT OR C.B.	FT.	DEPTH OUT	2085															
		FT.	CUMULATIVE HOURS RUN	12 1/4															
	KELLY DOWN	41.00 FT.	COND. OF BIT	2 1/2															
	TOTAL	2085.02	REAMER CUTTER NO.																
	WT. OF STRING	8000	LBS.	TYPE															
	DRILLER	R. Young																	
1/4 800-815 Big Ser. Check 15.00 1/4 815-245 Drill Sample 2075 1/4 245-315 Drill Sample 2085 1/4 315-430 Survey 1/4 430-500 Trip Run in w/ 7/8 Magnet 1/4 500-515 Circ Work Magnet 1/4 515-575 1/4 575-745																			

NO. DRILLING ASSEMBLY			BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE	PUMP NO. 2 LINER SIZE	METHOD PUMPS RUN	MUD RECORD			
	STANDS DP	FT.	RUN NO.													TIME			
	SNGLS. DP	FT.	SIZE													WEIGHT			
	ID	FT.	MFG.													VISC.			
	OD	FT.	TYPE													W.L.C.C.			
	RMR BODY OD	FT.	NOZ.	NO.												FLTR. CK.			
	STB BODY OD	FT.	SIZE													PH			
	SUBS OD	FT.	SER. NO.													SD. CONT.			
	BIT OR C.B.	FT.	DEPTH OUT																
		FT.	CUMULATIVE HOURS RUN																
	KELLY DOWN	FT.	COND. OF BIT																
	TOTAL	FT.	REAMER CUTTER NO.																
	WT. OF STRING	LBS.	TYPE																
	DRILLER																		

OPERATOR		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE							
Shell Oil Company								SHELL LARD RIVER		N.W.T.							
CONTRACTOR		RIG NO.	DRILL PIPE NO. & SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM	TO	PERFORATIONS FROM	TO	CEMENT USED	OTHER
Shell Oil Company		2	3	1-F.		NO.	MANUFACTURER	TYPE	STROKE LENGTH								
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER				1.	NATIONAL	O-350	18								
						2.											
						3.											

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000±	PUMP PRESS	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD			
MORN	DAY	EVE	14	STANDS DP	1284.88 FT	RUN NO.	R.R.													TIME	10.00	2.00	6.00
				SNGLS. DP	FT	SIZE				1955										WEIGHT	9.2	9.2	9.2
				ID	FT	MFG.														VISC.	55	53	50
			21	D.C. OD	636.87 FT	TYPE														W.L.C.C.	9.6	9.8	9.9
				RMR BODY OD	FT	NOZ. NO.														FLTR. CK.	332	332	332
				STB BODY OD	FT	SIZE														PH	9.0	9.0	9.2
				SUBS OD	FT	SER. NO.														SD. CONT.			
				BIT OR C.B.	FT	DEPTH OUT																	
					FT	CUMULATIVE HOURS RUN																	
				KELLY DOWN	34.00 FT	COND. OF BIT																	
				TOTAL	1955.88 FT	REAMER CUTTER NO.																	
				WT. OF STRING	800 LBS.	TYPE																	
				DRILLER	F. Berman																		
REMARKS: 12 8:00-8:00 WAIT ON FISHING TOOLS																							

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000±	PUMP PRESS	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD			
			14	STANDS DP	1284.88 FT	RUN NO.														TIME	8:00		
				SNGLS. DP	FT	SIZE				1953										WEIGHT	9.1		
				ID	FT	MFG.														VISC.	50		
			21	D.C. OD	636.87 FT	TYPE														W.L.C.C.			
				RMR BODY OD	FT	NOZ. NO.														FLTR. CK.			
				STB BODY OD	FT	SIZE														PH			
				SUBS OD	FT	SER. NO.														SD. CONT.			
				BIT OR C.B.	FT	DEPTH OUT																	
					FT	CUMULATIVE HOURS RUN																	
				KELLY DOWN	34.00 FT	COND. OF BIT																	
				TOTAL	1955.88 FT	REAMER CUTTER NO.																	
				WT. OF STRING	800 LBS.	TYPE																	
				DRILLER	R. L. Young																		
REMARKS: 8:00 12:00 Wait on O Shot Slip. Pull out 12:00 1:30 Run in with American Slim hole O Shot + M. Cullough Tars. fishing over fish but would not pick up. Chain Tong out Brk. down O Shot + Pick up Tap. Run in fishing could not circ. through fish.																							

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000±	PUMP PRESS	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD			
				STANDS DP	FT	RUN NO.														TIME			
				SNGLS. DP	FT	SIZE														WEIGHT			
				ID	FT	MFG.														VISC.			
				D.C. OD	FT	TYPE														W.L.C.C.			
				RMR BODY OD	FT	NOZ. NO.														FLTR. CK.			
				STB BODY OD	FT	SIZE														PH			
				SUBS OD	FT	SER. NO.														SD. CONT.			
				BIT OR C.B.	FT	DEPTH OUT																	
					FT	CUMULATIVE HOURS RUN																	
				KELLY DOWN	FT	COND. OF BIT																	
				TOTAL	FT	REAMER CUTTER NO.																	
				WT. OF STRING	LBS.	TYPE																	
				DRILLER																			
REMARKS: 6:00 6:45 Pull out 6:45 7:15 Dress 8:00 O Shot (American) w/ 6 1/2 slips 7:15 8:00 Run in																							

APRIL 1 - 85

[illegible][illegible]

NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN
		STANDS DP	FT.	RUN NO										LINER SIZE	S.P.M.	LINER SIZE	S.P.M.	
14		DP	1284.81	FT.	38													
		SNGLS. DP		FT.	9			1932	1933		42	35	900	62	70	62		1
21		ID			MFG													
		D.C. OD	636.87	FT.	TYPE													
		RMR BODY OD	4.10	FT.	NO.													
		STB BODY OD		FT.	SIZE			1955	1 1/2									
		SUBS OD		FT.	SER. NO													
		BIT OR C.B		FT.	DEPTH OUT													
				FT.	CUMULATIVE HOURS RUN													
		KELLY DOWN	30.00	FT.	COND OF BIT													
		TOTAL	1955.78	FT.	REAMER CUTTER NO.													
		WT OF STRING	80.00	LBS.	TYPE													
		DRILLED																

(A) PERFORATING

(B) RUNNING TUBING

(C) SWABBING

(D) TESTING

(E) ACIDIZING

(F) ADDITIONAL

TOTALS

TIME SUMMARY (OFFICE USE ONLY)

CONTRACTOR'S TIME HRS:

OPERATOR'S TIME:

HRS. W/D.P.

HRS. WO/D.P.

HRS. STANDBY

WIRE LINE RECORD

DAY TOUR

12

12

TIME

WEIGHT

VISC.

W.L.C.C.

FLTR. CK

PH

SD. CONT

8:00

9.1

52

10.0

2/32

11.0

11:00

9.1

53

10.2

2/32

11.0

2:00

9.1

50

REMARKS

8:00-8:15 Big SER.

8:15-8:45 Daily

8:45-9:00 Hoist lost survey

9:00-4:00 Hoist lost bit & reamer

4:00-7:15 WAIT ON ORDERS

7:15-8:00 Running in AB Bit

MUD & CHEMICALS ADDED

TYPE

AMT.

TYPE

AM

[illegible]

[illegible]

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	No.		PROVINCE							
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER				
Shell Oil Company		2	2	TYPE THD I-F.		NO.	MANUFACTURER	TYPE	STROKE LENGTH									
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER				1.	NATIONAL	C-350	18									
C.D. Paulson						2.		C-350	11									
						3.												
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		11 STANDS DP 1071:24 FT		RUN NO. 35														TIME 10:00 2:00
DRILLING ACTUAL		2 SNGLS. DP FT.		SIZE 9"				1736										WEIGHT 9.2 9.2
REAMING		D.C. ID		MFG. REED														VISC. 47 44
CIRCULATING		21 D.C. OD 636:87 FT		TYPE COBRA														W.L.C.C. 8.6 8.6
TRIPS		1 RMR BODY OD 4:10 FT		NO. 3		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION		FLTR. CK. 9/32 7/32
DEVIATION SURVEY		STB BODY OD FT.		SIZE 1/2"														PH 11.0 11.0
TEST B.O.P.		SUBS OD FT.		SER. NO. 181713														SD. CONT.
CUT OFF DRILL LINE		BIT OR C.B. FT.		DEPTH OUT														
REPAIR RIG		FT.		CUMULATIVE HOURS RUN														
CORING		KELLY DOWN 25.00 FT.		COND. OF BIT														
WIRE LINE LOGGING		TOTAL 1737:21 FT.		REAMER CUTTER NO.														
OTHER		WT. OF STRING 78000 LBS.		TYPE														
FISHING		DRILLER																
COMPLETING (A) PERFORATING		F. Paulson																
(B) RUNNING TUBING																		
(C) SWABBING																		
(D) TESTING																		
(E) ACIDIZING																		
(F) ADDITIONAL																		
TOTALS 12 12		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
TIME SUMMARY (OFFICE USE ONLY)		13 STANDS DP 1223 21 FT		RUN NO. 35														TIME 8:00 12:00 3:00
CONTRACTOR'S TIME HRS:		1 SNGLS. DP FT.		SIZE 9"				1736 1878				65 1300	62 70 62	1				WEIGHT 9.1 9.0 9.1
OPERATOR'S TIME:		D.C. ID		MFG. REED														VISC. 44 43 43
HRS. W/D.P.:		21 D.C. OD 636:87 FT		TYPE COBRA														W.L.C.C. 10.0 10.4 10.6
HRS. WO/D.P.:		RMR BODY OD 4:10 FT		NO. 3		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION		FLTR. CK. 2/32 2/32 2/32
HRS. STANDBY:		STB BODY OD FT.		SIZE 1/2"														PH 11.0 11.0 11.0
WIRE LINE RECORD		SUBS OD FT.		SER. NO. 181713														SD. CONT.
REEL NO.		BIT OR C.B. FT.		DEPTH OUT														
NO. OF LINES 8 SIZE 1 3/4		FT.		CUMULATIVE HOURS RUN 11														
FEET SLIPPED		KELLY DOWN 13.82 FT		COND. OF BIT														
FEET CUT OFF		TOTAL 1878 FT		REAMER CUTTER NO.														
PRESENT LENGTH		WT. OF STRING 80000 LBS.		TYPE														
TON MI. or TRIPS SINCE LAST CUT		DRILLER																

[illegible]

2. MARCH 27-59

OPERATOR SHELL OIL		LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME SHELL LARD RIVER		No.	PROVINCE N.W.T.			
CONTRACTOR Shell Oil Company		RIG NO. 2	DRILL PIPE STRING NO. SIZE	TOOL JOINT 5 OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
OPERATOR'S REPRESENTATIVE O. Paulson		CONTRACTOR'S TOOL PUSHER			NO.	MANUFACTURER	TYPE		STROKE LENGTH					
					1.	NATIONAL	C-350		18					
					2.	"	"		"					
					3.									

[illegible]

(A) PERFORATING	(B) RUNNING TUBING	(C) SWABBING	(D) TESTING	(E) ACIDIZING	(F) ADDITIONAL	TOTALS	TIME SUMMARY (OFFICE USE ONLY)	CONTRACTOR'S TIME HRS.	OPERATOR'S TIME:	HRS. W/D.P.	HRS. WO/D.P.	HRS. STANDBY	WIRE LINE RECORD														
DAY TOUR														MUD RECORD													
NO. DRILLING ASSEMBLY						BIT RECORD				HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	TIME	10:00	12:00	6:30			
9 STANDS DP FT.						RUN NO	29	30														WEIGHT	8.8	8.8	8.9		
1 SNGLS. DP 857.99 FT.						SIZE	9	9			1525					120	1000	700	6 1/2	72	1	VISC.	30	36	42		
ID						MFG	HTC	H/C														W.L.-C.C.	13.2	13.4			
21 D.C. 5-1 OD 636.87 FT.						TYPE	WTR	WTR														FLTR. CK					
RMR BODY OD FT.						NO.	3	3	DEVIATION RECORD:	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	PH	11.0	11.0	11.0	SD. CO IT				
STR BODY OD FT.						SIZE	4 1/2	4 1/2		1525	1 1/2																
SUBS CD FT.						SER. NO	5607	5607H	REMARKS																		
BIT OR C.D. FT.						DEPTH OUT	1525		800-815	Rig SER.													MUD & CHEMICALS ADDED				
						FT.	CUMULATIVE HOURS RUN	5	2 1/2	815-930	Run IN													TYPE	AMT.	TYPE	AMT.
KELLY DOWN 30.18 FT.						COND OF BIT	REAM.	REAM.	930-230	REAM. UNDER Gauge Hole 25' To Bottom													Gel	10 shk.			
TOTAL 1525.07 FT.						REAMER CUTTER NO.			230-430	Trip For Bit													Lytrol	2 lbs.			
WT. OF STRING 72.000 LBS.						TYPE			430-530	Work on Flow Line																	
DRILLER									530-800	REAM. UNDER Gauge Hole 90' To Bottom																	
						K. J. Mound																					

[illegible]

OPERATOR		LOCATION		LS.D.	SEC.	TWP.	RGE.	W.	WELL NAME		No.	PROVINCE													
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO.	TOOL JOINT	PUMPS		CASING & LINER RECORD		SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER											
Shell Oil Company		2		6" OD	1. NATIONAL C-350 18"																				
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE TH 4 1/2 I.F.																					
C.O. Paulson																									
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT.ON BIT 1000#		PUMP PRESS		PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN		MUD RECORD	
MORN DAY EVE		8 STANDS DP 736.18 FT		RUN NO. 25 26																				TIME 11.00 3.02 7.22	
DRILLING ACTUAL 6 1/2 3 1/2		1 SNGLS. DP 306.8 FT		SIZE 9" 9"						1384 1445						80 35 700		6 1/2 70 6 1/2						WEIGHT 9.0 9.0 9.0	
REAMING 2 1/2 2 1/2		D.C. ID		MFG. HTE HTE																				VISC. 63 60 50	
CIRCULATING 2 1/2 2 1/2		21 6" 7" OD 630.0 FT		TYPE WTR WTR																				W.L.C.C. 9.8 9.8 10.8	
TRIPS 2 1/2 2 1/2		RMR BODY OD 2.18 FT		NOZ. NO. 3 3																				FLTR. CK. 1/2 1/2 1/2	
DEVIATION SURVEY		SUBS OD 6.78 FT		SER. NO. 5605 5608																				PH 11.0 11.0 11.0	
TEST B.O.P.		BIT OR C.B. .60 FT		DEPTH OUT 1384																				SD. CONT.	
CUT OFF DRILL LINE		KELLY DOWN 39.40 FT		COND. OF BIT 5002																					
REPAIR RIG		TOTAL 1445.71 FT		REAMER CUTTER NO. 100																					
CORING		WT. OF STRING 62,000 LBS.		TYPE 100																					
WIRE LINE LOGGING		DRILLER S. Silucho																							
OTHER 1 1/2																									
FISHING																									
COMPLETING (A) PERFORATING																									
(B) RUNNING TUBING																									
(C) SWABBING																									
(D) TESTING																									
(E) ACIDIZING																									
(F) ADDITIONAL																									
TOTALS 12 1/2																									
TIME SUMMARY (OFFICE USE ONLY)																									
CONTRACTOR'S TIME HRS.																									
OPERATOR'S TIME																									
HRS. W/D.P.																									
HRS. WO/D.P.																									
HRS. STANDBY																									
WIRE LINE RECORD																									
REEL NO.																									
NO. OF LINES 8 SIZE 1 1/4																									
FEET SLIPPED																									
FEET CUT OFF																									

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY										BIT RECORD										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										MUD RECORD									
MORN: DAY EVE			STANDS DP 919.10 FT. RUN NO. 22 23										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										TIME 8:00 12:00 4:00																			
DRILLING ACTUAL 8 1/2 8 1/2			SNGLS. DP 61.34 FT. SIZE 9" 9" 8 1/2 1281 1324										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										WEIGHT 8.7 8.7 8.7																			
REAMING			D.C. 2 1/8 ID 314.57 FT. TYPE MFG. HIC HIC										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										VISC. 45 40 38																			
CIRCULATING			10 7" OD 314.57 FT. TYPE MFG. HIC HIC										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										W.L.-C.C. 300 240 24																			
TRIPS 3 3			RMR BODY OD 314.57 FT. NO. 3 3										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										FLTR. CK. 11.0 11.0 11.0																			
DEVIATION SURVEY 1/4 1/4			STB BODY OD 314.57 FT. NO. 3 3										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										PH 11.0 11.0 11.0																			
TEST B.O.P.			SUBS OD 4.08 FT. SER. NO. 25201 25201										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										SD. CONT.																			
CUT OFF DRILL LINE			BIT OR C.B. .60 FT. DEPTH OUT 1295 1302										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
REPAIR RIG SER 1/4			CUMULATIVE HOURS RUN 10 2 1/2										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
CORING			KELLY DOWN 25.20 FT. COND. OF BIT Bald Bald										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
WIRE LINE LOGGING			TOTAL 1324.89 FT. REAMER CUTTER NO.										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
OTHER 1/4			WT. OF STRING 54,000 LBS. TYPE										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
FISHING			DRILLER S. Silver										HRS. DRILD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
COMPLETING (A) PERFORATING			NO. DRILLING ASSEMBLY										BIT RECORD										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										MUD RECORD									
(B) RUNNING TUBING			11 STANDS DP 1042.04 FT. RUN NO. 24 25										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										TIME 10.00 3.00 5.30																			
(C) SWABBING			1 SNGLS. DP 1042.04 FT. SIZE 9" 9" 1324 1384										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										WEIGHT 8.9 9.0 9.0																			
(D) TESTING			D.C. 9" OD 314.57 FT. TYPE MFG. HIC HIC										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										VISC. 40 48 49																			
(E) ACIDIZING			RMR BODY OD 314.57 FT. NO. 3 3										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										W.L.-C.C. 16.0 10.4 10.4																			
(F) ADDITIONAL			STB BODY OD 314.57 FT. NO. 3 3										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										FLTR. CK. 8.32 8.32 8.32																			
TOTALS 12 1/2			SUBS OD 4.08 FT. SER. NO. 26079 26079										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										PH 11.0 10.0 10.0																			
TIME SUMMARY (OFFICE USE ONLY)			BIT OR C.B. .60 FT. DEPTH OUT 1384										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										SD. CONT.																			
CONTRACTOR'S TIME HRS			CUMULATIVE HOURS RUN 3 1/2										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
OPERATOR'S TIME			KELLY DOWN 24.00 FT. COND. OF BIT Bkls										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
HRS. W/D.P.			TOTAL 1384.69 FT. REAMER CUTTER NO.										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
HRS. W/O.D.P.			WT OF STRING 55,000 LBS. TYPE										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
HRS. STANDBY			DRILLER P. B. B. B.										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
WIRE LINE RECORD			NO. DRILLING ASSEMBLY										BIT RECORD										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										MUD RECORD									
REEL NO.			1 STANDS DP 1042.04 FT. RUN NO. 24 25										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										TIME 10.00 3.00 5.30																			
NO. OF LINES 8 SIZE 1 1/4			1 SNGLS. DP 1042.04 FT. SIZE 9" 9" 1324 1384										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										WEIGHT 8.9 9.0 9.0																			
FEET FLIPPED			D.C. 9" OD 314.57 FT. TYPE MFG. HIC HIC										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										VISC. 40 48 49																			
FEET CUT OFF			RMR BODY OD 314.57 FT. NO. 3 3										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										W.L.-C.C. 16.0 10.4 10.4																			
PRESENT LENGTH			STB BODY OD 314.57 FT. NO. 3 3										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										FLTR. CK. 8.32 8.32 8.32																			
TON MI. OF TRIPS SINCE LAST CUT			SUBS OD 4.08 FT. SER. NO. 26079 26079										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										PH 11.0 10.0 10.0																			
CUMULATIVE TON MI. OF TRIPS			BIT OR C.B. .60 FT. DEPTH OUT 1384										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD										SD. CONT.																			
NO. OF DAYS FROM SPUD			CUMULATIVE HOURS RUN 3 1/2										HRS. CORE FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- WT. ON PUMP PUMP PUMP NO. 1 PUMP NO. 2 METHOD																													
CUMULATIVE ROTATING HRS.			KELLY DOWN																																							

[illegible]

OPERATOR		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE								
CONTRACTOR Shell Oil Company		RIG NO. 2	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS MANUFACTURER NATIONAL			TYPE C-320	STROKE LENGTH 18"	CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER	
OPERATOR'S REPRESENTATIVE <i>C. O. Carlson</i>		CONTRACTOR'S TOOL PUSHER			TYPE THD 4 1/2 IF													
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		STANDS DP	FT	RUN NO.													TIME	
DRILLING ACTUAL		SNGLS. DP	FT	SIZE													WEIGHT	
REAMING		D.C. ID		MFG.													VISC.	
CIRCULATING		OD	FT	TYPE													W.L.-C.C.	
TRIPS		RMR BODY OD	FT	NO. NO.													FLTR. CK.	
DEVIATION SURVEY		STB BODY OD	FT	NOZ. SIZE													PH	
TEST B.O.P.		SUBS OD	FT	SER. NO.													SD. CONT.	
CUT OFF DRILL LINE		BIT OR C.B.	FT	DEPTH OUT														
REPAIR RIG			FT	CUMULATIVE HOURS RUN														
CORING			FT	COND. OF BIT														
WIRE LINE LOGGING		TOTAL	FT	REAMER CUTTER NO.														
OTHER		WT. OF STRING	LBS.	TYPE														
FISHING		DRILLER S. Siluck																
COMPLETING (A) PERFORATING (B) RUNNING TUBING (C) SWABBING (D) TESTING (E) ACIDIZING (F) ADDITIONAL		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
TOTALS		STANDS DP	FT	RUN NO.													TIME	
TIME SUMMARY (OFFICE USE ONLY)		SNGLS. DP	FT	SIZE													WEIGHT	
CONTRACTOR'S TIME HRS.		D.C. ID		MFG.													VISC.	
OPERATOR'S TIME		OD	FT	TYPE													W.L.-C.C.	
HRS. W/D.P.		RMR BODY OD	FT	NOZ. NO.													FLTR. CK.	
HRS. WO/D.P.		STB BODY OD	FT	NOZ. SIZE													PH	
HRS. STANDBY		SUBS OD	FT	SER. NO.													SD. CONT.	
WIRE LINE RECORD		BIT OR C.B.	FT	DEPTH OUT														
REEL NO.			FT	CUMULATIVE HOURS RUN														
NO. OF LINES			FT	COND. OF BIT														
FEET SLIPPED			FT	REAMER CUTTER NO.														
FEET CUT OFF		TOTAL	FT	TYPE														
PRESENT LENGTH		WT. OF STRING	LBS.	TYPE														
TON MI. OF TRIPS SINCE LAST CUT		DRILLER																
CUMULATIVE TON MI. OF TRIPS																		
NO. OF DAYS FROM SPUD																		
CUMULATIVE ROTATING HRS.																		

REMARKS: 2 1/2 800 130 CEMENT CASING PUMPED DOWN Plug Plug down @ 130 AM. 6 1/2 130 800 DEKIN Pumps & Chng. Out Mud Tanks.

REMARKS: 12 800 800 - W.O.C. CLEAN MUD TANKS

WIRE LINE RECORD																															
REEL NO.		NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M	WT ON BIT 1000#	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD										
NO. OF LINES	SIZE	STANDS DP	FT.	RUN NO												LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME										
FEET SLIPPED		D.C	ID	MFG																	WEIGHT										
FEET CUT OFF		D.C	OD	TYPE																	VISC.										
PRESENT LENGTH																					W.L.-C.C.										
TON MI. or TRIPS SINCE LAST CUT CUMULATIVE TON MI. or TRIPS		RMR BODY OD	FT	NOZ NO																	FLTR. CK										
		STB BODY OD	FT	NOZ SIZE																	PH										
		SUBS OD	FT	SER NO																	SD. CONT.										
		BITS OR C.B	FT	DEPTH OUT																											
		KELLY DOWN	FT.	CUMULATIVE HOURS RUN COND. OF BIT																											
		TOTAL	FT	REAMER CUTTER NO.																											
		WT OF STRING	LBS.	TYPE																											
		DRILLER																													
EVENING TOUR		Rem. 35 ft. (120.57') 13 3/8" J55 Reg. 2:3 54.5 #1/4" & 61 #1/4" new smpls. Stewart & Langes and 1/4" casing w/ harkins Guide Shoe & float collar. Cemented @ 1279 w/ 530 sy Dulux cement + 8% gel and 120 sy Duroland cement + 2% Collr. Plug was used 1/28 am 3/21/3 w/ 1500 psi gun ext 48 bbls cement returned to sq landed @ 1279 3/21/3																													
		MUD & CHEMICALS ADDED <table border="1"> <thead> <tr> <th>TYPE</th><th>AMT.</th><th>TYPE</th><th>AMT.</th></tr> </thead> <tbody> <tr> <td></td><td></td><td></td><td></td></tr> </tbody> </table>																						TYPE	AMT.	TYPE	AMT.				
TYPE	AMT.	TYPE	AMT.																												

[illegible]

[illegible]

OPERATOR		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVING			
Shell Oil Company								SHELL HARBOR RIVER					
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER	
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD		NO. MANUFACTURER TYPE STROKE LENGTH							
1. NATIONAL						2. 11 11 11							
3.													
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD. CORE NO.		FROM TO		FORMATION (SHOW CORE RECOVERY)		MUD RECORD	
MORN DAY EVE		STANDS DP FT. RUN NO.										TIME	
DRILLING ACTUAL		SNGLS. DP FT. SIZE										WEIGHT	
REAMING		D.C. ID FT. MFG.										VISC.	
CIRCULATING		RMR BODY OD FT. TYPE										W.L.-C.C.	
TRIPS		STB BODY OD FT. NOZ. SIZE										FLTR. CK.	
DEVIATION SURVEY		SUBS OD FT. SER. NO.										PH	
TEST B.O.P.		BIT OR C.B. FT. DEPTH OUT										SD. CONT.	
CUT OFF DRILL LINE		KELLY DOWN FT. CUMULATIVE HOURS RUN											
REPAIR RIG		TOTAL FT. REAMER CUTTER NO.											
CORING		WT. OF STRING LBS. TYPE											
WIRE LINE LOGGING		DRILLER											
OTHER		S. Silucko											
FISHING													
COMPLETING (A) PERFORATING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD. CORE NO.		FROM TO		FORMATION (SHOW CORE RECOVERY)		MUD RECORD	
(B) RUNNING TUBING		STANDS DP FT. RUN NO.										TIME	
(C) SWABING		SNGLS. DP FT. SIZE										WEIGHT	
(D) TESTING		D.C. ID FT. MFG.										VISC.	
(E) ACIDIZING		RMR BODY OD FT. TYPE										W.L.-C.C.	
(F) ADDITIONAL		STB BODY OD FT. NOZ. SIZE										FLTR. CK.	
TOTALS		SUBS OD FT. SER. NO.										PH	
TIME SUMMARY (OFFICE USE ONLY)		BIT OR C.B. FT. DEPTH OUT										SD. CONT.	
CONTRACTOR'S TIME HRS.		KELLY DOWN FT. CUMULATIVE HOURS RUN											
OPERATOR'S TIME		TOTAL FT. REAMER CUTTER NO.											
HRS. W/D.P.		WT. OF STRING LBS. TYPE											
HRS. W/O.D.P.		DRILLER											
HRS. STANDBY													
WIRE LINE RECORD		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD. CORE NO.		FROM TO		FORMATION (SHOW CORE RECOVERY)		MUD RECORD	
REEL NO.		STANDS DP FT. RUN NO.										TIME	
NO. OF LINES		SNGLS. DP FT. SIZE										WEIGHT	
FEET SLIPPED		D.C. ID FT. MFG.										VISC.	
FEET CUT OFF		RMR BODY OD FT. TYPE										W.L.-C.C.	
PRESENT LENGTH		STB BODY OD FT. NOZ. SIZE										FLTR. CK.	
TON MI. or TRIPS SINCE LAST CUT		SUBS OD FT. SER. NO.										PH	
CUMULATIVE TON MI. or TRIPS		BIT OR C.B. FT. DEPTH OUT										SD. CONT.	
NO. OF DAYS FROM SPUD		KELLY DOWN FT. CUMULATIVE HOURS RUN											
CUMULATIVE ROTATING HRS.		TOTAL FT. REAMER CUTTER NO.											
		WT. OF STRING LBS. TYPE											
		DRILLER											

DATE MARCH 16/59

[illegible]

NCE
1125

OPERATOR		LOCATION		LSD.		SEC.		TWP.		RGE.		W.		WELL NAME		NO.		N.W.T.															
CONTRACTOR		RIG NO.		DRILL PIPE STRING NO. SIZE		TOOL JOINT		OD		PUMPS		CASING & LINER RECORD		DEPTH SET FROM TO		PERFORATIONS FROM TO		CEMENT USED		OTHER													
Shell Oil Company		2				TYPE THD 4 1/2 LF.				NO. 1. NATIONAL C-350 18"																							
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																															
TIME DISTRIBUTION—HOURS		NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT.ON BIT 1000#		PUMP PRESS		PUMP NO. 1 LINER SIZE S.P.M.		PUMP NO. 2 LINER SIZE S.P.M.		METHOD PUMPS RUN		MUD RECORD			
MORN DAY EVE				STANDS DP		FT. RUN NO.						970		970										6 1/2		6 1/2				TIME			
DRILLING ACTUAL				SNGLS. DP		FT. SIZE																								WEIGHT			
REAMING				D.C. ID		FT. MFG.																								VISC.			
CIRCULATING				RMR BODY OD		FT. TYPE																								W.L.-C.C.			
TRIPS				STB BODY OD		FT. NOZ. NO.																								FLTR. CK.			
DEVIATION SURVEY				SUBS OD		FT. SER. NO.																								PH			
TEST B.O.P.				BIT OR C.B.		FT. DEPTH OUT																								SD. CONT.			
CUT OFF DRILL LINE						CUMULATIVE HOURS RUN																											
REPAIR RIG				KELLY DOWN		FT. COND. OF BIT																											
CORING				TOTAL		FT. REAMER CUTTER NO.																											
WIRE LINE LOGGING				WT. OF STRING		LBS. TYPE																											
OTHER				DRILLER																													
FISHING				S. Siluck																													
COMPLETING (A) PERFORATING				NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT.ON BIT 1000#		PUMP PRESS		PUMP NO. 1 LINER SIZE S.P.M.		PUMP NO. 2 LINER SIZE S.P.M.		METHOD PUMPS RUN		MUD RECORD	
(B) RUNNING TUBING				STANDS DP		FT. RUN NO.								970																		TIME	
(C) SWABBING				SNGLS. DP		FT. SIZE																										WEIGHT	
(D) TESTING				D.C. ID		FT. MFG.																										VISC.	
(E) ACIDIZING				RMR BODY OD		FT. TYPE																										W.L.-C.C.	
(F) ADDITIONAL				STB BODY OD		FT. NOZ. NO.																										FLTR. CK.	
TOTALS				SUBS OD		FT. SER. NO.																										PH	
TIME SUMMARY (OFFICE USE ONLY)				BIT OR C.B.		FT. DEPTH OUT																										SD. CONT.	
CONTRACTOR'S TIME HRS.						CUMULATIVE HOURS RUN																											
OPERATOR'S TIME				KELLY DOWN		FT. COND. OF BIT																											
HRS. W/D.P.				TOTAL		FT. REAMER CUTTER NO.																											
HRS. WO/D.P.				WT. OF STRING		LBS. TYPE		</																									

DATE MARCH 14/59

[illegible]

MARCH 12-50

OPERATOR		LOCATION		LS.D.	SEC.	TWP.	RGE.	W.	WELL NAME		No.		PROVINCE							
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO.	TOOL JOINT	PUMPS		CASING & LINER RECORD		SIZE	WT & GR.	DEPTH SET FROM	TO	PERFORATIONS FROM	TO	CEMENT USED	OTHER				
Shell Oil Company		2		TYPE THD 4 1/2	MANUFACTURER NATIONAL TYPE C-350 STROKE LENGTH 18															
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																		
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000=	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		4 STANDS DP 366:29		RUN NO. 2		20			639	732			180	2000	350	6 1/2	6 1/2		TIME	9:00 12:00 6:00
DRILLING ACTUAL		SNGLS. DP		FT. SIZE 17 1/4															WEIGHT	9:9 10:2 10:2
REAMING 1 1/2		D.C. ID		MFG.															VISC.	175 180 175
CIRCULATING		10 RMR BODY OD 3:14:57		FT. TYPE Sec															W.L.C.C.	10:4 12 14:4
TRIPS 1		1 STB BODY OD 3:75		FT. NOZ. NO.															FLTR. CK.	3/32 3/32 3/32
DEVIATION SURVEY		2 SUBS OD 5:54		FT. SER. NO. X3612															PH	7:5 7:5 7:5
TEST B.O.P.		1 BIT OR C.B. 1:70		FT. DEPTH OUT															SD. CONT.	
CUT OFF DRILL LINE				CUMULATIVE HOURS RUN 20																
REPAIR RIG Sec 1 1/2		KELLY DOWN 41:20		FT. COND. OF BIT																
CORING		TOTAL 732:00		FT. REAMER CUTTER NO.																
WIRE LINE LOGGING		WT. OF STRING 47000		LBS. TYPE 13																
OTHER		DRILLER E. D. Cassen																		
FISHING																				
COMPLETING (A) PERFORATING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000=	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
(B) RUNNING TUBING		4 STANDS DP 366:29		RUN NO. 2		20			639	732			180	2000	350	6 1/2	6 1/2		TIME	
(C) SWABBING		SNGLS. DP		FT. SIZE 17 1/4															WEIGHT	
(D) TESTING		D.C. ID		MFG.															VISC.	
(E) ACIDIZING		10 RMR BODY OD 3:14:57		FT. TYPE Sec															W.L.C.C.	
(F) ADDITIONAL		1 STB BODY OD 3:75		FT. NOZ. NO.															FLTR. CK	
TOTALS 12 1/2		2 SUBS OD 5:54		FT. SER. NO. X3612															PH	
TIME SUMMARY (OFFICE USE ONLY)		1 BIT OR C.B. 1:70		FT. DEPTH OUT															SD. CONT.	
CONTRACTOR'S TIME HRS.				CUMULATIVE HOURS RUN 20																
OPERATOR'S TIME:		KELLY DOWN 41:20		FT. COND. OF BIT																
HRS. W/D.P.		TOTAL 732:00		FT. REAMER CUTTER NO.																
HRS. WO/D.P.		WT. OF STRING 47000		LBS. TYPE																
HRS. STANDBY		DRILLER P. B. Brown																		
WIRE LINE RECORD		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000=	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
REEL NO.		STANDS DP		FT. RUN NO															TIME	
NO. OF LINES 8 SIZE 1 1/4		SNGLS. DP		FT. SIZE															WEIGHT	
FEET SLIPPED		D.C. ID		MFG.															VISC.	
FEET CUT OFF		10 RMR BODY OD 3:14:5																		

Re: J. T.

[illegible]

DATE _____

171411254

[illegible]

[illegible]

DATE MAR 9 1959 SEC. TWP. RGE. W. WELL NAME LIARD River No. 2 PROVINCE N.V.T.

DRILL PIPE STRING NO. 2 TOOL JOINT TYPE THD 1 1/2 LF

CONTRACTOR'S TOOL PUSHER

PUMPS NO. MANUFACTURER TYPE STROKE LENGTH 1. National C350 18" 2. National C350 18" 3.

CASING & LINER RECORD

SIZE WT & GR. DEPTH SET FROM TO PERFORATIONS FROM TO CEMENT USED OTHER

DRILLING ASSEMBLY BIT RECORD

STANDS DP 398.65 FT RUN NO. 12 13

SNGLS. DP 605.8 FT SIZE 12 1/4 12 1/4

D.C. 2 1/8 ID 7" OD 314.57 FT MFG. HTC HTC

RMR BODY OD 3 FT NO. 3 3

STB BODY OD 3 FT NO. 3 3

SUBS OD 5.54 FT SER. NO. 14088 15710

BIT OR C.B. 1055 FT DEPTH OUT

CUMULATIVE HOURS RUN 9 1/2

KELLY DOWN 17.96 FT COND. OF BIT

TOTAL 1135.00 FT REAMER CUTTER NO. 3

WT. OF STRING 3100 LBS TYPE

DRILLER

FORMATION (SHOW CORE RECOVERY)

ROTARY R.P.M. WT. ON BIT 1000# PUMP PRESS

PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN

MUD RECORD

TIME 9 00 12 00 6 00

WEIGHT 9.4 9.4 9.5

VISC. 190 195 195

W.L.C.C. 9.2 9.2 9.2

FLTR. CK. 3/2 3/2 3/2

PH 8 8 8

SD. CONT.

MUD & CHEMICALS ADDED

TYPE AMT. TYPE AMT.

SEI 1000

REMARKS

8 00 - 8 15 H.P. Ser

8 15 - 12 30 REAMING 9" TO 12 1/4

12 30 - 2 30 TRIP FOR BIT #13

2 30 - 3 00 REAM 60 FT UNDER GAUGE HOLE

3 00 - 8 00 REAMING 9" TO 12 1/4

WIRE LINE RECORD

NO. OF LINES 8 SIZE 1 1/4

FEET SLIPPED

FEET CUT OFF

PRESENT LENGTH

TON MI. OF TRIPS SINCE LAST CUT

CUMULATIVE TON MI. OF TRIPS

NO. OF DAYS FROM SPUD

CUMULATIVE ROTATING HRS

DRILLER S. Silucko

DATE MAR 8th 1959

[illegible]

DATE MAR 7 1958

NAME LARRY RICH

No

PROVINCE

N 452

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE							
									LIARD RIVER	#2	NWT							
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET		PERFORATIONS		CEMENT USED	OTHER	
Shell Oil Company		2				NO.	MANUFACTURER	TYPE		STROKE LENGTH			FROM	TO	FROM	TO		
				TYPE THD	4-1F	1.	NATIONAL	C350		18								
						2.	NATIONAL	C350		18								
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																
C.D. Paulson																		

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT.ON BIT 1000#	PUMP PRESS	PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN	MUD RECORD					
	MORN	DAY	EVE													LINER SIZE	S.P.M.	LINER SIZE	S.P.M.		TIME					
DRILLING ACTUAL	2 1/4			9	STANDS DP	826.61 FT	RUN NO.	9	10												WEIGHT	9.2				
REAMING	1 3/4	8 1/2		2	SNGLS. DP	61.55 FT.	SIZE	9	12 1/2	2 1/4	1218	12110		140	1500	100	6 1/2	74	6 1/2		VISC.	290				
CIRCULATING	1 1/4				ID		MFG.	HTC. HTC													W.L.-C.C.	1.2				
TRIPS	3 3/4	3 1/4		10	D.C.	9" OD	314.57 FT.	TYPE	OVIV OSC3		1 3/4	412	524	REAM 9" TO 12 1/2							FLTR. CK.	3/2				
DEVIATION SURVEY	4				RMR BODY OD		FT.	NO.	3	3	DEVIATION RECORD:	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	PH	8				
TEST B.O.P.				1	STB BODY OD		FT.	SIZE	16	16		1240	2								SD. CONT.					
CUT OFF DRILL LINE					SUBS OD	3.07 FT.	SER. NO.	5606996215		1 1/4	800 - 815 1st try												REMARKS			
REPAIR RIG					BIT OR C.B.	FT.	DEPTH OUT	1240		1	815 - 915 2nd try												S. AN OUT PLUGGED BIT & COLLAR OF DRILL			
CORING						FT	CUMULATIVE HOURS RUN	2 1/4 1 3/4		3 1/4	915 - 1000 RUNNING IN															
WIRE LINE LOGGING					KELLY DOWN	34.20 FT.	COND. OF BIT			2 1/2	1000 - 1200 CREAMING HOLE 200' TO BOTTOM.															
OTHER	3 3/4	1 1/4			TOTAL	1240.00 FT.	REAMER- CUTTER NO.			2 1/4	1200 - 245 drilling.															
FISHING					WT. OF STRING	53000 LBS.	TYPE			3 1/4	245 - 315 Circ Hole.															
COMPLETING (A) - PERFORATING					DRILLER					3	315 - 615 TAIL OUT, BOTN WITH 12 1/2" AND REAM															
										1 3/4	615 - 800 START REAMING @ 412 9" TO 12 1/2"															

[illegible][illegible]

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE			
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
Shell Oil Company		2		TYPE THD 4 1/2"		1. NATIONAL C350 18								
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER												
C.O. Paulson														

TIME DISTRIBUTION—HOURS

MORN DAY EVE

DRILLING ACTUAL

REAMING

CIRCULATING

TRIPS

DEVIATION SURVEY

TEST B.O.P.

CUT OFF DRILL LINE

REPAIR RIG

CORING

WIRE LINE LOGGING

OTHER

FISHING

COMPLETING

(A) PERFORATING

(B) RUNNING TUBING

(C) SWABBING

(D) TESTING

(E) ACIDIZING

(F) ADDITIONAL

TOTALS

TIME SUMMARY (OFFICE USE ONLY)

CONTRACTOR'S TIME HRS.

OPERATOR'S TIME

HRS. W/D.P.

HRS. WO/D.P.

HRS. STANDBY

WIRE LINE RECORD

REEL NO.

NO. OF LINES SIZE

FEET SLIPPED

FEET CUT OFF

PRESENT LENGTH

TON MI. or TRIPS SINCE LAST CUT

CUMULATIVE TON MI. or TRIPS

NO. OF DAYS FROM SPUD

CUMULATIVE ROTATING HRS.

NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
STANDS DP	8 26 17 FT.	RUN NO.	8												TIME	1 12 16
SNGLS. DP	30.74 FT.	SIZE	9												WEIGHT	1.2
D.C. ID		MFG.	1170												VISC.	75' 102.
RMR BODY OD	3 1/4 51 FT.	TYPE	117												W.L.-C.C.	11.
STB BODY OD		NOZ. NO.	3												FLTR. CK.	11.1107 MUD
SUBS OD	3.07 FT.	SER. NO.	55381												PH	8
BIT OR C.B.		DEPTH OUT													SD. CONT.	
		CUMULATIVE HOURS RUN														
KELLY DOWN	41.41 FT.	COND. OF BIT														
TOTAL	12 1/4 46 FT.	REAMER CUTTER NO.														
WT. OF STRING		LBS.														
DRILLER		TYPE														
800 - 1200 WORKING STUCK PIPE																
1200 - 1215 MIXING GEL, TRY TO GET CIRC																
1215 - 8:00 RIG SET																
WORKING STUCK PIPE																
MOVED PIPE 18"																

NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
STANDS DP		FT.	RUN NO.												TIME	
SNGLS. DP		FT.	SIZE												WEIGHT	
D.C. ID		MFG.													VISC.	
RMR BODY OD		FT.	TYPE												W.L.-C.C.	
STB BODY OD		FT.	NOZ. NO.												FLTR. CK.	
SUBS OD		FT.	SER. NO.												PH	
BIT OR C.B.		FT.	DEPTH OUT												SD. CONT.	
		FT.	CUMULATIVE HOURS RUN													
KELLY DOWN		FT.	COND. OF BIT													
TOTAL		FT.	REAMER CUTTER NO.													
WT. OF STRING		LBS.	TYPE													
DRILLER																

NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
STANDS DP		FT.	RUN NO.												TIME	10:00 2:00 6:00
SNGLS. DP		FT.	SIZE												WEIGHT	9.3
D.C. ID		MFG.													VISC.	2.15
RMR BODY OD		FT.	TYPE												W.L.-C.C.	9.6
STB BODY OD		FT.	NOZ. NO.												FLTR. CK.	2/22
SUBS OD		FT.	SER. NO.												PH	8-0
BIT OR C.B.		FT.	DEPTH OUT												SD. CONT.	
		FT.	CUMULATIVE HOURS RUN													
KELLY DOWN		FT.	COND. OF BIT													
TOTAL		FT.	REAMER CUTTER NO.													
WT. OF STRING		LBS.	TYPE													
DRILLER																
8:00 8:15 RIG SET.																
8:15 9:15 WORK. PIPE UNSTUCK SAME.																
9:15 12:00 COND. MUD																
12:00 6:45 REAMING & CIRCUING TO BOTTOM.																
6:45 8:00 BIT PLUGGED ON B.W. & PULLED																
56" STEEL																

OPERATOR		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE					
CONTRACTOR Shell Oil Company		RIG NO. 2	DRILL PIPE STRING NO. SIZE 2	TOOL JOINT OD 4 1/2	PUMPS:			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER	
OPERATOR'S REPRESENTATIVE <i>F.O. Paulson</i>		CONTRACTOR'S TOOL PUSHER			1. <i>NATIONAL</i> <i>C350</i> <i>18</i>			2. <i>NATIONAL</i> <i>C350</i>							

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD					
DRILLING ACTUAL			9 STANDS DP	822.17 FT	RUN NO.	8												TIME	10	3			
REAMING			1 SNGLS. DP	30.74 FT	SIZE	9												WEIGHT		7.4			
CIRCULATING			D.C. ID		MFG.	HTC												VISC.	15	110			
TRIPS	4		10 7" OD	314.57 FT	TYPE	W7												W.L.-C.C.		8.6			
DEVIATION SURVEY			RMR BODY OD		FT.	NOZ. NO.	3											FLTR. CK.		32			
TEST B.O.P.			STB BODY OD		FT.	SIZE	1 1/2											PH		8			
CUT-OFF DRILL LINE			SUBS OD	3.67 FT.	SER. NO.	55386												SD. CONT.					
REPAIR RIG			BIT OR C.B.	1.50 FT.	DEPTH OUT																		
CORING					CUMULATIVE HOURS RUN																		
WIRE LINE LOGGING			KELLY DOWN	41.41 FT.	COND. OF BIT																		
OTHER	8	10 1/4	TOTAL	1218.46 FT.	REAMER CUTTER NO.																		
			WT. OF STRING	53000 LBS.	TYPE													MUD & CHEMICALS ADDED					
			DRILLER	<i>Ed Larson</i>																TYPE AMT. TYPE AMT.			

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD					
(A) PERFORATING			STANDS DP		FT.	RUN NO.												TIME					
(B) RUNNING TUBING			SNGLS. DP		FT.	SIZE												WEIGHT					
(C) SWABBING			D.C. ID		MFG.													VISC.					
(D) TESTING			RMR BODY OD		FT.	TYPE												W.L.-C.C.					
(E) ACIDIZING			STB BODY OD		FT.	NOZ. NO.												FLTR. CK.					
(F) ADDITIONAL			SUBS OD		FT.	SER. NO.												PH					
TOTALS	12	12 1/2	BIT OR C.B.		FT.	DEPTH OUT												SD. CONT.					
					CUMULATIVE HOURS RUN																		
			KELLY DOWN		FT.	COND. OF BIT																	
			TOTAL		FT.	REAMER CUTTER NO.																	
			WT OF STRING		LBS.	TYPE												MUD & CHEMICALS ADDED					
			DRILLER	<i>S. Siluck</i>																TYPE AMT. TYPE AMT.			

TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD					
REEL NO.			STANDS DP		FT.	RUN NO.	8											TIME					
NO. OF LINES		SIZE	SNGLS. DP		FT.	SIZE	9"											WEIGHT					
FEET SLIPPED			D.C. ID		MFG.	HTC												VISC.					
FEET CUT OFF			RMR BODY OD		FT.	TYPE	W7											W.L.-C.C.					
PRESENT LENGTH			STB BODY OD		FT.	NOZ. NO.	3											FLTR. CK.					
TON. MI. OF TRIPS SINCE LAST CUT			SUBS OD		FT.	SER. NO.	55381											PH					
CUMULATIVE TON MI. OF TRIPS			BIT OR C.B.		FT.	DEPTH OUT												SD. CONT.					
NO. OF DAYS FROM SPUD					CUMULATIVE HOURS RUN																		
CUMULATIVE ROTATING HRS.			KELLY DOWN		FT.	COND. OF BIT																	
			TOTAL		FT.	REAMER CUTTER NO.																	
			WT OF STRING		LBS.	TYPE												MUD & CHEMICALS ADDED					
			DRILLER	<i>S. Siluck</i>																TYPE AMT. TYPE AMT.			

800 815 RIG SENT.
815 100 FINISHED CHANGING MUD TANKS & WORK
100 100 ON SHALE SHAKERS
100 415 (CON.) MUD FOR TIGHT HOLE
415 600 REAMING IN.
600 800 STUCK IN HOLE @ 543 WORK PIPE
62" J-mud.

OPERATOR		LOCATION		LSD.		TWP.		RGE.		W.		WELL NAME		No.		PROVINCE	
CONTRACTOR		RIG NO.		DRILL PIPE STRING NO. SIZE		TOOL JOINT		OD		PUMPS		CASING & LINER RECORD		DEPTH SET		PERFORATIONS	
Shell Oil Company		2		314.57		4 1/2		11		1		NATIONAL C 350 18		1		N.W.T.	
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER															
C.D. Paulson																	

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT. ON BIT 1000±		PUMP PRESS		PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN		MUD RECORD					
MORN DAY EVE				8 STANDS DP		2346.8 FT		RUN NO. 6		7		1078		1147								600		6 1/2		74		6 1/2		66		TIME 8:00 1:00 6:00			
DRILLING ACTUAL 2 1/4 9 1/4				2 SNGLS. DP		60.58 FT.		SIZE 9		7																				WEIGHT 9.4 9.4 9.5					
REAMING				D.C. 2 1/8 ID		MFG. HTC 110																								VISC. 62 58 63					
CIRCULATING				10 314.57 OD		314.57 FT.		TYPE 6WV 117																						W.L.-C.C. 8.8 9.4 9.6					
TRIPS 3 1/2 2 1/4 1/4				RMR BODY OD		FT.		NO. 3		4																				FLTR. CK. 1/32 1/32 1/32					
DEVIATION SURVEY				STB BODY OD		FT.		NO. 11		11																				PH 8 8 8					
TEST B.O.P.				SUBS OD		3.07 FT.		SER. NO. 56090 55390		24		8:00 - 10:15		Drilling																SD. CONT.					
CUT OFF DRILL LINE				BIT OR C.B.		FT.		DEPTH OUT 1092																											
REPAIR RIG																																			
CORING				KELLY DOWN		34.20 FT.		COND. OF BIT		12 1/2		5 1/2																							
WIRE LINE LOGGING				TOTAL		1147.45 FT.		REAMER CUTTER NO.																											
OTHER 1 1/4 1/4				WT. OF STRING		53000 LBS.		TYPE																											
FISHING				DRILLER		C.D. Paulson																													

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT. ON BIT 1000±		PUMP PRESS		PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN		MUD RECORD			
				STANDS DP		FT.		RUN NO.																									
				SNGLS. DP		FT.		SIZE																									
				D.C. ID		MFG.																											
				RMR BODY OD		FT.		NO.																									
				STB BODY OD		FT.		NO.																									
				SUBS OD		FT.		SER. NO.																									
				BIT OR C.B.		FT.		DEPTH OUT																									
								CUMULATIVE HOURS RUN																									
				KELLY DOWN		FT.		COND. OF BIT																									
				TOTAL		FT.		REAMER CUTTER NO.																									
				WT. OF STRING		LBS.		TYPE																									
				DRILLER																													

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT. ON BIT 1000±		PUMP PRESS		PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN		MUD RECORD							
				9 STANDS DP		826.17 FT.		RUN NO. 7		9 1/4		1147		1218								140		20		600		6 1/2		74		6 1/2		TIME 10:00 2:00 6:00			
				1 SNGLS. DP		30.74 FT.		SIZE 9"																								WEIGHT 9.5 9.5 9.5					
				D.C. 2 1/8 ID		MFG. HTC																										VISC. 68 65 63					
				10 7" OD		314.57 FT.		TYPE 107																								W.L.-C.C. 9.6 9.4 9.4					
				RMR BODY OD		FT.		NO. 3																						FLTR. CK. 1/32 1/32 1/32							
				STB BODY OD		FT.		NO. 11																						PH 8.0 8.0 8.0							
				SUBS OD		3.07 FT.		SER. NO. 55390		8:00 - 8:15		R.G. SERV.																		SD. CONT.							
				BIT OR C.B.		.60 FT.		DEPTH OUT 1218																													
								CUMULATIVE HOURS RUN 14 3/4																													
				KELLY DOWN		41.41 FT.		COND. OF BIT																													
				TOTAL		1218.46 FT.		REAMER CUTTER NO.																													
				WT. OF STRING		53000 LBS.		TYPE																													
				DRILLER		S. Siluck																															

MUD & CHEMICALS ADDED
 TYPE AMT. TYPE AMT.
 Water 25*
 Caustic 50*
 Diesel 700*

OPERATOR		LOCATION		LS.	SEC.	TWP.	RGE.	W.	WELL NAME		No.	PROVINCE							
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD		SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER				
Shell Oil Company		2.		TYPE THD 4 1/2		1. NATIONAL C 3.5 18 2. NATIONAL C 3.5 18 3.													
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																	
P.D. Paulson														N.M.T.					
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		7 STANDS DP 61537T		RUN NO. 5 6														TIME	7 12 7
DRILLING ACTUAL 8 1/2 8 1/4		1 SNGLS. DP 3079T		SIZE 9"					940	100				130/300	600	6 1/2 23 6 1/2		WEIGHT	1.4 9.4 9.5
REAMING		D.C. ID		MFG. H7C														VISC.	5.9 5.8 6.6
CIRCULATING		12 7" OD 31457T		TYPE H7A 6 1/4														W.L.C.C.	9 9 8.8
TRIPS 2 1/4		RMR BODY OD		FT.		NOZ. NO. 3 3		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
DEVIATION SURVEY 2		STB BODY OD		FT.		SIZE 1 1/4 1 1/4				1000	6								PH
TEST D.O.P.		SUBS OD 3.07 FT.		SER. NO. 56070						800 - 830									SD. CONT.
CUT OF DRILL LINE		BIT OR C.B.		FT.		DEPTH OUT 990				830 - 1200									
REPAIR RIG 3 1/2						CUMULATIVE HOURS RUN 1 1/4 1 3/4				1200 - 1215									
CORING		KELLY DOWN		FT.		COND. OF BIT				1215 - 330									
WIRE LINE LOGGING		TOTAL 1003.00T		REAMER CUTTER NO.						330 - 545									
OTHER 3 1/4		WT. OF STRING 52000 LBS.		TYPE						545 - 645									
FISHING		DRILLER								645 - 715									
COMPLETING (A) PERFORATING		C.H. Paulson								715 - 800									
(B) RUNNING TUBING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
(C) SWABBING		STANDS DP		FT.		RUN NO.												TIME	1
(D) TESTING		SNGLS. DP		FT.		SIZE												WEIGHT	
(E) ACIDIZING		D.C. ID		MFG.														VISC.	
(F) ADDITIONAL		OD		FT.		TYPE												W.L.C.C.	
TOTALS 12 1/2		RMR BODY OD		FT.		NOZ. NO.		DEVIATION RECORD:		DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
TIME SUMMARY (OFFICE USE ONLY)		STB BODY OD		FT.		SIZE													PH
CONTRACTOR'S TIME HRS.		SUBS OD		FT.		SER. NO.													SD. CONT.
OPERATOR'S TIME:		BIT OR C.B.		FT.		DEPTH													
HRS. W/D.P.						CUMULATIVE HOURS RUN													
HRS. WO/D.P.		KELLY DOWN		FT.		COND. OF BIT													
HRS. STANDBY		TOTAL		FT.		REAMER CUTTER NO.													
WIRE LINE RECORD		WT. OF STRING		LBS.		TYPE													
		DRILLER																	
		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
REEL NO.		8 STANDS DP 734.75T		RUN NO. 6														TIME	10 00 2 00 6 00
NO. OF LINES 8 SIZE 1 1/4		1 SNGLS. DP		FT.		SIZE 9"				1003	1076								

[illegible]

REEL NO.	NO. DRILLING ASSEMBLY										BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT ON BIT 1000±	PUMP PRESS	PUMP NO 1		PUMP NO 2		METHOD PUMPS RUN	MUD RECORD			
NO. OF LINES <i>8</i> SIZE <i>1 1/4</i>	STANDS	DP	36.60 FT	RUN NO	4																LINER SIZE	S.P.M	LINER SIZE	S.P.M		TIME	1000	200	600
FEET SLIPPED	SNGLS.	DP	61.33 FT	SIZE	9"																				WEIGHT				
FEET CUT OFF	D.C.	ID	2 7/8	MFG	HTC																				VISC.				
PRESENT LENGTH	7	OD	314.57	TYPE	OSC																				W.L.C.C.				
TON MI. or TRIPS SINCE LAST CUT	RMR/ BODY	OD		NOZ	NO	3																			FLTR. CK				
CUMULATIVE TON MI. or TRIPS	STB BODY	OD		SIZE	1 1/2																				PH				
NO. OF DAYS FROM SPUD	1	SUBS	OD	SER NO	1164																				SD. CONT.				
CUMULATIVE ROTATING HRS.	3	BIT OR	OD	DEPTH OUT																									
			FT	CUMULATIVE HOURS RUN	3 1/2																								
	KELLY DOWN	19.20	FT.	COND. OF BIT																									
	TOTAL	164.39	FT.	REAMER CUTTER NO.																									
	WT OF STRING	20,000	LBS.	TYPE																									
	DRILLER	S. Silvers																											
										8:00 8:15 BIG SEND. REMARKS																			
										8:15 9:45 FINISHED TRIP BIT #4																			
										9:45 12:15 DRILLING																			
										12:15 3:30 Lost Circ & Cond. Mud For SAME																			
										3:30 4:00 DRILLING 4:00 7:30 UNPLUG BIT REAM																			
										BACK TO B.M. AFTER CO. COND. MUD																			
										7:30 8:00 DRILLING																			
										8:00 PM Mar 1/28.																			
																				MUD & CHEMICALS ADDED									
																				TYPE AMT. TYPE AMT.									
																				Lub. 7000 # water									
																				Sand dust. 15 bags.									
																				Caustic 75 #									
																				Overbrake 50 #									

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME		No.	PROVINCE							
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER				
Shell Oil Company		2.		TYPE THD 4-1/2 IF															
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		NO.			MANUFACTURER	TYPE	STROKE LENGTH										
C.O. Paulson				1.			National	350	18										
				2.			"	350	18										
				3.															
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD		
MORN DAY EVE		1 STANDS DP 9/12 FT		RUN NO. 1A 2													TIME		
DRILLING ACTUAL 7 1/2 5 1/4		2 SNGLS. DP 61-38 FT		SIZE 9 9		7 1/2		410 9	499		110	2500	500	6 1/2 70	6 1/2 70		WEIGHT		
REAMING		D.C. ID		MFG. H7C H7C													VISC.	60	50-45
CIRCULATING		10 7" OD 3-14-58 FT		TYPE OSC. G.W. 0													W.L.C.C.		
TRIPS 2 1/2 2		RMR BODY OD		NO. 3 3													FLTR. CK.		
DEVIATION SURVEY 3 1/4		STB BODY OD		SIZE 1 1/2 1 1/2				415	2 3/4	471	2 3/4		671	1 1/2			PH		
TEST B.O.P.		SUBS OD		SER. NO. 1117 55208				1 1/4	800 PH - 915	Drilling							SD. CONT.		
CUT OFF DRILL LINE		BIT OR C.B. 300.7 FT		DEPTH OUT 415				2 1/2	915 - 1145	Trip for bit									
REPAIR RIG 4 1/4				CUMULATIVE HOURS RUN 14 6 1/4				1 1/4	1145 - 1200	Run									
CORING		KELLY DOWN 283.6 FT		COND. OF BIT BALD				1 1/4	1200 - 145	Drilling									
WIRE LINE LOGGING		TOTAL 499.7 FT		REAMER CUTTER NO.				1 1/4	115 - 700	Survey									
OTHER 1 1/2 1 1/4		WT. OF STRING 42000 LBS.		TYPE				1 1/4	210 - 230	Drilling									
FISHING		DRILLER						1 1/4	230 - 315	Repair water leak on BARRIES									
COMPLETING (A) PERFORATING								1 1/2	315 - 546	Drilling									
(B) RUNNING TUBING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD		
(C) SWABBING		STANDS DP		FT. RUN NO.													TIME		
(D) TESTING		SNGLS. DP		FT. SIZE													WEIGHT		
(E) ACIDIZING		D.C. ID		MFG.													VISC.		
(F) ADDITIONAL		OD		FT. TYPE													W.L.C.C.		
TOTALS 12 12		RMR BODY OD		NO. NO.				DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	FLTR. CK.	
TIME SUMMARY (OFFICE USE ONLY)		STB BODY OD		NO. SIZE														PH	
CONTRACTOR'S TIME HRS.		SUBS OD		SER. NO.														SD. CONT.	
OPERATOR'S TIME		BIT OR C.B.		DEPTH OUT															
HRS. W/D.P.				CUMULATIVE HOURS RUN															
HRS. WO/D.P.		KELLY DOWN		COND. OF BIT															
HRS. STANDBY		TOTAL		REAMER CUTTER NO.															
WIRE LINE RECORD		WT. OF STRING		LBS. TYPE															
REEL NO.		DRILLER																	
NO. OF LINES SIZE 8		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTARY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD		
FEET SLIPPED		2 STANDS DP 108-95 FT		RUN NO. 2 3		</													

OPERATOR		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE									
CONTRACTOR Shell Oil Company		RIG NO. 2	DRILL PIPE NO. SIZE	TOOL JOINT OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER					
OPERATOR'S REPRESENTATIVE <i>C.D. Paulson</i>		CONTRACTOR'S TOOL PUSHER			1. NATIONAL. 350 18			2. 350 18											
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		STANDS DP FT		RUN NO. 1														TIME	10 00 4 00 8 00
DRILLING ACTUAL 3 1/4		SNGLS. DP 60.92 FT		SIZE 9"										180 20	520 6 1/2 6 1/2 70			WEIGHT	
REAMING		2 7/8 ID		MFG. H2C.														VISC.	40 100 120
CIRCULATING		10 7" OD 314.57 FT		TYPE 05C														W.L.C.C.	
TRIPS		RMR BODY OD FT		NO. 8														FLTR. CK.	
DEVIATION SURVEY 1/4		STB BODY OD FT		NOZ. SIZE 1 1/2														PH	
TEST B.O.P.		SUBS OD 3.07 FT		SER. NO. 1167														SD. CONT.	
CUT OFF DRILL LINE		BIT OR C.B. .60 FT		DEPTH OUT															
REPAIR RIG		FT.		CUMULATIVE HOURS RUN 10 1/2															
CORING		KELLY DOWN 30.20 FT		COND. OF BIT															
WIRE LINE LOGGING		TOTAL 409.36 FT		REAMER CUTTER NO.															
OTHER 8 1/2		WT. OF STRING 10,000 LBS		TYPE															
FISHING		DRILLER <i>S. Silenich</i>																	
COMPLETING (A) PERFORATING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
(B) RUNNING TUBING		STANDS DP FT		RUN NO.														TIME	
(C) SWABBING		SNGLS. DP FT		SIZE														WEIGHT	
(D) TESTING		D.C. ID		MFG.														VISC.	
(E) ACIDIZING		OD FT		TYPE														W.L.C.C.	
(F) ADDITIONAL		RMR BODY OD FT		NO. NO.														FLTR. CK.	
TOTALS 12		STB BODY OD FT		NOZ. SIZE														PH	
TIME SUMMARY (OFFICE USE ONLY)		SUBS OD FT		SER. NO. 1167														SD. CONT.	
CONTRACTOR'S TIME HRS.		BIT OR C.B. FT		DEPTH OUT															
OPERATOR'S TIME		FT		CUMULATIVE HOURS RUN															
HRS. W/D.P.		KELLY DOWN FT		COND. OF BIT															
HRS. WO/D.P.		TOTAL FT		REAMER CUTTER NO.															
HRS. STANDBY		WT. OF STRING LBS		TYPE															
WIRE LINE RECORD		DRILLER																	
REEL NO.		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
NO. OF LINES SIZE		STANDS DP FT		RUN NO.														TIME	
FEET SLIPPED		SNGLS. DP FT		SIZE														WEIGHT	
FEET CUT OFF		D.C. ID		MFG.														VISC.	
PRESENT LENGTH		OD FT		TYPE														W.L.C.C.	
TON-MI. OF TRIPS SINCE LAST CUT		RMR BODY OD FT		NO. NO.														FLTR. CK.	
CUMULATIVE TON-MI. OF TRIPS		STB BODY OD FT		NOZ. SIZE														PH	
NO. OF DAYS FROM SPUD		SUBS OD FT		SER. NO.														SD. CONT.	
CUMULATIVE ROTATING HRS.		BIT OR C.B. FT		DEPTH OUT															
		FT		CUMULATIVE HOURS RUN															
		KELLY DOWN FT		COND. OF BIT															
		TOTAL FT		REAMER CUTTER NO.															
		WT. OF STRING LBS		TYPE															
		DRILLER																	

Our work started at 8:00 pm reported on page 101

Feb 26/59

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE				
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
Shell Oil Company															
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD			NO. MANUFACTURER TYPE STROKE LENGTH								
C.O. Paulson							1. NATIONAL C350 18								
							2. NATIONAL C350 18								
							3.								

TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
DRILLING ACTUAL		STANDS DP		FT. RUN NO.													TIME	
REAMING		SNGLS. DP		FT. SIZE													WEIGHT	
CIRCULATING		D.C. ID		MFG.													VISC.	
TRIPS		OD		FT. TYPE													W.L.C.C.	
DEVIATION SURVEY		RMR BODY OD		FT. NOZ. NO.		DEVIATION RECORD:		DEPTH		DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
TEST B.O.P.		STB BODY OD		FT. -SIZE														PH
CUT OFF DRILL LINE		SUBS OD		FT. SER. NO.														SD. CONT.
REPAIR RIG		BIT OR C.B.		FT. DEPTH OUT														
CORING		KELLY DOWN		FT. CUMULATIVE HOURS RUN														
WIRE LINE LOGGING		TOTAL		FT. REAMER CUTTER NO.														
OTHER		WT. OF STRING		LBS. TYPE														
FISHING		DRILLER																
COMPLETING (A) PERFORATING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
(B) RUNNING TUBING		STANDS DP		FT. RUN NO.													TIME	
(C) SWABBING		SNGLS. DP		FT. SIZE													WEIGHT	
(D) TESTING		D.C. ID		MFG.													VISC.	
(E) ACIDIZING		OD		FT. TYPE													W.L.C.C.	
(F) ADDITIONAL		RMR BODY OD		FT. NOZ. NO.		DEVIATION RECORD:		DEPTH		DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
TOTALS		STB BODY OD		FT. -SIZE														PH
TIME SUMMARY (OFFICE USE ONLY)		SUBS OD		FT. SER. NO.														SD. CONT.
CONTRACTOR'S TIME HRS.		BIT OR C.B.		FT. DEPTH OUT														
OPERATOR'S TIME		KELLY DOWN		FT. CUMULATIVE HOURS RUN														
HRS. W/D.P.		TOTAL		FT. REAMER CUTTER NO.														
HRS. WO/D.P.		WT. OF STRING		LBS. TYPE														
HRS. STANDBY		DRILLER																
WIRE LINE RECORD		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
REEL NO.		STANDS DP		FT. RUN NO.													TIME	
NO. OF LINES 8 SIZE 1/2		SNGLS. DP		FT. SIZE													WEIGHT	
FEET SLIPPED 4		D.C. ID		MFG.													VISC.	
FEET CUT OFF		OD		FT. TYPE													W.L.C.C.	
PRESENT LENGTH		RMR BODY OD		FT. NOZ. NO.		DEVIATION RECORD:		DEPTH		DEV	DIRECTION	DEPTH	DEV	DIRECTION	DEPTH	DEV	DIRECTION	FLTR. CK.
TON MI. or TRIPS SINCE LAST CUT		STB BODY OD		FT. -SIZE														PH
CUMULATIVE TON MI. or TRIPS		SUBS OD		FT. SER. NO.														SD. CONT.
NO. OF DAYS FROM SPUD		BIT OR C.B.		FT. DEPTH OUT														
CUMULATIVE ROTATING HRS. 7 1/4		KELLY DOWN		FT. CUMULATIVE HOURS RUN														
		TOTAL		FT. REAMER CUTTER NO.														
		WT. OF STRING		LBS. TYPE														
		DRILLER																

8:00 2:00 RIGGING UP. PREPARING TO SPUD.
2:00 4:00 DRILLED. RIG HOLE & SET GAGE.
4:00 5:00 WORK ON PUMPS. AIR LINES & PICKED UP 1 DC.

7 1/4 220.22 FT. 1A 9" 117C OSC 3 1167 7 1/4 264 175 175 400 6 1/2 6 1/2

10 10 100 6 170 4 1200-1215 P.D. SURV. 545-700 Drilling. 9:30 pm.
1045-1200 WORK ON PUMP, CHANGE AIRCHAMBER
RIG UP HALIBUTON LINE, SURVEY
1215-200 Drilling. 200-800 Hole casing
215-345 Drilling. 345-545 IN GRADE CHANGE SICKER SCREENS