

SHELL-ALEXANDRA No. 7

Drilling Authority No.

Date Issued

WELL NAME Shell Alexandra No. 7

FIELD Wildcat

Area: Alexandra Falls

LOCATION: Unit

Section

Grid

Latitude 60°21' N.

Longitude 118°43' W.

From Established Reference Marker

Rig Release Date: 4-2-61

Status D & A

Information Release Date 4-2-63

CHANGE OF NAME:

DATE RECEIVED	INDEX
	Application for a Drilling Authority. Well Completion Data. Well History Report. Application to Amend a Drilling Authority. Application to change a Well Name. Application to Abandon a Well or Suspend Drilling. Application to Alter Condition of a Well. Well History Supplement. Well Completion Data. Work-over Report No. Application to Commingle Production before Measurement. Approval to Commingle Production before Measurement. Application to Amend Approval No. to Commingle Production before Measurement. Application for M.P.R.—Oil. New Oil Well Report. New Gas Well Report. Well Inspection Report. Rig Inspection Report. Battery Inspection Report. Field Abandonment Programme and Approval. Well Card. Well Visit. Daily Drilling Reports.

SHELL OIL COMPANY OF CANADA, LIMITED

PRODUCTION LABORATORY ANALYSIS REPORT

CALGARY, ALBERTA

14-00000

Sample Received February 8/61
Sample Analyzed February 16/61
Results Reported February 17/61

SAMPLE DESCRIPTION

Company Shell Oil Company of Canada. Well Alexandra No. 7
Field Limited Led Sec Top Rps W
Sample obtained from (time, tubing, etc.) Top stand fluid recovery - water cushion con-
Pressure at point of sampling psig Well K.S. training 15 gal/bbl. magna (H.S. corrosion
gas bench psig Zone preventor
Temperature at point of sampling °F Formation Prossville Dolomite
separator °F
Method of production (DST, pump, flowing, etc.) DST #1
DST interval 4427-4447 (20') Recovery 180' (1.5 bbl) water cushion 180' (1.5 bbl)
Perforations or open hole interval wd. 3500' (25 bbl) sulfurous salt water
Sampled by Date January 31, 1967 Time

Specific Gravity	1.0080 @ 60°F
Salinity	658 mg Cl ⁻ /l (1086 mg NaCl/l)
Resistivity	1.53 cm-m @ 60°F

Note: Complete analyses samples "backcutting 60 stands" (#69) and "stand above tool" (#70) to follow.

Colors:

Production Department, Calgary Area 3
Division Office 5
Production Laboratory, Calgary Area 2

Chemist N. L. Johnson

Plug Down @ 9:00 pm

[illegible]

FEB. 4/61

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE		
Shell Oil Company of Canada, Limited									SHELL ALEXANDRA	7	N.W.T.		
CONTRACTOR		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	DEPTH SET		PERFORATIONS	CEMENT USED	OTHER
REGENT DRILLING CO. LTD.		21				MANUFACTURER TYPE STROKE LENGTH		SIZE WT. & GR. FROM TO	FROM TO				
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER				1. Emsco D-300 14			7" 22-355 0 607				
GARY W. FRANK		R. B. HURSTON											
TIME DISTRIBUTION—HOURS													
MORNING TOUR													
DRILLING ACTUAL 4 1/2 4 1/2													
REAMING 4 1/2													
CIRCULATING 1 1/2													
TRIPS 2 1/2 2 1/2 3 1/2													
DEVIATION SURVEY 1 1/2 1 1/2 1 1/2													
TEST B.O.P. 1 1/2 1 1/2 1 1/2													
CUT OFF DRILL LINE 1 1/2													
REPAIR RIG 1 1/2													
CORING													
WIRE LINE LOGGING													
OTHER													
FISHING													
COMPLETING (A) PERFORATING													
(B) RUNNING TUBING													
(C) SWABBING													
(D) TESTING													
(E) ACIDIZING													
(F) ADDITIONAL													
TOTALS 8 1/2 8 1/2 8 1/2													
TIME SUMMARY (OFFICE USE ONLY)													
CONTRACTOR'S TIME HRS.													
OPERATOR'S TIME													
HRS. W/D.P.													
HRS. WO/D.P.													
HRS. STANDBY													
WIRE LINE RECORD													
REEL NO.													
NO. OF LINES SIZE													
FEET SLIPPED													
FEET CUT OFF													
PRESENT LENGTH													
TON. MI. or TRIPS SINCE LAST CUT													
CUMULATIVE TON. MI. or TRIPS													
NO. OF DAYS FROM SPUD													
CUMULATIVE ROTATING HRS.													
EVENING TOUR													
NO. DRILLING ASSEMBLY													
BIT RECORD													
HRS. DRILL. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- RY R.P.M. WT. ON BIT 1000± PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN													
TIME WEIGHT VISC. W.L.C.C. FLTR. CK. PH SD. CONT.													
MUD & CHEMICALS ADDED													
TYPE AMT. TYPE AMT.													
GEL 1000#													
STARCH 250#													
PRES. 50#													

OPERATOR Shell Oil Company of Canada, Limited										LOCATION		LSL.	SEC.	TWP.	RGE.	WELL NAME STILL ALEXANDRA		No.		PROVINCE NWT																																																																																																																							
CONTRACTOR PACIFIC DRILLING CO. LTD.										RIG NO.		DRILL PIPE STRING NO. SIZE		TOOL JOINT		OD		PUMPS		CASING & LINER RECORD		PERFORATIONS		CEMENT USED		OTHER																																																																																																																	
OPERATOR'S REPRESENTATIVE G. W. F.										CONTRACTOR'S TOOL PUSHER R. R. Sherrington										NO.		MANUFACTURER		TYPE		STROKE LENGTH		SIZE		WT. & GR.		DEPTH SET FROM TO		PERFORATIONS FROM TO		CEMENT USED		OTHER																																																																																																					
TIME DISTRIBUTION--HOURS										NO. DRILLING ASSEMBLY										HRS. DRILL										CORE NO.										FROM										TO										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M.										WT. ON BIT 1000#										PUMP PRESS.										PUMP NO. 1 LINER SIZE S.P.M.										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
MORN DAY EVE										STANDS DP 3956.89 FT. RUN NO. 32										HRS. DRILL 7 1/2										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
DRILLING ACTUAL 7 1/2										SINGLS. DP 3956.89 FT. SIZE 6 1/4										HRS. DRILL 7 1/2										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
REAMING 1/2										D.C. ID 614.07 FT. MFG. HTE										HRS. DRILL 1/2										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
CIRCULATING 2 1/2										RMR BODY OD 614.07 FT. NO. 1										HRS. DRILL 2 1/2										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
TRIPS 4 1/2										STB BODY OD 614.07 FT. NO. 1										HRS. DRILL 4 1/2										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
DEVIATION SURVEY 1/4										SUBS OD 614.07 FT. SER. NO. 4359										HRS. DRILL 1/4										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
TEST B.O.P. 1/4										BIT OR C.B. 614.07 FT. DEPTH OUT 4359										HRS. DRILL 1/4										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
CUT OFF DRILL LINE 1/2										KELLY DOWN 410.00 FT. REAMER CUTTER NO. 13										HRS. DRILL 1/2										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
REPAIR RIG 1/4										TOTAL 4610.96 FT. REAMER CUTTER NO. 13										HRS. DRILL 1/4										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
CORING 1/4										WT. OF STRING 52.000 LBS. TYPE										HRS. DRILL 1/4										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
WIRE LINE LOGGING 1/4										DRILLER										HRS. DRILL 1/4										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
OTHER 1/4										TOTAL 4610.96 FT. REAMER CUTTER NO. 13										HRS. DRILL 1/4										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
FISHING 1/4										TOTAL 4610.96 FT. REAMER CUTTER NO. 13										HRS. DRILL 1/4										CORE NO. 4544										FROM 4610										TO 4610										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M. 90										WT. ON BIT 1000# 28										PUMP PRESS. 500										PUMP NO. 1 LINER SIZE 5 1/2 S.P.M. 46										PUMP NO. 2 LINER SIZE S.P.M.										METHOD PUMPS RUN										MUD RECORD									
COMPLETING (A) PER																																																																																																																																											

[illegible]

DAILY DRILLING REPORT

REPORT NO.

DATE Jan 30

OPERATOR Shell Oil Company of Canada, Limited										LOCATION LSD. SEC. TWP. RGE. W. WELL NAME SHELL ALEXANDRA										No. 7 PROVINCE N.W.T.																																																																																																			
CONTRACTOR REGENT DRILLING CO LTD										RIG No. 21										PUMPS										CASING & LINER RECORD										SIZE WT. & GR. DEPTH SET PERFORATIONS CEMENT USED OTHER																																																																															
OPERATOR'S REPRESENTATIVE Gary W. Thorne										CONTRACTOR'S TOOL PUSHER R. R. Sherrington										1. MANUFACTURER TYPE STROKE LENGTH										2. 3.																																																																																									
TIME DISTRIBUTION—HOURS										NO. DRILLING ASSEMBLY										BIT RECORD										HRS. DRLED. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- RY R.P.M. WT. ON BIT 1000# PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN										MUD RECORD																																																																															
DRILLING ACTUAL 5 1/2										1 STANDS DP 3710.17 FT. RUN NO. 30										1 SNGLS. DP 31.56 FT. SIZE 6 3/4										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek									
REAMING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
CIRCULATING 2 1/2										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
TRIPS										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
DEVIATION SURVEY										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
TEST B.O.P										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
CUT OFF DRILL LINE										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
REPAIR RIG										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
CORING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
WIRE LINE LOGGING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
OTHER										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
FISHING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
COMPLETING (A) PERFORATING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
(B) RUNNING TUBING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
(C) SWABBING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT										TOTAL 4447.00 FT. REAMER CUTTER NO.										WT. OF STRING 52000 LBS. TYPE										DRILLER R. Pacholek																													
(D) TESTING										20 D.C. 4 3/4 OD 614.07 FT. TYPE OWC										RMR BODY OD FT. NOZ. NO. 1										STB BODY OD FT. NOZ. SIZE 1 1/2										SUBS OD FT. SER. NO. 4353										BIT OR C.B. FT. DEPTH OUT										KELLY DOWN 31.20 FT. COND. OF BIT																																																											

[illegible]

DATE _____

JAN. 27 / 61

OPERATOR Shell Oil Company of Canada, Limited										LOCATION LSD. SEC. TWP. RGE. W. WELL NAME SHELL ALEXANDRA										No. 7										PROVINCE N.W.T.																																																																																									
CONTRACTOR REGENT DRILLING CO. 21										RIG No. 21										DRILL PIPE STRING NO. SIZE										TOOL JOINT OD										PUMPS										CASING & LINER RECORD										DEPTH SET										PERFORATIONS										CEMENT USED										OTHER																													
OPERATOR'S REPRESENTATIVE										CONTRACTOR'S TOOL PUSHER										TYPE THD. IF										NO. MANUFACTURER TYPE STROKE LENGTH										1. EMSCO D-300 14										2.										3.										7 22055 0 607																																																	
TIME DISTRIBUTION—HOURS										NO. DRILLING ASSEMBLY										BIT RECORD										HRS. DRLD. CORE NO. FROM TO										FORMATION (SHOW CORE RECOVERY)										ROTA- RY R.P.M.										WT. ON BIT 1000#										PUMP PRESS.										PUMP NO. 1										PUMP NO. 2										METHOD PUMPS RUN										MUD RECORD									
MORNING										56 STANDS DP 345731 FT. RUN NO. 26										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46										TIME 12 00 200 400																																																	
DRILLING ACTUAL 7 1/4 2 1/4 7 1/4										1 SNGLS. DP 31.53 FT. SIZE 6 1/4										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46										WEIGHT 9.7 9.7 9.7																																																	
REAMING										D.C. 2 1/4 ID 614.82 FT. MFG. N.T.C.										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46										VISC 40 43 45																																																	
CIRCULATING 3/4										20 RMR BODY OD 614.82 FT. TYPE 0WV										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46										W.L.C.C. 9.2																																																	
TRIPS 5 1/2										STB BODY OD 1 1/2										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46										FLTR. CK. 2/32																																																	
DEVIATION SURVEY										SUBS. OD 23 3/8										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46										PH 8.0																																																	
TEST B.O.P.										BIT OR C.B. 23 3/8										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46										SD. CONT.																																																	
CUT OFF DRILL LINE										KELLY DOWN 39.34 FT. COND. OF BIT 9										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
REPAIR RIG 3/4										TOTAL 4141.00 FT. REAMER CUTTER NO. 52,000										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
CORING										WT. OF STRING 52,000 LBS. TYPE										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
WIRE LINE LOGGING										DRILLER R. R. Richardson										7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
OTHER																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
FISHING																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
COMPLETING (A) PERFORATING																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
(B) RUNNING TUBING																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
(C) SWABBING																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
(D) TESTING																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
(E) ACIDIZING																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
(F) ADDITIONAL																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
TOTALS																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
TIME SUMMARY (OFFICE USE ONLY)																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
CONTRACTOR'S TIME HRS.																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
OPERATOR'S TIME																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
HRS. W/D.P.																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
HRS. WO/D.P.																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											
HRS. STANDBY																				7 1/4										4090 4141										SLAVE POINT 70 28										500 5 1/2 46										46																																																											

JAN. 25/61

OPERATOR		LOCATION		SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE												
Shell Oil Company of Canada, Limited		SHELL		ALEXANDRA		7		N. W. T.														
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER								
REGENT DRILLING CO.		21				1. EMSCO D-300 14			7 22155	0	607											
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD. IF																		
J. W. F.		R. R. HARRINGTON																				
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD				
MORN DAY EVE		54 STANDS DP 3332.63 FT. RUN NO. 23		SNGLS. DP 30.94 FT. SIZE 6 1/4		5 1/2		3944	4005	SLAVE POINT	100 28	525	5 1/2	46	TIME	200	400	600	WEIGHT	9.8	9.8	9.8
DRILLING ACTUAL		1 D.C. 2 1/4 ID 614.82 FT. MFG. H.T.C.		20 RMR BODY OD 4 3/4 OD 614.82 FT. TYPE ONV											VISC	60	50	50	W.L.C.C.	6.4		
REAMING		1 STB BODY OD 1 1/2 FT. NOZ. NO. 1		1 STB BODY OD 1 1/2 FT. NOZ. NO. 1											FLTR. CK.	2 1/2			PH	8.0		
CIRCULATING		1 TRIPS 1 1/2 1 1/2 2		1 SUBS OD 1 1/2 FT. SER. NO. 67780											SD. CONT.				MUD & CHEMICALS ADDED			
DEVIATION SURVEY		1 CUT OFF DRILL LINE		1 BIT OR C.B. 1 1/2 FT. DEPTH OUT 4005											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
TEST B		1 REPAIR RIG		1 KELLY DOWN 26.61 FT. COND. OF BIT 2-2-1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
CUT OFF DRILL LINE		1 CORING		1 TOTAL 4005.00 FT. REAMER CUTTER NO. 10											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
REPAIR RIG		1 WIRE LINE LOGGING		1 WT. OF STRING 4900 LBS. TYPE											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
OTHER		1 DRILLER		1 R. R. HARRINGTON											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
FISHING		1 NO. DRILLING ASSEMBLY		1 BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD				
COMPLETING (A) PERFORATING		54 STANDS DP 3332.63 FT. RUN NO. 24		SNGLS. DP 30.94 FT. SIZE 6 1/4		5 1/2		4005							TIME				WEIGHT	T R P		
(B) RUNNING TUBING		1 D.C. 4 3/4 OD 614.82 FT. TYPE ONV		20 RMR BODY OD 4 3/4 OD 614.82 FT. TYPE ONV											VISC				W.L.C.C.			
(C) SWABBING		1 STB BODY OD 1 1/2 FT. NOZ. NO. 1		1 STB BODY OD 1 1/2 FT. NOZ. NO. 1											FLTR. CK.				PH			
(D) TESTING		1 SUBS OD 1 1/2 FT. SER. NO. 68669		1 BIT OR C.B. 1 1/2 FT. DEPTH OUT 4005											SD. CONT.				MUD & CHEMICALS ADDED			
(E) ACIDIZING		1 KELLY DOWN 26.61 FT. COND. OF BIT 2-2-1		1 TOTAL 4005.00 FT. REAMER CUTTER NO. 10											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
(F) ADDITIONAL		1 WT. OF STRING 4900 LBS. TYPE		1 DRILLER											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
TOTALS		1 R. R. HARRINGTON		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
TIME SUMMARY (OFFICE USE ONLY)		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
CONTRACTOR'S TIME HRS.		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
OPERATOR'S TIME:		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
HRS. W/D.P.		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
HRS. WO/D.P.		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
HRS. STANDBY		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
WIRE LINE RECORD		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
REEL NO.		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
NO. OF LINES		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
SIZE		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
FEET SLIPPED		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
FEET CUT OFF		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
PRESENT LENGTH		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
TON MI. OF TRIPS SINCE LAST CUT		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
CUMULATIVE TON MI. OF TRIPS		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
NO. OF DAYS FROM SPUD		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				
CUMULATIVE ROTATING HRS.		1		1											MUD & CHEMICALS ADDED			TYPE AMT. TYPE AMT.				

OPERATOR: Shell Oil Company of Canada, Limited

CONTRACTOR: REGENT DRILLING CO.

OPERATOR'S REPRESENTATIVE: J.M. [Signature]

CONTRACTOR'S TOOL PUSHER: [Signature]

TIME DISTRIBUTION - HOURS

DRILLING ACTUAL: 5 1/4

REAMING: 1

CIRCULATING: 1

TRIPS: 1

DEVIATION SURVEY: 1

TEST B.O.P: 1/4

CUT OFF DRILL LINE: 1/4

REPAIR RIG: 1/4

CORING: 1/4

WIRE LINE LOGGING: 1/4

OTHER: 1/4

COMPLETING (A) PERFORATING (B) RUNNING TUBING (C) SWABBING (D) TESTING (E) ACIDIZING (F) ADDITIONAL

TOTALS: 8 8 8

TIME SUMMARY (OFFICE USE ONLY)

CONTRACTOR'S TIME HRS: 8

OPERATOR'S TIME: 8

HRS. W/D.P: 8

HRS. WO/D.P: 8

HRS. STANDBY: 8

WIRE LINE RECORD

REEL NO: 6

NO. OF LINES: 6

FEET SLIPPED: NEW

FEET CUT OFF: LINE

PRESENT LENGTH: 188

TON MI. or TRIPS SINCE LAST CUT: 188

CUMULATIVE TON MI. or TRIPS: 188

NO. OF DAYS FROM SPUD: 1

CUMULATIVE ROTATING HRS: 1

LOCATION: LSD. SEC. TWP. RGE. WELL NAME: SHELL ALEXANDRA

NO. 7

DEPTH SET FROM TO: 0 601

PERFORATIONS FROM TO: 0 601

CEMENT USED: 0

OTHER: 0

PUMPS

NO. 1. MANUFACTURER: EMSCO TYPE: D-300 STROKE LENGTH: 14

NO. 2.

NO. 3.

CASING & LINER RECORD

SIZE: 7 3/4 WT. & GR.: 55

DEPTH SET FROM TO: 0 601

PERFORATIONS FROM TO: 0 601

CEMENT USED: 0

OTHER: 0

NO. DRILLING ASSEMBLY

STANDS DP: 21 FT. RUN NO. 21

SINGLS. DP: 3084 FT. SIZE: 6 1/4

D.C. ID: 3084 MFG. H.T.C.

RMR BODY OD: 614.82 FT. TYPE: OSC

STB BODY OD: 614.82 FT. NOZ. NO. 1

SUBS OD: 614.82 FT. SIZE: 1 1/2

BIT OR C.B. FT. SER. NO. 74180

DEPT. OUT: 120

CUMULATIVE HOURS RUN: 120

COND. OF BIT: 120

REAMER CUTTER NO. 120

WT. OF STRING: 35.72 LBS. TYPE: RUN

DRILLER: R.R. [Signature]

HRS. DRLD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- RY R.P.M. WT. ON BIT 1000# PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN

120 1215 - RIG SERVICE

1215 1230 - CLOSE BLIND RAMS (MANUALLY)

1230 125 - PICK UP & NEW DRILL COLLARS

125 215 - RUN IN

215 245 - BLOW LINES, CLEAN TO BOTTOM (10 FT.)

245 8 - DRILL (NEW DRILL)

REMARKS

MUD RECORD

TIME: 400 600

WEIGHT: 9.7 9.7

VISC: 43 47

W.L.C.C.: 12.6

FLTR. CK.: R

PH: 1

SD. CONT.: Perseritue

MUD & CHEMICALS ADDED

TYPE AMT. TYPE AMT.

GEL 1000 lbs

STARCH 300 lbs

PLASTER 50 lbs

NO. DRILLING ASSEMBLY

STANDS DP: 21 FT. RUN NO. 21

SINGLS. DP: 3084 FT. SIZE: 6 1/4

D.C. ID: 3084 MFG. H.T.C.

RMR BODY OD: 614.82 FT. TYPE: OSC

STB BODY OD: 614.82 FT. NOZ. NO. 1

SUBS OD: 614.82 FT. SIZE: 1 1/2

BIT OR C.B. FT. SER. NO. 74180

DEPT. OUT: 120

CUMULATIVE HOURS RUN: 120

COND. OF BIT: 120

REAMER CUTTER NO. 120

WT. OF STRING: 35.72 LBS. TYPE: RUN

DRILLER: R.R. [Signature]

HRS. DRLD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- RY R.P.M. WT. ON BIT 1000# PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN

120 1215 - RIG SERVICE

1215 1230 - CLOSE BLIND RAMS (MANUALLY)

1230 125 - PICK UP & NEW DRILL COLLARS

125 215 - RUN IN

215 245 - BLOW LINES, CLEAN TO BOTTOM (10 FT.)

245 8 - DRILL (NEW DRILL)

REMARKS

MUD RECORD

TIME: 400 600

WEIGHT: 9.7 9.7

VISC: 43 47

W.L.C.C.: 12.6

FLTR. CK.: R

PH: 1

SD. CONT.: Perseritue

MUD & CHEMICALS ADDED

TYPE AMT. TYPE AMT.

GEL 1000 lbs

STARCH 300 lbs

PLASTER 50 lbs

NO. DRILLING ASSEMBLY

STANDS DP: 21 FT. RUN NO. 21

SINGLS. DP: 3084 FT. SIZE: 6 1/4

D.C. ID: 3084 MFG. H.T.C.

RMR BODY OD: 614.82 FT. TYPE: OSC

STB BODY OD: 614.82 FT. NOZ. NO. 1

SUBS OD: 614.82 FT. SIZE: 1 1/2

BIT OR C.B. FT. SER. NO. 74180

DEPT. OUT: 120

CUMULATIVE HOURS RUN: 120

COND. OF BIT: 120

REAMER CUTTER NO. 120

WT. OF STRING: 35.72 LBS. TYPE: RUN

DRILLER: R.R. [Signature]

HRS. DRLD. CORE NO. FROM TO FORMATION (SHOW CORE RECOVERY) ROTA- RY R.P.M. WT. ON BIT 1000# PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN

120 1215 - RIG SERVICE

1215 1230 - CLOSE BLIND RAMS (MANUALLY)

1230 125 - PICK UP & NEW DRILL COLLARS

125 215 - RUN IN

215 245 - BLOW LINES, CLEAN TO BOTTOM (10 FT.)

245 8 - DRILL (NEW DRILL)

REMARKS

MUD RECORD

TIME: 400 600

WEIGHT: 9.7 9.7

VISC: 43 47

W.L.C.C.: 12.6

FLTR. CK.: R

PH: 1

SD. CONT.: Perseritue

MUD & CHEMICALS ADDED

TYPE AMT. TYPE AMT.

GEL 1000 lbs

STARCH 300 lbs

PLASTER 50 lbs

[illegible]

Jan 26/61

OPERATOR		LOCATION	LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE								
Shell Oil Company of Canada, Limited								Shell Alexandra	7	N.W.T.								
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM	TO	PERFORATIONS FROM	TO	CEMENT USED	OTHER	
Raymond Drilling Co.		21								7	22555	0	602					
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																
Gary W. Frame		K. R. Harrington																
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		40 STANDS DP 2416.87 FT.		RUN NO. 17 18													TIME	
DRILLING ACTUAL 24 7 1/2		SNGLS. DP FT.		SIZE 6 3/4 6 3/4		2 1/2		2846	2880				500	5 1/2 5 1/2			WEIGHT	9.6
REAMING 3 1/4		D.C. 4 3/4 OD 370.42 FT.		MFG. H.T.C. H.T.C.													VISC	32
CIRCULATING		RMR BODY OD 2.02 FT.		NO. 1 1													W.L.C.C.	I P
TRIPS 12		STB BODY OD FT.		NOZ. SIZE 1 1/2 1 1/2													FLTR. CK.	
DEVIATION SURVEY		SUBS OD FT.		SER. NO. 79320 97901		1 1/4	12 00	12 00	Drill								PH	
TEST B.O.P. 4 1/4 1/4		BIT OR C.B. FT.		DEPTH OUT 2852		1 1/4	12 00	12 00	New Rig, check B.O.P. & Drags Total								SD. CONT.	
CUT OFF DRILL LINE		KELLY DOWN 39.00 FT.		COND. OF BIT 22-1		1 1/4	12 00	12 00	Pull out & run in Drill Collars								MUD & CHEMICALS ADDED	
REPAIR RIG		TOTAL 2880.81 FT.		REAMER CUTTER NO.		1 1/4	12 00	12 00	Change heads & liners in pumps & reamer bit								TYPE	AMT.
CORING		WT. OF STRING 30 000 LBS.		TYPE		2	6 00	8 00	Run in & clean 40' to bottom								GEL	1000
WIRE LINE LOGGING		DRILLER																
OTHER 2 1/4		L. Bell																
TIME SUMMARY (OFFICE USE ONLY)		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
CONTRACTOR'S TIME HRS.		43 STANDS DP 2654.36 FT.		RUN NO. 18													TIME	8 00 12 00 2 00
OPERATOR'S TIME		SNGLS. DP FT.		SIZE 6 3/4		7 1/2		2880	3058	HAY RIVER SHALE	110	17	475	5 1/2 5 1/2			WEIGHT	9.2 9.2 9.2
HRS. W/D.P.		D.C. 4 3/4 OD 370.42 FT.		MFG. H.T.C.													VISC	38 35 34
HRS. WO/D.P.		RMR BODY OD 2.02 FT.		NO. 1													W.L.C.C.	
HRS. STANDBY		STB BODY OD FT.		NOZ. SIZE 1 1/2													FLTR. CK.	
WIRE LINE RECORD		SUBS OD FT.		SER. NO. 97901		8 00	8 15	8 15	- DRILL								PH	
REEL NO		BIT OR C.B. FT.		DEPTH OUT		8 15	8 30	8 30	- RIG SERVICE CHECK B.O.P.'S								SD. CONT.	
NO. OF LINES SIZE		KELLY DOWN 31.20 FT.		COND. OF BIT RUN		8 30	8 30	8 30	- DRILL								MUD & CHEMICALS ADDED	
FEET SLIPPED		TOTAL 3058.00 FT.		REAMER CUTTER NO.		3 00	3 15	3 15	- JET MUD PIT								TYPE	AMT.
FEET CUT OFF		WT. OF STRING 30 000 LBS.		TYPE		3 15	3 15	3 15	- DRILL								GEL	1000
PRESENT LENGTH		DRILLER															WATER	
TON MI. or TRIPS SINCE LAST CUT CUMULATIVE		R. R. Harrington																
TON MI. or TRIPS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
NO. OF DAYS FROM SPUD CUMULATIVE ROTATING HRS.		46 STANDS DP 2838.96 FT.		RUN NO. 18													TIME	4 6 10
		SNGLS. DP FT.		SIZE 6 3/4		7 3/4		3058	3246								WEIGHT	9.0 9.1 9.0
		D.C. 4 3/4 OD 370.42 FT.		MFG. H.T.C.													VISC	32 31 33
		RMR BODY OD 2.02 FT.		NO. 1													W.L.C.C.	
		STB BODY OD FT.		NOZ. SIZE 1 1/2													FLTR. CK.	
		SUBS OD FT.		SER. NO. 97901		1 1/4	4 00	4 00	S&R RIG								PH	
		BIT OR C.B. FT.		DEPTH OUT		7 3/4	4 15	12 00	Drill								SD. CONT.	
		KELLY DOWN 34.60 FT.		COND. OF BIT													MUD & CHEMICALS ADDED	
		TOTAL 3246 FT.		REAMER CUTTER NO.													TYPE	AMT.
		WT. OF STRING 35 000 LBS.		TYPE													GEL	2400 lb
		DRILLER															STARCH	900 lb
		A. Torrance															DI. 1500 lb	
																	PRESERVATIVE	300 lb
																	WATER	

DAILY DRILLING REPORT

REPORT NO.

DATE _____

JAN 17. 1960

No

PROVINCE

CE
M.L.T

OPERATOR Shell Oil Company of Canada, Limited		LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME Shell 11		No.	PROVINCE N.W.T.							
CONTRACTOR D. G. Drilling Co		RIG NO. 21	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER			
OPERATOR'S REPRESENTATIVE G. M. F. Fawcett		CONTRACTOR'S TOOL PUSHER J. B. Fawcett		TYPE THD. 7 1/2			1. L. 12 3/4 14											
TIME DISTRIBUTION - HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
MORN DAY EVE		25 STANDS DP 1578.48 FT. RUN NO. 15		SIZE 6 1/4		5 3/4		1876 1960				120 17 500		6 3/4 42				TIME 12 PM 2 AM
DRILLING ACTUAL 5 3/4 1/2		SNGLS. DP 1578.48 FT. MFG. H.T.C.		TYPE OSC-3														WEIGHT 9.2 9.2
REAMING		D.C. 12 4 3/4 OD 370.42 FT. NO. 1		NOZ. SIZE 1 1/2														VISC 3.5 3.5
CIRCULATING 3 1/4 4 1/2		RMR BODY OD 2.02 FT. NO. 1		SER. NO. 73623														W.L.C.C.
TRIPS 2 1/2		STB BODY OD 1.82 FT. DEPTH OUT 1960		CUMULATIVE HOURS RUN 17														FLTR. CK.
DEVIATION SURVEY 1/4		SUBS OD 1.82 FT. DEPTH OUT 1960		COND. OF BIT REAMER CUTTER NO.														PH
TEST B.O.P. 1/4		BIT OR C.B. 1.82 FT. DEPTH OUT 1960		COND. OF BIT REAMER CUTTER NO.														SD. CONT.
CUT OFF DRILL LINE		KELLY DOWN 39.00 FT. REAMER CUTTER NO.		COND. OF BIT REAMER CUTTER NO.														
REPAIR RIG 1/4 1/2		TOTAL 1960.42 FT. REAMER CUTTER NO.		COND. OF BIT REAMER CUTTER NO.														
CORING		WT. OF STRING 2700 LBS. TYPE		COND. OF BIT REAMER CUTTER NO.														
WIRE LINE LOGGING		DRILLER		COND. OF BIT REAMER CUTTER NO.														
OTHER 2 7		R. Bell		COND. OF BIT REAMER CUTTER NO.														
SHING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
COMPLETING (A) PERFORATING		22 STANDS DP 1360.89 FT. RUN NO. 15		SIZE 6 1/4				1960										TIME
(B) RUNNING TUBING		SNGLS. DP 1360.89 FT. MFG. H.T.C.		TYPE OSC-3														WEIGHT
(C) SWABBING		D.C. 12 4 3/4 OD 370.42 FT. NO. 1		NOZ. SIZE 1 1/2														VISC
(D) TESTING		RMR BODY OD 2.02 FT. NO. 1		SER. NO. 73623														W.L.C.C.
(E) ACIDIZING		STB BODY OD 1.82 FT. DEPTH OUT 1960		CUMULATIVE HOURS RUN 17														FLTR. CK.
(F) ADDITIONAL		SUBS OD 1.82 FT. DEPTH OUT 1960		COND. OF BIT REAMER CUTTER NO.														PH
TOTALS 8 8 8		KELLY DOWN 41.00 FT. REAMER CUTTER NO.		COND. OF BIT REAMER CUTTER NO.														SD. CONT.
TIME SUMMARY (OFFICE USE ONLY)		WT. OF STRING 1776 LBS. TYPE		COND. OF BIT REAMER CUTTER NO.														
CONTRACTOR'S TIME HRS:		DRILLER		COND. OF BIT REAMER CUTTER NO.														
OPERATOR'S TIME:		R. R. Chatterington		COND. OF BIT REAMER CUTTER NO.														
HRS. W/D.P.:		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
HRS. WO/D.P.:		25 STANDS DP 1578.48 FT. RUN NO. 15		SIZE 6 1/4		1 1/2		1960 1967				100 12 250		6 3/4 32				TIME 4 8 8
HRS. STANDBY		SNGLS. DP 1578.48 FT. MFG. H.T.C.		TYPE OSC-3														WEIGHT 8.9 8.9 8.9
WIRE LINE RECORD		D.C. 12 4 3/4 OD 370.42 FT. NO. 1		NOZ. SIZE 1 1/2														VISC 61 57 45
REEL NO		RMR BODY OD 2.02 FT. NO. 1		SER. NO. 73623														W.L.C.C.
NO. OF LINES SIZE		STB BODY OD 1.82 FT. DEPTH OUT 1960		CUMULATIVE HOURS RUN 17														FLTR. CK.
FEET SLIPPED		SUBS OD 2.02 FT. DEPTH OUT 1960		COND. OF BIT REAMER CUTTER NO.														PH
FEET CUT OFF		KELLY DOWN 16.68 FT. REAMER CUTTER NO.		COND. OF BIT REAMER CUTTER NO.														

DATE _____

DAILY DRILLING REPORT

REPORT NO.

DATE _____

[illegible]

OPERATOR		LOCATION		SEC.	TWP.	RGE.	WELL NAME	No.	PROVINCE
Shell Oil Company of Canada, Limited		LSD.							U.T.
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS		Casing & Liner Record	
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD.		NO. MANUFACTURER TYPE STROKE LENGTH		SIZE WT. & GR. DEPTH SET TO PERFORATIONS FROM TO CEMENT USED OTHER	
1. 2. 3.		1. 2. 3.		1. 2. 3.		1. 2. 3.		1. 2. 3.	
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD. CORE NO.		FORMATION (SHOW CORE RECOVERY)	
MORN DAY EVE		STANDS DP		FT. RUN NO.		FROM TO		ROTA- RY R.P.M. WT. ON BIT 1000# PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN	
DRILLING ACTUAL		SNGLS. DP		FT. SIZE		DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION		TIME WEIGHT VISC. W.L.-C.C. FLTR. CK. PH SD. CONT.	
REAMING		ID		MFG.		REMARKS		MUD & CHEMICALS ADDED TYPE AMT. TYPE AMT.	
CIRCULATING		D.C.		TYPE					
TRIPS		RMR BODY		FT. NO. NO.					
DEVIATION SURVEY		STB BODY		FT. NO. NO.					
TEST B.O.P.		SUBS		FT. SER. NO.					
CUT OFF DRILL LINE		BIT OR C.B.		FT. DEPTH OUT					
REPAIR RIG		KELLY DOWN		FT. COND. OF BIT REAMER CUTTER NO.					
CORING		TOTAL		FT. REAMER CUTTER NO.					
WIRE LINE LOGGING		WT. OF STRING		LBS. TYPE					
OTHER		DRILLER							
FISHING		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD. CORE NO.		FORMATION (SHOW CORE RECOVERY)	
COMPLETING (A) PERFORATING		STANDS DP		FT. RUN NO.		FROM TO		ROTA- RY R.P.M. WT. ON BIT 1000# PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN	
(B) RUNNING TUBING		SNGLS. DP		FT. SIZE		DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION		TIME WEIGHT VISC. W.L.-C.C. FLTR. CK. PH SD. CONT.	
(C) SWABBING		ID		MFG.		REMARKS		MUD & CHEMICALS ADDED TYPE AMT. TYPE AMT.	
(D) TESTING		D.C.		TYPE					
(E) ACIDIZING		RMR BODY		FT. NO. NO.					
(F) ADDITIONAL		STB BODY		FT. NO. NO.					
TOTALS		SUBS		FT. SER. NO.					
TIME SUMMARY (OFFICE USE ONLY)		BIT OR C.B.		FT. DEPTH OUT					
CONTRACTOR'S TIME HRS.		KELLY DOWN		FT. COND. OF BIT REAMER CUTTER NO.					
OPERATOR'S TIME		TOTAL		FT. REAMER CUTTER NO.					
HRS. W/D.P.		WT. OF STRING		LBS. TYPE					
HRS. WO/D.P.		DRILLER							
HRS. STANDBY		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD. CORE NO.		FORMATION (SHOW CORE RECOVERY)	
WIRE LINE RECORD		STANDS DP		FT. RUN NO.		FROM TO		ROTA- RY R.P.M. WT. ON BIT 1000# PUMP PRESS. PUMP NO. 1 PUMP NO. 2 METHOD PUMPS RUN	
REEL NO		SNGLS. DP		FT. SIZE		DEVIATION RECORD: DEPTH DEV. DIRECTION DEPTH DEV. DIRECTION		TIME WEIGHT VISC. W.L.-C.C. FLTR. CK. PH SD. CONT.	
NO. OF LINES SIZE		ID		MFG.		REMARKS		MUD & CHEMICALS ADDED TYPE AMT. TYPE AMT.	
FEET SLIPPED		D.C.		TYPE					
FEET CUT OFF		RMR BODY		FT. NO. NO.					
PRESENT LENGTH		STB BODY		FT. NO. NO.					
TON MI. OF TRIPS SINCE LAST CUT		SUBS		FT. SER. NO.					
CUMULATIVE TON MI. OF TRIPS		BIT OR C.B.		FT. DEPTH OUT					
NO. OF DAYS FROM SPUD		KELLY DOWN		FT. COND. OF BIT REAMER CUTTER NO.					
CUMULATIVE ROTATING HRS.		TOTAL		FT. REAMER CUTTER NO.					
		WT. OF STRING		LBS. TYPE					
		DRILLER							

[illegible]

[illegible]

[illegible]

WELL NAME

[illegible]

Jan 3, 1961

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE							
Shell Oil Company of Canada, Limited									SHELL MOBIL ALEXANDRIA	7	N.W.T.							
CONTRACTOR		RIG NO.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER			
Regent Drilling Co. Ltd		21								7 5-55	0	607		225-42 gal + 75 Noct				
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		TYPE THD.			NO.			MANUFACTURER	TYPE	STROKE LENGTH						
G.W. Zanne		R. R. Sherrington					1.			EMSCO	D-300	14						
						2.												
						3.												
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
DRILLING ACTUAL	1 1/4 3 1/2 1/4	9	STANDS DP 557.31 FT.	RUN NO. 7													TIME	
REAMING			SNGLS. DP	FT. SIZE 6 1/4				1152	1174								WEIGHT	
CIRCULATING	1 1/4 1 1/2	19	D.C. 4 3/4 OD 585.86 FT.	MFG. HIC													VISC	
TRIPS	1/2 1/2		RMR BODY OD	FT. NO. NO.													W.L.-C.C.	
DEVIATION SURVEY			STB BODY OD	FT. NO. SIZE 1 1/2													FLTR. CK.	
TEST B.O.P.	1/4 1/4		SUBS OD	FT. SER. NO. 98270													PH	
CUT OFF DRILL LINE			BIT OR C.B.	FT. DEPTH OUT													SD. CONT.	
REPAIR RIG	3/4 1/4			FT. CUMULATIVE HOURS RUN 1 1/4														
GORING			KELLY DOWN	30.93 FT. COND. OF BIT														
WIRE LINE LOGGING			TOTAL	1174 FT. REAMER CUTTER NO.														
OTHER	6 1/4		WT. OF STRING	30,000 LBS. TYPE														
FISHING			DRILLER	R. Schobek														
COMPLETING (A) PERFORATING			REMARKS: Service Rig, Jet Pit															
(B) RUNNING TUBING			REMARKS: Drill															
(C) SWABBING			REMARKS: Jet Pit															
(D) TESTING			REMARKS: Drill															
(E) ACIDIZING			REMARKS: Pullout (lost Cor) Run Water In Pit.															
(F) ADDITIONAL			REMARKS: Mix mud + Lost Cor Material.															
TOTALS	8 8 8		REMARKS: Lost approx 130 BBL MUD.															
TIME SUMMARY (OFFICE USE ONLY)		NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA-RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
		10		STANDS DP 619.71 FT.	RUN NO. 7												TIME	12 MID
				SNGLS. DP	FT. SIZE 6 1/4			1174	1242								WEIGHT	9.4
		19		D.C. 4 3/4 OD 585.86 FT.	MFG. HIC												VISC	3.5
				RMR BODY OD	FT. NO. NO.												W.L.-C.C.	
				STB BODY OD	FT. NO. SIZE 1 1/2												FLTR. CK.	
				SUBS OD	FT. SER. NO. 98270												PH	
				BIT OR C.B.	FT. DEPTH OUT												SD. CONT.	
					FT. CUMULATIVE HOURS RUN													
				KELLY DOWN	36.97 FT. COND. OF BIT													
				TOTAL	1242 FT. REAMER CUTTER NO.													
				WT. OF STRING	30,000 LBS. TYPE													
				DRILLER	G. Zanne													
				REMARKS: SER. RIG. 2 DRILL														
				REMARKS: M.X. Sawdust 1/2 WORK on pump														
				REMARKS: RAN IN 1 1/2 DRILL														
				REMARKS: CIRC														
				REMARKS: WORK on pump														
				REMARKS: CIRC														
				REMARKS: Water coming from around surface casing - 200 BBL/Hr.														
				REMARKS: WORK on pump														
				REMARKS: Gun Pit														
				REMARKS: Sawdust 105x														
				REMARKS: Mud & Chemicals Added														
				REMARKS: TYPE AMT. TYPE AMT.														
				REMARKS: 4 1/2 7 1/2 10 1/2														
				REMARKS: 9.2 8.8 8.8														
				REMARKS: 35 30 31														
				REMARKS: W.L.-C.C.														
				REMARKS: FLTR. CK.														
				REMARKS: PH														
				REMARKS: SD. CONT.														
				REMARKS: Mud & Chemicals Added														
				REMARKS: TYPE AMT. TYPE AMT.														
				REMARKS: 8 CARB 200x														
				REMARKS: Sawdust 21 5x														

DAILY DRILLING REPORT

REPORT NO.

DATE _____

DATE Jun 2, 1961

OPERATOR Shell Oil Company of Canada, Limited		LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME SHELL OIL CO. ALEXANDRA		No. 7	PROVINCE N.W.T.									
CONTRACTOR Regent Drilling Co. Ltd. 21		RIG NO. 21	DRILL PIPE STRING NO. SIZE	TOOL JOINT 3 1/2	OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER					
OPERATOR'S REPRESENTATIVE G.W. F...		CONTRACTOR'S TOOL PUSHER K. W. ...				MANUFACTURER EMSCO			TYPE D-30	STROKE LENGTH 14	7	3-55	0	607	225 4/2 GEL	75 HOIST				
TIME DISTRIBUTION—HOURS		NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROT. R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
DRILLING ACTUAL 7 7 1/2		4 STANDS DP		244.19 FT.		RUN NO. 6		7		658	882								TIME	WEIGHT
REAMING		1 SNGLS. DP		31.25 FT.		SIZE 6 1/4													VISC	W.L.-C.C.
CIRCULATING		19 D.C. 4 3/4 OD		585.86 FT.		TYPE OSC-3													FLTR. CK.	PH
TRIPS		RMR BODY OD		FT.		NOZ. NO. 1 1/2		DEVIATION RECORD:		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		SD. CONT.		
DEVIATION SURVEY		STB BODY OD		FT.		SIZE 1 1/2														
TEST B.O.P.		SUBS OD		FT.		SER. NO. 73632		14		Service Rig										
CUT OFF DRILL LINE		BIT OR C.B.		FT.		DEPTH OUT		2 1/2		Drill										
REPAIR RIG								4		Change Elevators, Work on No. 1 Motor.										
CORING		KELLY DOWN		10.95 FT.		COND. OF BIT		2		Drill										
WIRE LINE LOGGING		TOTAL		98.00 FT.		REAMER CUTTER NO.		2		Work on Pump										
OTHER		WT. OF STRING		27.00 LBS.		TYPE		2 1/2		Drill										
FISHING		DRILLER		B. Pachobek				8												
COMPLETING (A) PERFORATING		NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROT. R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
(B) RUNNING TUBING		7 STANDS DP		FT.		RUN NO. 6		7 3/4		882	1075		130	20	750	6 3/4	54		TIME	8 10 2
(C) SWABBING		1 SNGLS. DP		463.71 FT.		SIZE 6 1/4		7 3/4											WEIGHT	8.8 8.8 9.1
(D) TESTING		19 D.C. 4 3/4 OD		585.86 FT.		TYPE OSC-3													VISC	30 31 30
(E) ACIDIZING		RMR BODY OD		FT.		NOZ. NO. 1 1/2		DEVIATION RECORD:		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		FLTR. CK.		
(F) ADDITIONAL		STB BODY OD		FT.		SIZE 1 1/2												PH		
TOTALS 8 8 8		SUBS OD		FT.		SER. NO. 73632		14		SER 12.6 + 15.0 15								SD. CONT.		
TIME SUMMARY (OFFICE USE ONLY)		BIT OR C.B.		FT.		DEPTH OUT		7 3/4		DRILL										
CONTRACTOR'S TIME HRS.																				
OPERATOR'S TIME:																				
HRS. W/D.P.:																				
HRS. WO/D.P.:																				
HRS. STANDBY																				
WIRE LINE RECORD		NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROT. R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD	
REEL NO.		8 STANDS DP		494.94 FT.		RUN NO. 6 1/2		4 1/2		1075	1152		130	25	750	6 3/4	54		TIME	
NO. OF LINES SIZE		1 SNGLS. DP		31.18 FT.		SIZE 6 3/4 6 1/4		3 1/2											WEIGHT	
FEET SLIPPED		19 D.C. 4 3/4 OD		585.86 FT.		TYPE OSC-3 OSC-3													VISC	
FEET CUT OFF		RMR BODY OD		FT.		NOZ. NO. 1 1/2 1 1/2		DEVIATION RECORD:		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		DEPTH DEV. DIRECTION		FLTR. CK.		
PRESENT LENGTH		STB BODY OD		FT.		SIZE 1 1/2 1 1/2														

DATE Jan 1, 1961

OPERATOR Shell Oil Company of Canada, Limited		LOCATION LSD.		SEC.		TWP.		RGE.		W.		WELL NAME SHELL MOBIL ALEXANDRA		No. 7		PROVINCE N.W.T.																					
CONTRACTOR Regent Drilling Co. Ltd.		RIG No. 21		DRILL PIPE STRING NO. SIZE		TOOL JOINT		OD		PUMPS		CASING & LINER RECORD		SIZE		WT. & GR.		DEPTH SET		PERFORATIONS		CEMENT USED		OTHER													
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER		NO. 1		MANUFACTURER		TYPE		STROKE LENGTH		1.		2.		3.		FROM		TO		FROM		TO		225-420 75 NEET											
TIME DISTRIBUTION—HOURS		MORN		DAY		EVE		NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT. ON BIT 1000#		PUMP PRESS.		PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN		MUD RECORD	
DRILLING ACTUAL						1				STANDS DP		FT. RUN NO.																								TIME	
REAMING										SNGLS. DP		FT. SIZE																						WEIGHT			
CIRCULATING										D.C. ID		MFG.																						VISC			
TRIPS						1/2				RMR BODY OD		FT. NO.																						W.L.-C.C.			
DEVIATION SURVEY										STB BODY OD		FT. NO.																						FLTR. CK.			
TEST B.O.P						1/2				SUBS OD		FT. SER. NO.																						PH			
CUT OFF DRILL LINE										BIT OR C.B.		FT. DEPTH OUT																						SD. CONT.			
REPAIR RIG						2						CUMULATIVE HOURS RUN																									
CORING										KELLY DOWN		FT. COND. OF BIT																									
WIRE LINE LOGGING										TOTAL		FT. REAMER CUTTER NO.																									
FISHING										WT. OF STRING		LBS. TYPE																									
COMPLETING (A) PERFORATING										DRILLER																											
(B) RUNNING TUBING										NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT. ON BIT 1000#		PUMP PRESS.		PUMP NO. 1		PUMP NO. 2		METHOD PUMPS RUN		MUD RECORD	
(C) SWABBING										STANDS DP		FT. RUN NO.		6																				TIME			
(D) TESTING										SNGLS. DP		FT. SIZE		6 1/4																				WEIGHT			
(E) ACIDIZING										D.C. ID		MFG.		H.T.C.																				VISC			
(F) ADDITIONAL										OD		FT. TYPE		OSC 3																				W.L.-C.C.			
TOTALS		8		8		8				RMR BODY OD		FT. NO.		1																				FLTR.-CK.			
TIME SUMMARY (OFFICE USE ONLY)										STB BODY OD		FT. NO.		1 1/2																				PH			
CONTRACTOR'S TIME HRS.										SUBS OD		FT. SER. NO.		73632																				SD. CONT.			
OPERATOR'S TIME										BIT OR C.B.		FT. DEPTH OUT		4 1/2																							
MRS. W/D.P.												CUMULATIVE HOURS RUN		1 1/2																							
MRS. WO/D.P.																																					

DAILY DRILLING REPORT

REPORT NO.

DATE

DEC. 31 / 60

OPERATOR Shell Oil Company of Canada, Limited		LOCATION LSD. SEC. TWP. RGE. W.		WELL NAME SHELL MOBIL ALEXANDRA		No. 7		PROVINCE N.W.T.						
CONTRACTOR REGENT DRIG. Co.		RIG No. 21	DRILL PIPE NO. SIZE	TOOL JOINT	OD	PUMPS		CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER
OPERATOR'S REPRESENTATIVE <i>[Signature]</i>		CONTRACTOR'S TOOL PUSHER <i>[Signature]</i>		TYPE THD.		1. MANUFACTURER EMSCO		TYPE D-300		STROKE LENGTH 14"				
						2.								
						3.								

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000±	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.												TIME	WEIGHT	VISC	W.L.-C.C.
				SNGLS.	DP	FT.	SIZE															
				D.C.	ID		MFG.															
					OD	FT.	TYPE															
				RMR BODY	OD	FT.	NOZ. NO.															
				STB BODY	OD	FT.	SIZE															
				SUBS	OD	FT.	SER. NO.															
				BIT OR C.B.		FT.	DEPTH OUT															
						FT.	CUMULATIVE HOURS RUN															
				KELLY DOWN		FT.	COND. OF BIT															
				TOTAL		FT.	REAMER CUTTER NO.															
				WT. OF STRING		LBS.	TYPE															

DRILLER
R. R. Livingston

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000±	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.												TIME	WEIGHT	VISC	W.L.-C.C.
				SNGLS.	DP <td>FT.</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	FT.	SIZE															
				D.C.	ID		MFG.															
					OD	FT.	TYPE															
				RMR BODY	OD	FT.	NOZ. NO.															
				STB BODY	OD	FT.	SIZE															
				SUBS	OD	FT.	SER. NO.															
				BIT OR C.B.		FT.	DEPTH OUT															
						FT.	CUMULATIVE HOURS RUN															
				KELLY DOWN		FT.	COND. OF BIT															
				TOTAL		FT.	REAMER CUTTER NO.															
				WT. OF STRING		LBS.	TYPE															

DRILLER
C. Pacholek

TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000±	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
MORN	DAY	EVE		STANDS	DP	FT.	RUN NO.												TIME	WEIGHT	VISC	W.L.-C.C.
				SNGLS.	DP <td>FT.</td> <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	FT.	SIZE															
				D.C.	ID		MFG.															
					OD	FT.	TYPE															
				RMR BODY	OD	FT.	NOZ. NO.															
				STB BODY	OD	FT.	SIZE															
				SUBS	OD	FT.	SER. NO.															
				BIT OR C.B.		FT.	DEPTH OUT															
						FT.	CUMULATIVE HOURS RUN															
				KELLY DOWN		FT.	COND. OF BIT															
				TOTAL		FT.	REAMER CUTTER NO.															
				WT. OF STRING		LBS.	TYPE															

DRILLER
A. Torrance

[illegible]

DATE DEC. 29/60

Handwritten form for drilling operations, including sections for Operator (Shell Oil Company of Canada, Limited), Contractor (Regent Drilling Co.), and various drilling logs (Mud Record, Drilling Assembly, Bit Record, etc.). The form is dated 2/7/60 and includes detailed measurements and notes.

DATE DEC. 28 / 60

DATE		TIME		WELL NAME		No.		PROVINCE																																					
1962		12:00		SHELL MOBILE ALEXANDRIA		7		N. W. T.																																					
OPERATOR		LOCATION		SEC.		TWP.		RGE.		W.		WELL NAME		No.		PROVINCE																													
Shell Oil Company of Canada, Limited		DRILL PIPE STRING NO. SIZE		TOOL JOINT		OD		PUMPS		CASING & LINER RECORD		SIZE		WT. & GR.		DEPTH SET FROM TO		PERFORATIONS FROM TO		CEMENT USED		OTHER																							
CONTRACTOR		RIG NO.		NO.		MANUFACTURER		TYPE		STROKE LENGTH		1.		2.		3.																													
REGENT DRG. Co.		21				EMSCO		D-300		14"																																			
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																																											
H. W. Brown		R. R. Cherington																																											
TIME DISTRIBUTION—HOURS		MORN		DAY		EVE		NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT. ON BIT 1000#		PUMP PRESS.		PUMP NO. 1 LINER SIZE S.P.M.		PUMP NO. 2 LINER SIZE S.P.M.		METHOD PUMPS RUN		MUD RECORD TIME		1200		300		700			
DRILLING ACTUAL						4 1/2				STANDS DP		FT. RUN NO. 4A																								WEIGHT		10.7		11.4		11.8			
REAMING										SNGLS. DP		FT. SIZE 9 7/8																						VISC		VERY HEAVY									
CIRCULATING		7 1/4								D.C. ID		MFG. H.T.C.																						W.L.C.C.											
TRIPS				2						RMR BODY OD		FT. NO. CUT																						FLTR. CK.											
DEVIATION SURVEY				1/4						STB BODY OD		FT. NO. OUT																						PH											
TEST B.O.P				1/4						SUBS OD		FT. SER. NO. 93663																						SD. CONT.											
CUT OFF DRILL LINE										BIT OR C.B.		FT. DEPTH OUT																																	
REPAIR RIG		3/4		3/4								CUMULATIVE HOURS RUN		0																															
CORING										KELLY DOWN		FT. COND. OF BIT																																	
WIRE LINE LOGGING										TOTAL		FT. REAMER CUTTER NO.																																	
OTHER										WT. OF STRING		LBS. TYPE																																	
FISHING										DRILLER		R. R. Cherington																																	
COMPLETING (A) PERFORATING										NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.		FROM		TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.		WT. ON BIT 1000#		PUMP PRESS.		PUMP NO. 1 LINER SIZE S.P.M.		PUMP NO. 2 LINER SIZE S.P.M.		METHOD PUMPS RUN		MUD RECORD TIME		8 AM		12 noon		2 PM	
(B) RUNNING TUBING										STANDS DP		FT. RUN NO. 4A 5A																								WEIGHT		11.9		12.2		12.3			
(C) SWABBING										SNGLS. DP		FT. SIZE 9 7/8 9 7/8																						VISC		VERY HEAVY									
(D) TESTING										D.C. ID		MFG. H.T.C. H.T.C.																						W.L.C.C.											
(E) ACIDIZING										10 D.C. 4 3/4 OD		309.																																	

OPERATOR		LOCATION		LSD.	SEC.	TWP.	RGE.	W.	WELL NAME	No.	PROVINCE														
Shell Oil Company of Canada, Limited									SHELL MOBIL ALEXANDRA	7	N.W.T.														
CONTRACTOR		RIG No.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER										
REGENT DRILLING CO.		21				1. MANUFACTURER TYPE STROKE LENGTH EMSCO D-300 14"																			
OPERATOR'S REPRESENTATIVE		CONTRACTOR'S TOOL PUSHER																							
J. W. D. D. D.		V. D. D. D.																							
TIME DISTRIBUTION—HOURS				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRILL		CORE NO.		FROM TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
				STANDS DP	FT.	RUN NO.																TIME	WEIGHT	VISC	
MORNING				SINGLS. DP	FT. <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>4 AM</td> <td>9.7</td> <td>HEAVY</td>	SIZE																	4 AM	9.7	HEAVY
REAMING				ID		MFG.																			
CIRCULATING				OD	FT. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	TYPE																			
TRIPS				RMR BODY OD	FT. <td>NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </td>	NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>																			
DEVIATION SURVEY				STB BODY OD	FT. <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	SIZE																			
TEST PUMP				SUBS OD	FT. <td>SER. NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </td>	SER. NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>																			
CUT OFF DRILL LINE				BIT OR C.B.	FT. <td>DEPTH OUT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	DEPTH OUT																			
REPAIR RIG					FT. <td>CUMULATIVE HOURS RUN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	CUMULATIVE HOURS RUN																			
CORING				KELLY DOWN	FT. <td>COND. OF BIT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	COND. OF BIT																			
WIRE LINE LOGGING				TOTAL	FT. <td>REAMER CUTTER NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	REAMER CUTTER NO.																			
OTHER				WT. OF STRING	LBS. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	TYPE																			
FISHING				DRILLER																					
COMPLETING (A) PERFORATING				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRILL		CORE NO.		FROM TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
(B) RUNNING TUBING				STANDS DP	FT. <td>RUN NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>TIME</td> <td>WEIGHT</td> <td>VISC</td>	RUN NO.																TIME	WEIGHT	VISC	
(C) SWABBING				SINGLS. DP	FT. <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10 AM 12 NOON 2 PM</td> <td>10.8 10.7 10.9</td> <td>85 HEAVY</td>	SIZE																	10 AM 12 NOON 2 PM	10.8 10.7 10.9	85 HEAVY
(D) TESTING				ID		MFG.																			
(E) ACIDIZING				OD	FT. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	TYPE																			
(F) ADDITIONAL				RMR BODY OD	FT. <td>NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </td>	NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>																			
TOTALS				STB BODY OD	FT. <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	SIZE																			
TIME SUMMARY (OFFICE USE ONLY)				SUBS OD	FT. <td>SER. NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	SER. NO.																			
CONTRACTOR'S TIME HRS.				BIT OR C.B.	FT. <td>DEPTH OUT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	DEPTH OUT																			
OPERATOR'S TIME					FT. <td>CUMULATIVE HOURS RUN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	CUMULATIVE HOURS RUN																			
HRS. W/D.P.				KELLY DOWN	FT. <td>COND. OF BIT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	COND. OF BIT																			
HRS. WO/D.P.				TOTAL	FT. <td>REAMER CUTTER NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	REAMER CUTTER NO.																			
HRS. STANDBY				WT. OF STRING	LBS. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	TYPE																			
WIRE LINE RECORD				DRILLER																					
REEL NO.				NO. DRILLING ASSEMBLY		BIT RECORD		HRS. DRILL		CORE NO.		FROM TO		FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
NO. OF LINES SIZE				STANDS DP	FT. <td>RUN NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>TIME</td> <td>WEIGHT</td> <td>VISC</td>	RUN NO.																TIME	WEIGHT	VISC	
FEET SLIPPED				SINGLS. DP	FT. <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>4. 6 10</td> <td>11.4 11.4 10.7</td> <td>HEAVY</td>	SIZE																	4. 6 10	11.4 11.4 10.7	HEAVY
FEET CUT OFF				ID		MFG.																			
PRESENT LENGTH				OD	FT. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	TYPE																			
TON MI. OF TRIPS SINCE LAST CUT				RMR BODY OD	FT. <td>NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </td>	NO. <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>																			
CUMULATIVE TON MI. OF TRIPS				STB BODY OD	FT. <td>SIZE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	SIZE																			
NO. OF DAYS FROM SPUD				SUBS OD	FT. <td>SER. NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	SER. NO.																			
CUMULATIVE ROTATING HRS.				BIT OR C.B.	FT. <td>DEPTH OUT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	DEPTH OUT																			
					FT. <td>CUMULATIVE HOURS RUN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	CUMULATIVE HOURS RUN																			
				KELLY DOWN	FT. <td>COND. OF BIT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	COND. OF BIT																			
				TOTAL	FT. <td>REAMER CUTTER NO.</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	REAMER CUTTER NO.																			
				WT. OF STRING	LBS. <td>TYPE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	TYPE																			
				DRILLER																					

OPERATOR Shell Oil Company of Canada, Limited		LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME SHELL MOBIL ALEXANDRA		No. 7	PROVINCE N.W.T.																	
CONTRACTOR BEGENT DRILL CO 21		RIG No.	DRILL PIPE STRING NO. & SIZE	TOOL JOINT	OD	PUMPS NO. MANUFACTURER TYPE STROKE LENGTH			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH SET FROM TO	PERFORATIONS FROM TO	CEMENT USED	OTHER													
OPERATOR'S REPRESENTATIVE [Signature]		CONTRACTOR'S TOOL PUSHER [Signature]				1. FMSCO D-300 14																						
TIME DISTRIBUTION—HOURS		NO. DRILLING ASSEMBLY				BIT RECORD				HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD							
MORN DAY EVE		STANDS DP FT. RUN NO.																				TIME						
DRILLING ACTUAL		SNGLS. DP FT. SIZE																				WEIGHT						
REAMING		D.C. ID FT. MFG.																				VISC						
CIRCULATING		RMR BODY OD FT. TYPE																				W.L.-C.C.						
TRIPS		STB BODY OD FT. NOZ. NO. SIZE								DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION			FLTR. CK.						
DEVIATION SURVEY		SUBS OD FT. SER. NO.								REMARKS																PH		
TEST B.O.P		BIT OR C.B. FT. DEPTH OUT								3 1/2 DIG DITCH TO DRAIN WATER																SD. CONT.		
CUT OFF DRILL LINE		CUMULATIVE HOURS RUN								1 1/2 LOWER VOLUME IN PIT																		
REPAIR RIG		COND. OF BIT								3 MIX MUD																		
CORING		TOTAL FT. REAMER CUTTER NO.																										
WIRE LINE LOGGING		WT. OF STRING LBS. TYPE																										
OTHER 8		DRILLER																										
FISHING		[Signature]																										
COMPLETING (A) PERFORATING		NO. DRILLING ASSEMBLY				BIT RECORD				HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD							
(B) RUNNING TUBING		STANDS DP FT. RUN NO.																				TIME	10 AM	12 NOON	2 PM			
(C) SWABBING		SNGLS. DP FT. SIZE																				WEIGHT	9.8	10	10.4			
(D) TESTING		D.C. ID FT. MFG.																				VISC	85	90	102			
(E) ACIDIZING		RMR BODY OD FT. TYPE																				W.L.-C.C.						
(F) ADDITIONAL		STB BODY OD FT. NOZ. NO. SIZE								DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION			FLTR. CK.						
TOTALS 8		SUBS OD FT. SER. NO.								REMARKS																SD. CONT.		
TIME SUMMARY (OFFICE USE ONLY)		BIT OR C.B. FT. DEPTH OUT								1/4 Service Rig																		
CONTRACTOR'S TIME HRS.		CUMULATIVE HOURS RUN								1/2 Mix mud																		
OPERATOR'S TIME		COND. OF BIT								1 Work on Pump																		
HRS. W/D.P.		TOTAL FT. REAMER CUTTER NO.								2 Mix mud																		
HRS. WO/D.P.		WT. OF STRING LBS. TYPE								1/2 Work On Pump																		
HRS. STANDBY		DRILLER								3 1/4 Mix mud + Gun Pit																		
WIRE LINE RECORD		[Signature]								1/2 Blow Lines + Lay Down Collar																		
REEL NO		NO. DRILLING ASSEMBLY				BIT RECORD				HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)	ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD							
NO. OF LINES SIZE		STANDS DP FT. RUN NO.																				TIME	8:00	10:00				
FEET SLIPPED		SNGLS. DP FT. SIZE																				WEIGHT	10.5	10				
FEET CUT OFF		D.C. ID FT. MFG.																				VISC	60	75				
PRESENT LENGTH		RMR BODY OD FT. TYPE																				W.L.-C.C.						
TON MI. OF TRIPS SINCE LAST CUT		STB BODY OD FT. NOZ. NO. SIZE								DEVIATION RECORD:	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION			FLTR. CK.						
CUMULATIVE TON MI. OF TRIPS		SUBS OD FT. SER. NO.								REMARKS																SD. CONT.		
NO. OF DAYS FROM SPUD		BIT OR C.B. FT. DEPTH OUT								1/4 SEIZ R.G.																		
ROTATING HRS.		CUMULATIVE HOURS RUN								1/2 Circ																		
		COND. OF BIT								1/2 Worked Plugged Bit																		
		TOTAL FT. REAMER CUTTER NO.								1 1/4 Trip																		

Dec 25 - 60

[illegible]

[illegible]

Dec 23-60

OPERATOR Shell Oil Company of Canada, Limited		LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME Shell Mobil Alexandria		No. 7	PROVINCE N.W.T.															
CONTRACTOR		RIG No.	DRILL PIPE STRING NO. SIZE	TOOL JOINT	OD	PUMPS			CASING & LINER RECORD	SIZE	WT. & GR.	DEPTH FROM	SET TO	PERFORATIONS FROM	TO	CEMENT USED	OTHER									
OPERATOR'S REPRESENTATIVE G. Brown		CONTRACTOR'S TOOL PUSHER K. Wellington		TYPE THD.			NO.			MANUFACTURER	TYPE	STROKE LENGTH														
1.																										
2.																										
3.																										
TIME DISTRIBUTION—HOURS		NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD			
DRILLING ACTUAL		12		STANDS DP		FT. RUN NO.																	TIME			
REAMING		54		SNGLS. DP		FT. SIZE																	WEIGHT			
CIRCULATING				D.C. ID		MFG.																	VISC			
TRIPS				OD		FT. TYPE																	W.L.-C.C.			
DEVIATION SURVEY				RMR BODY OD		FT. NO. NO.																	FLTR. CK.			
TEST B.O.P.				STB BODY OD		FT. NOZ. SIZE																	PH			
CUT OFF DRILL LINE				SUBS OD		FT. SER. NO.																	SD. CONT.			
REPAIR RIG		14		BIT OR C.B.		FT. DEPTH OUT																				
CORING						FT. CUMULATIVE HOURS RUN																				
WIRE LINE LOGGING				KELLY DOWN		FT. COND. OF BIT																				
OTHER		1		TOTAL		FT. REAMER CUTTER NO.																				
FISHING				WT. OF STRING		LBS. TYPE																				
COMPLETING (A) PERFORATING				DRILLER																						
(B) RUNNING TUBING				9. J. J. J.																						
(C) SWABBING				NO.		DRILLING ASSEMBLY		BIT RECORD		HRS. DRLD.		CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT. ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE	S.P.M.	PUMP NO. 2 LINER SIZE	S.P.M.	METHOD PUMPS RUN	MUD RECORD	
(D) TESTING				STANDS DP		FT. RUN NO.		RR1A																TIME		
(E) ACIDIZING				SNGLS. DP		FT. SIZE		9 1/8		1 1/2			0	46										WEIGHT		
(F) ADDITIONAL				D.C. ID		MFG.		HTC																VISC		
TOTALS		8		OD		FT. TYPE		OSC-16																W.L.-C.C.		
TIME SUMMARY (OFFICE USE ONLY)				RMR BODY OD		FT. NO. NO.		3																FLTR. CK.		
CONTRACTOR'S TIME HRS.				STB BODY OD		FT. NOZ. SIZE		5/4																PH		
OPERATOR'S TIME				SUBS		2.93 FT. SER. NO.				1/4		SER RIG												SD. CONT.		
HRS. W/D.P.				BIT OR C.B.		2.14 FT. DEPTH OUT		46		5 1/4		DRILL ON RAT HOLE														
HRS. W/D.P.						FT. CUMULATIVE HOURS RUN		1 1/2		3/4		RIG TO SPUD														
HRS. STANDBY				KELLY DOWN		41.00 FT. COND. OF BIT				1 1/2		DRILL 46'														
WIRE LINE RECORD				TOTAL		46.07 FT. REAMER CUTTER NO.				1/4		BREAK DOWN SUBS														
REEL NO.				WT. OF STRING		LBS. TYPE																				

OPERATOR Shell Oil Company of Canada, Limited						LOCATION LSD.		SEC.	TWP.	RGE.	W.	WELL NAME SHELL MOBIL ALFANDRA		No. 7	PROVINCE N.W.T.									
CONTRACTOR REGENT DRILL CO						RIG No. 21		DRILL PIPE STRING NO. SIZE		TOOL JOINT OD TYPE THD.		PUMPS NO. MANUFACTURER TYPE STROKE LENGTH			CASING & LINER RECORD	SIZE	WT.&GR.	DEPTH SET FROM TO		PERFORATIONS FROM TO		CEMENT USED	OTHER	
OPERATOR'S REPRESENTATIVE <i>G.M. Brown</i>						CONTRACTOR'S TOOL PUSHER <i>D. H. Hamilton</i>																		
TIME DISTRIBUTION—HOURS			NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT.ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
DRILLING ACTUAL			STANDS DP FT.			RUN NO.															TIME			
REAMING			SNGLS. DP FT.			SIZE															WEIGHT			
CIRCULATING			D.C. ID FT.			MFG.															VISC			
TRIPS			RMR BODY OD FT.			NOZ. NO.			DEVIATION RECORD:		DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION		FLTR. CK.			
DEVIATION SURVEY			STB BODY OD FT.			SIZE															PH			
TEST B.O.P.			SUBS OD FT.			SER. NO.															SD. CONT.			
CUT OFF DRILL LINE			BIT OR C.B. FT.			DEPTH OUT																		
REPAIR RIG						CUMULATIVE HOURS RUN															MUD & CHEMICALS ADDED			
CORING			KELLY DOWN FT.			COND. OF BIT															TYPE	AMT.	TYPE	AMT.
WIRE LINE LOGGING			TOTAL FT.			REAMER CUTTER NO.																		
OTHER			WT. OF STRING LBS.			TYPE																		
FINISHING			DRILLER																					
COMPLETING (A) PERFORATING			NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT.ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
(B) RUNNING TUBING			STANDS DP FT.			RUN NO.															TIME			
(C) SWABBING			SNGLS. DP FT.			SIZE															WEIGHT			
(D) TESTING			D.C. ID FT.			MFG.															VISC			
(E) ACIDIZING			RMR BODY OD FT.			NOZ. NO.			DEVIATION RECORD:		DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION		FLTR. CK.			
(F) ADDITIONAL			STB BODY OD FT.			SIZE															PH			
TOTALS			SUBS OD FT.			SER. NO.															SD. CONT.			
TIME SUMMARY (OFFICE USE ONLY)			BIT OR C.B. FT.			DEPTH OUT															MUD & CHEMICALS ADDED			
CONTRACTOR'S TIME HRS:						CUMULATIVE HOURS RUN															TYPE	AMT.	TYPE	AMT.
OPERATOR'S TIME:			KELLY DOWN FT.			COND. OF BIT																		
HRS. W/D.P.:			TOTAL FT.			REAMER CUTTER NO.																		
HRS WO/D.P.:			WT. OF STRING LBS.			TYPE																		
HRS STANDBY			DRILLER																					
WIRE LINE RECORD			NO. DRILLING ASSEMBLY			BIT RECORD			HRS. DRLD.	CORE NO.	FROM	TO	FORMATION (SHOW CORE RECOVERY)		ROTA- RY R.P.M.	WT.ON BIT 1000#	PUMP PRESS.	PUMP NO. 1 LINER SIZE S.P.M.	PUMP NO. 2 LINER SIZE S.P.M.	METHOD PUMPS RUN	MUD RECORD			
REEL NO			STANDS DP FT.			RUN NO.															TIME			
NO. OF LINES SIZE			SNGLS. DP FT.			SIZE															WEIGHT			
FEET SLIPPED			D.C. ID FT.			MFG.															VISC			
FEET CUT OFF			RMR BODY OD FT.			NOZ. NO.			DEVIATION RECORD:		DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION	DEPTH	DEV.	DIRECTION		FLTR. CK.			
PRESENT LENGTH			STB BODY OD FT.			SIZE															PH			
TON MI. or TRIPS SINCE LAST CUT			SUBS OD FT.			SER. NO.															SD. CONT.			
CUMULATIVE TON MI. or TRIPS			BIT OR C.B. FT.			DEPTH OUT															MUD & CHEMICALS ADDED			
NO. OF DAYS FROM SPUD						CUMULATIVE HOURS RUN															TYPE	AMT.	TYPE	AMT.
CUMULATIVE ROTATING HRS.																								

[illegible]

