

MCD. ET. AL HAY RIVER

No. 1 I-41

Drilling Authority No. 264
Date Issued 14-2-67

WELL NAME McD et al Hay River Fl I-41
FIELD INCIDENT Area:
LOCATION: Unit I Section 41 Grid 61-10; 115-30
Latitude 61-00-37 Longitude 115-37-58
From Established Reference Marker

U.W.L.R. 61 01028 - 115 63278
U.W.I. No. 300 I 416110115300

Rig Release Date: 30-2-67
Status O-A
Information Release Date

CHANGE OF NAME:

DATE RECEIVED	INDEX
14-2-67	Application for a Drilling Authority.
3-10-67	Well Completion Data.
8-11-67	Well History Report.
	Application to Amend a Drilling Authority.
	Application to change a Well Name.
31-5-67	Application to Abandon a Well or Suspend Drilling.
	Application to Alter Condition of a Well.
	Well History Supplement.
	Well Completion Data.
	Work-over Report No.
	Application to Commingle Production before Measurement.
	Data for Back Pressure Test on Natural Gas Wells — Monograph 7 Method.
	Data for Back Pressure Test on Natural Gas Wells — Vitter's Method.
	M.P.R. — Oil — Calculations.
	New Oil Well Report.
	New Gas Well Report.
	Well Inspection Report.
	Rig Inspection Report.
	Battery Inspection Report.
	Equipment Report.
	Well Card.
	New Service Well Report.
	Monthly Water Flood Operations Report
	Monthly Water Receipts and Disposal of Fluids Report
	Logs. Large scale Small scale



Drilling Authority No. 264
Date issued February 2/67

DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT
RESOURCE MANAGEMENT DIVISION

WELL COMPLETION DATA

To be submitted in duplicate within thirty days after the completion, rework, abandonment, recompletion or suspension of every well.

Well name and number McD et al Hay River #1 I-41
Permit No. 4522 Lease No.
J. Ray McDermott & Co., Inc. Exploratory Licence No. 1018
(Permitter, Licensee, Lessee)
J. Ray McDermott & Co., Inc. Exploratory Licence No. 1018
(Operator)

Location: Unit I Section 41 Grid 61°10' - 115°30'
Latitude 61°00'37" North Longitude 115°37'58" West
From Established Reference Marker Midway between SP 534 & 535 Line 10 of McD. Shooting
Universal Well Location Reference 61.01028° N. Lat. 115.63278° W. Long.

	DATE	DEPTH	Pool(s)
Spudded	March 3/67		Interval(s) open to production
Suspended			
Resumed Operations			
Finished Drilling	Mar. 26/67	837'	
Deepened			Elevation: Gr. 513 K.B. 517
Complete (gas/oil)			Rig No. #1 (Falling 1500')
Abandoned	Mar. 30/67	837'	Drilling Contractor Ray Murray Drilling Co.
Rig released	Mar. 30/67		Contractor's Business Licence No. 18138

CASING RECORD

Casing Size (Inches)	Grade	Weight	Amount	Set at -	Sacks of Cement and Additives
1. 7" Conductor			114	114	Pulled
2. 4-1/2" "					
3. 3-1/2" "			6 Jts. (176.9')	180	19 sx + 3% Cat ₂
4.					
5.					
6.					

GEOLOGICAL TOPS	ELEVATION		CORE RECORD					
	Depth	Sub-Sea	From	To	Rec.	From	To	Rec.
Lake Bottom	80	+ 437	Cores #1-#81					
Slave Pt. Ls.	126'	+ 391	185	837 incl.	629.6			
Sulphur Pt.	226'	+ 291	(1-7/16" Core)					
Buffalo Shale	562'	- 45						

LOG RECORD				
Run No.	Type of Log	From	To	
1	E, Vol. Structure, Test Hole Survey	179	574	
2	"	179	837	

SERVICING RECORD (ASBESTOS FIBER)

Date	From	To	Remarks	Date	From	To	Remarks	Date	From	To	Remarks
Mar. 9/67	150	250	228x + 3% CaCl ₂ Squeezed w/3750 (water flow)								
Mar. 16/67 15	235	370	16sx + 3% CaCl ₂ Squeezed w/2700 (Ice shift - real 18 csg.)								
Mar. 27/67 28	837	Felt plug @ 563'	14sx Neat 16sx + 3% CaCl ₂ 6sx + 3% CaCl ₂								
Mar. 30/67 29	280	Felt Plug @ 130'	Mud slug @ 280' unable to clean hole. 25 sx + 2% CaCl ₂								

DRILL STEM TESTS

[illegible]

ANALYSIS

Lab. No.	Sample	From	To	Source	Remarks	Oil	Gas	Interval
CBH-2-1486	Water	180	255	Flowing well	H ₂ S Absent 8 gal/min			
"	#1 Water	384	126'	"	H ₂ S Absent			
"	#2 "	795	Surf.	"	H ₂ S Present (2bbbls/mi)			
"	#3 "	701	Surf.	"	H ₂ S Present			
		Believed originating from 653				Dry X		837' T.D.
						Susp.		

Company **J. Ray McDevott & Co., Inc.**

Signed by

Manager

October 3, 1967

Forms to be prepared in duplicate and forwarded to the Oil Conservation Engineer, Calgary, Alberta.



File No.
Drilling Authority No. 264

DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT
RESOURCE MANAGEMENT DIVISION

Application to Abandon a Well or Suspend Drilling

In compliance with the "Canada Oil and Gas Land Regulations", application is hereby made for approval to abandon, to suspend drilling:—

Name and number of well McD. et al. Hay River #1 I-41
Location: Unit 1 Section 41 Grid 61°10' - 115°-30'
Latitude 61°00'37" North Longitude 115°37'58" West
From Established Reference Marker Midway between S.P. 534 & 535, Line 10 of McD's shooting.
Universal Well Location Reference
Permit No. 4522 Lease No.

Date of commencement of proposed program March 3, 1967

OIL, GAS, AND WATER ENCOUNTERED
(Depths)


Oil at
Gas at
Water at
Total Depth 837' Date of last operations March 30, 1967
Present condition of well Abandoned

CASING RECORD

Casing Size O.D. Inches	Weight	Amount	Set At—	Seals of Cement and Additives	Amount Poured
1. 7" (Conductor)		114'			114'
2. 4-1/2"		109'	109'		
3. 3-1/2"		71'	180'	19 ex + 3% CaCl ₂	
4.					
5.					

PROPOSED ABANDONMENT PROGRAM

No.	Flag	Geological Formation	Number of Seals of Cement	Remarks
	Position			
	Cement to mud line and shoot off.			



The following logs have been run E-Log and Velocity
Other operations proposed

Operations to be carried out by Roy. Murray Drilling Co. Contractor Licence No. 18138
Address P.O. Box 34, ST. ALBERT, Alberta Address
Responsible Agent in field F.W. Halkow
Dated at Calgary, Alberta this 26 Day of May 1967
Signed by R. K. K. Company
Title Exploration Manager Operator's Exploratory Licence No. 1018

Note:—The Oil Conservation Engineer's office must be notified before work is commenced.

(For RESOURCE MANAGEMENT DIVISION use only)

APPROVAL

This application has been examined and proposed programme approved, subject to the following conditions:

Confirming oral approval to abandon by complete plugging from bottom to mud line

Dated 31st May 1967 B. L. Thomas
Oil Conservation Engineer

Forms to be submitted in triplicate to Oil Conservation Engineer,
Department of Indian Affairs and Northern Development, Calgary, Alberta.

Department of Indian Affairs and Northern Development
Resource & Economic Development Group



Application for a Drilling Authority

This notice of intention to begin drilling operations, in triplicate, and where required a plan of survey approved by the Surveyor General showing the target area or the site of the well must be submitted and approved before commencing operations.

In compliance with the "Canada Oil and Gas Land Regulations", application is hereby made for approval to drill—

Name and number of well McD et al Hay River #1 I-41
Location: Unit I Section 41 Grid 61°10' - 115°30'
Latitude 61°00'37" North Longitude 115°37'58" West
From Established Reference Marker Midway between Shot Points 534 and 535,
Line 10 of McDermott shooting.
Elevation: Ground 513' est. K.B. 520' est. feet above sea-level.
Well is expected to ~~produce from~~ drill to Chinchaga formation at a depth of about 1050 feet.
Area assigned to well

(for Oil Conservation Engineer's use only)

Permit No. 4522 Lease No. Acreage 61,920
Permitter, licensee, or lessee J. Ray McDermott & Co., Inc., General Crude Oil Company,
Exploratory Licence No. 1018 Teck Corporation Limited
Surface owned by Crown or Crown (If alienated submit name and address of owner and occupant.)

Petroleum and natural-gas rights owned by Crown
We propose to use the following strings of casing, either cementing or landing them as indicated below:—

Casing Size O.D. (Inches)	Weight (Lb./Ft.)	Grade	Brand	New or Used	Estimated Depth	Scale of Cement
1. 5-1/2"	14	H40	-	New	85	-
2. 3-1/2"	7.70	J55	-	New	125	10
3.						
4.						
5.						

Expected water, gas, and oil horizons and type of control equipment conductor casing to avoid contamination of lake. Surface casing set at least 50' into Slave Point carbonate. Blow out preventers to control excessive formation pressures.

Well will be drilled with (Rotary) Rig No. 1 by Roy Murray Drilling Co.
(Cable) (Drilling Contractor or company)

Responsible agent of applicant:—

At well F.W. Halkow Contractor's Business Licence No. APPLIED FOR
Address Hay River, N.W.T. At registered office 217 Royalite Building
Address Calgary, Alberta

It is understood that if changes become necessary, notice of the change of plan will be submitted.

Dated at Calgary, Alberta this 8 day of February 19 67

Signed by [Signature] Company J. Ray McDermott & Co., Inc.
Title Division Manager Operator's Licence No. 1018

(For Resource Management Division use only)

APPROVED

This application has been examined and approved subject to the following conditions:—

The Company will submit to this office, on Tuesday of each week, the latest reports received by radio on the progress of the well.

Dated 14th February 19 67

NANR 52-90-1 (7-65)

Forms to be submitted to Oil Conservation Engineer, Calgary, Alberta.

Oil Conservation Engineer

UNIVERSAL WELL LOCATION REFERENCE: 61.01028° N. 115.63278° W.

REPORT ON

McD et al HAY RIVER No. 1 1-41


Lat $61^{\circ}00'37''$ N & Long $115^{\circ}37'58''$ W

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
PERTINENT WELL DATA	2
TABLE OF GEOLOGICAL FORMATIONS	3
SUMMARY OF CORED INTERVALS	4
MUD RECORD	5
DAILY PROGRESS REPORT	6
SAMPLE DESCRIPTIONS	15
CORE DESCRIPTIONS	16

In Envelope

Structure Test Hole Survey Log



REPORT ON McD et al HAY RIVER No. 1-1-41

located on

Unit 1, Section 41, Grid 61° 10' - 115° 30'

Latitude 61° 00' 37" North and Longitude 115° 37' 58" West

in the Northwest Territories

Submitted by:

Fred J. Halton
Fred J. Halton

INTRODUCTION

McD et al Hay River No. 1 I-41 is a stratigraphic test hole located on Latitude $61^{\circ} 00' 37''$ North and Longitude $115^{\circ} 37' 58''$ West and is the first well to be drilled off-shore on Great Slave Lake in the Northwest Territories. It is some 11 miles NNE from the town of Hay River and was drilled in March of 1967. Ice at that time was found to be 40" thick and lake bottom at the location is 80 ft. deep, consisting of 46 ft. of soft clays and silts.

Some unique operational problems were encountered. For one ice shift had caused excessive binding and wear on the drill rods. The rig had to be moved off, a slot cut in the ice sufficient to re-align the casing to a vertical position and the rig then moved back on. High water flows were encountered in the fractured formations necessitating a number of cement and gel plugs. However, to a large extent it was possible to cope with the flow and continue coring ahead.

The well was cored continuously from 185 to 837 ft. utilizing BQ mining rods and a BQ wire-line diamond core barrel; and although core jamming was common in the fractured formation recovery was good. It was found that optimum penetration was attained when pump pressure was in the 50-80# range and r.p.m. at 200 or better.

The Keg River Reef was not encountered in this well and apart from some traces of dead oil-staining no shows of oil or gas were indicated. As the ultimate objective, the Chinchaga Fm., was not reached due to mechanical difficulties the well was abandoned in the Keg River Platform at a depth of 837 ft.

SUMMARY OF WELL DATA

Well Name: McD et al Hay River No. 1 I-41

Permitter: J. Ray McDermott & Co., Inc.

Name of Operator: J. Ray McDermott & Co., Inc.

Location: I-41-61-10-115-30
Latitude 61°00'37", Longitude 115°37'58"

Permit No.: 4522

Drilling Contractor: Ray Murray Drilling Co. Rig No. 1, Failing 1500.

Drilling Authority: No. 264, February 14, 1967

Classification: Wildcat.

Elevation: Ground - 513' (est.) K.B. - 517'.

Technical Supervision: Fred J. Halkow, Calgary, Alberta.

Date Spudded: March 3, 1967.

Date Completed Drilling: March 26, 1967.

Total Depth: 837'.

Well Status: Plugged and abandoned.

Date Rig Released: March 30, 1967.

Hole Size: 6" - Surface to 173'.
4-3/4" - 173' to 181'
2-15/16" - 181' to 185'
2- 7/16" - 185' to 837'

Casing: 7" Conductor @ 114' (Pulled same)
3-1/2" and 4-1/2" Surface @ 180' with 19 sx cement + 3% CaCl₂
(Shot and pulled casing at 90', 10' below mud line.)

Universal Well Location Reference - Lat. 61.01028° N., Long. 115.63278° W.

TABLE OF GEOLOGICAL FORMATIONS

K. B. Elevation - 517'

<u>FORMATION</u>	<u>Sample Depth</u>	<u>E-log Depth</u>	<u>E-log Elevation</u>
Lake-bottom	80		+ 437
Slave Point Limestone	126		+ 391
Sulphur Point	225	226	+ 291
Buffalo Shale	564	562	- 45
Bituminous Limestone	743	742	- 225
Keg River Platform	818	819	- 302
TOTAL DEPTH	837	837	- 320

SUMMARY OF CORED INTERVALS

<u>Core No. 's</u>	<u>Interval</u>	<u>Feet Cored</u>	<u>Feet Recovered</u>	<u>% Recovered</u>	<u>Size</u>
1 to 81	185-837	652	629.6	96.5%	2 7/16 x 1 7/16

10
D.A.C.

114
37

McD et al HAY RIVER #1 I-41Sample Descriptions

Lake bottom indicated at 80 ft. although conductor pipe did not hang up til' 110 ft.

- | | | |
|-----------|-----------|---|
| 110 - 120 | | Soft unconsolidated grey clay, loose quartz silt and sand grains and feldspathic pebbles. |
| 120 - 140 | Limestone | light grey brown, cryptograined to micrograined, in part finely crystalline with fine pin-point porosity exhibiting patchy dead oil-staining. Prominent feldspathic angular to sub-rounded pebbles, minor sub-rounded to rounded pebbles of limestone as above. |
| 140 - 150 | Limestone | light grey brown, calcarenitic, in part bioclastic, shell and coral fragments, trace pin-point porosity, rare pyrobitumen infilling, minor light grey calcilitic limestone, minor bituminous laminae. |
| 150-160 | Limestone | medium brown, calcarenitic as above to earthy, subordinate speckled off-white ordinary and tripolitic chert. |
| 160 - 180 | Limestone | dark brown, micrograined, dense, in part finely bioclastic, bituminous, scattered small thin-shelled Brachiopods at 170 |

Slave Point ----- 126

CORE DESCRIPTIONSCore No. 1185-195Recovered: 9.8 ft.

(Times 35, 95, 75, 45, 45, 40, 40, 40, 40, 45)

- 5.0' Limestone - medium grey-brown, calcarenite, (oolitic-textured to bioclastic), tight, some bituminous thin layering, few stylolites, faint trace spotty dead oil-staining.
- 0.5' Limestone - as above, abundant Brachiopods, and thin bituminous layering.
- 1.9' Limestone - light brown calcilutite to very fine calcarenite, thin fine bituminous stratification, dense, tight.
- 2.4' Limestone - medium grey-brown, calcarenite (bioclastic?) in part fine crystalline, slight scattered pinpoint porosity w/slight spotty dead oil-staining, local paper-thin bituminous laminae.

Core No. 2195-205Recovered: 10.0 ft.

(Times: 20, 15, 10, 7, 8, 10, 11, 10, 9, 10)

- 2.5' Limestone - light buff grey microcrystalline nodular patches in medium brown calcarenitic to micritic matrix (organic?) prominent healed vertical fractures, minor patchy dead oil staining, tight.
- 1.9' Limestone - medium brown fine calcarenite, bioclastic (?), tight.
- 0.1' Shale - black, compact.
- 5.5' Limestone - medium brown fine calcarenite, bioclastic, tight, minor thin bituminous shale partings.

Core No. 3205-215Recovered: 17.0 ft.

(Times: 12, 13, 14, 11, 13, 10, 15, 12, 10, 12)

10.0'

Limestone - grey to brown-grey, fine calcarenite to micrite, in part a lime mud towards base of section, scattered minor fossil fragments, minor black bituminous shale laminae, few stylolites, tight, some faint dead spotty oil staining.

Core No. 4215-225Recovered: 10.0 ft.

(Times: 12, 9, 9, 10, 12, 7, 8, 5, 8, 10)

8.5'

Limestone - grey-brown to brown-grey fine calcarenite in a lime mud matrix, (biomicrite?), dense, tight, few black stylolitic shale partings, faint slight spotty dead oil staining near top.

1.5'

Limestone - as above but light grey, separated from above by 1/4" black shale lens.

Core No. 5225-235Recovered: 9.5 ft.

(Times: 8, 8, 5, 5, 4, 4, 4, 4, 12, 10)

9.5'

Limestone - medium grey brown, micrograined, dense, tight, faint thin stratification and lamination, few stylolites. Few prominent nodular (algal?) inclusions and coral (?) at 227 1/2.

Sulphur Point - 225

Core No. 6235-245Recovered: 10.0 ft.

(Times: 10, 6, 7, 6, 8, 7, 7, 9, 8, 9)

- 4.5' Limestone - grey, calcilutite (lime mud), abundant dark grey shale laminae and thin lenses, few stylolites, dense, tight
- 5.5' Limestone - grey, faintly brownish, calcilutite as above, random stylolites, faint healed fractures, dense, tight.

Core No. 7245-255Recovered: 9.7 ft.

(Times: 10, 12, 11, 12, 13, 12, 12, 11, 12, 10)

- 9.7' Limestone - as basal part of core #6, in part micrograined and w/sparse fossil fragments

Core No. 8255-265Recovered: 10.3 ft.

(Times: 13, 12, 13, 13, 17, 13, 10, 12, 11, 10)

- 10.3' Limestone - grey, slightly brownish, calcilutite, in part a sparse calcarenite, dense, tight, few stylolites near top, vertical fractures common

Core No. 9265-275Recovered: 10.0 ft.

(Times: 16, 14, 13, 10, 11, 13, 15, 13, 11, 11)

- 3.0' Limestone - calcilutite as above, in part a calcarenite (bioclastic?)
- 2.5' Limestone - grey, slightly brownish, bioclastic, dense, tight, black shale laminae common.
- 4.5' Limestone - brown to brown-grey, bioclastic (medium fragmental), scattered fine calcite crystal inclusions, few Brachiopods, trace poor scattered pin-point porosity w/patchy oil staining minor irregular black shale laminae.

Core No. 10274-284 (Corrected)Recovered: 10.0 ft.

(Times: 11, 9, 8, 8, 7, 8, 9, 8, 8, 10)

- 10.0' Limestone - grey, slightly brownish, calcilutite, dense, tight, calcarenitic band (fossil debris?) at 282, few thin black shale laminae, few stylolites

Core No. 11284-294Recovered: 9.9 ft.

(Times: 9, 8, 8, 7, 6, 8, 8, 7, 10)

10.0'

Limestone -

grey, slightly brownish, calcilutite in part slightly calcarenitic, dense, tight, thin fine black shale lamination common, few stylolites.

Core No. 12294-304Recovered: 10.0 ft.

(Times: 12, 10, 11, 10, 9, 8, 10, 9, 9, 11)

10.0'

Limestone -

grey to pale buff grey, fine calcarenite in lime mud matrix, fossil debris, few Brachiopods, dense, tight, some faint healed vertical hairline fractures, shale lamination as above, less common.

Core No. 13304-314Recovered 10.1 ft.

(Times: 15, 11, 24, 18, 45, 34, 16, 14, 16, 18)

10.1'

Limestone -

pale grey to grey with slightly brownish tinge, calcarenitic to sparsely calcarenitic in lime mud matrix, variable fine fossil debris, minor fine shale laminations and few thin streaks black hard shale.

Core No. 14314-324Recovered: 10.0 ft.

(Times: 16, 17, 17, 20, 23, 13, 16, 24, 15, 16)

5.6'

Limestone -

grey, faintly brownish, sparsely calcarenitic in a lime mud matrix to medium calcarenite (fossil debris), dense, tight, few stylolites, minor faint shaly lamination.

3.1'

Limestone -

buff to buff-grey, bioclastic w/fine calcite crystals, some prominent calcite inclusions, some bedding and stratification, dense, tight.

1.1'

Limestone -

buff grey to grey, micro to cryptograined, sparse fossil debris, dense, tight, few stylolites.

Core No. 15324-334Recovered: 10 ft.

(Times: 20, 11, 9, 8, 9, 7, 7, 11, 10, 8)

- | | | |
|------|-------------|---|
| 0.9' | Limestone - | brown-grey, microcrystalline, tight, laminated w/paper-thin shale laminae. |
| 1.5' | Limestone - | grey-buff, microcrystalline, exhibits bluish grey faintly pyritized mottling, dense, tight, no semblance of bedding. |
| 2.5' | Limestone - | pale grey, calcarenite, some pelletoid texture, dense, tight, minor scattered nodular algal (?) inclusions, stylolites. |
| 3.6 | Limestone - | dark brown-grey, microcrystalline, slightly shaly, tight, prominent algal (?) patches, large (4") (Stromatoporoid?) inclusion, scattered Brachiopods. |
| 1.5 | Limestone - | pale buff-grey, calcilutite, dense, minor thin shale lamination. |

Core No. 16334-344Recovered: 10.0 ft.

(Times: 7, 5, 7, 6, 5, 6, 5, 5, 7, 7,)

- | | | |
|------|-------------|---|
| 4.8' | Limestone - | buff-grey, micrograined calcarenite, few stylolites, fractured in part, tight |
| 1.7' | Limestone - | buff, calcarenite, bioclastic, few small vugs, bitumin infilled or lined, and w/calcite crystal inclusions |
| 3.5' | Limestone - | reefoid, highly Stromatoporoidal, Amphipora grey brown to buff grey, in part calcarenite (fine fossil debris), scattered small vugs in part bitumen lined and with calcite crystal inclusions - no shows of gas or oil - well flows water. Core in part badly broken. |

Core No. 17344-354Recovered: 10.0 ft.

(Times: 7, 7, 5, 5, 4, 5, 5, 6, 5, 5)

- | | | |
|------|-------------|--|
| 2.2' | Limestone - | highly Stromatoporoidal as in bottom part of Core #16, much Amphipora |
| 7.8' | Limestone - | brown-grey to grey, calcarenite, (fossil debris)? in part shaly, scattered small shell fragments, few isolated small corals, some prominent Stromatopora patches, tight, in part broken and fractured. |

Core No. 18354-364Recovered: 10.0 ft.

(Times: 18, 5, 4, 4, 4, 7, 6, 5, 5, 6)

- 1.0' Limestone - buff, fine calcarenite, scattered fine fossil fragments, prominent stylolite, few bituminous laminae, tight.
- 9.0' Limestone - buff-grey, reefoid, abundant *Amphipora*, *Stromatopora*, shell fragments *Crinoid* fragments, etc., in a lime mud matrix, minor scattered vuggy porosity with some heavy tarry oil.

Core No. 19364-374Recovered: 9.7 ft.

(Times: 5, 5, 4, 4, 7, 4, 5, 6, 6, 7)

- 9.7' Limestone - reefoid as in Core No. 18, in a brown grey microcrystalline slightly chaly and fossil debris matrix. Slight intercrystalline and poor vuggy porosity, trace scattered bituminous inclusions, slight patchy oil staining. Core indicates to be sulphurous water bearing.

Core No. 20374-384Recovered: 10.0 ft.

(Times: 7, 6, 7, 9, 9, 14, 12, 14, 20, 31)

- 10.0' Limestone - reefoid as above, abundant *Stromatopora*, scattered small corals, few *Brachiopods*, trace porosity as above, no staining noted.

Core No. 21384-394Recovered: 10.0 ft.

(Times: 25, 23, 15, 17, 21, 32, 20, 31, 19)

- 2.4' Limestone - brownish grey, cryptogranular, bioclastic at base, scattered irregular grey limestone nodules (organic?) minor thin black shale partings, dense, tight.
- 7.6' Limestone - grey, cryptogranular, dense, tight, nodular to irregularly bedded with dark grey limy shale and shaly limestone.

Core No. 22394-404Recovered 10.0 ft.

(Times: 19, 26, 13, 19, 18, 15, 11, 11, 11, 15)

- 10.0' Limestone - as basal part of Core No. 21, few streaks organic detritus and some *Echinoderms* at 1 1/2 ft. above base.

Core No. 23404-414Recovered: 10.3 ft.

(Times: 10, 11, 12, 12, 14, 13, 13, 11, 10, 16)

10.3'

Limestone -

grey cryptocrystalline calcilutite irregularly bedded and banded with dark grey limy shale and shaly limestone as above.

Core No. 24414-422Recovered: 7.8 ft.

(Times: 11, 13, 16, 15, 32, 32, 28)

7.8 ft.

Limestone -

grey dense calcilutite in beds up to 4" and banded or bedded with dark grey shaly limestone, trace fine fossil debris, dense, tight, exhibits much oblique fracturing.

Core No. 25422-423Recovered: 1.2'

(Time: 30)

1.2'

Limestone -

as in Core #24 above

Core No. 26423-424Recovered: 1.5 ft.

(Time: 24)

1.5'

Limestone -

grey to brownish grey, calcilutite, dense, shaly, banded as above.

Core No. 27424-434Recovered: 9.9 ft.

(Times: 15, 13, 12, 13, 11, 13, 11, 13, 11, 12)

9.9'

Limestone -

grey, calcilutite, banded as above to irregularly streaked with dark grey shaly limestone, dense, tight.

Core No. 28434-444Recovered: 9.8 ft.

(Times: 12, 10, 12, 12, 11, 10, 12, 11, 10, 12)

9.8'

Limestone -

grey calcilutite, shaly, streaked and irregularly bedded with dark grey shale as above, trace fossil fragments.

Core No. 29444-454Recovered: 10.0 ft.

(Times: 15, 11, 12, 12, 11, 12, 11, 12, 13, 13)

10.0'

Limestone -

grey, calcilutite, slightly shaly, banded, bedded and streaked with dark grey shaly limestone, dense, tight.

Core No. 30454-464Recovered: 9.9 ft.

(Times: 19, 15, 7, 14, 15, 19, 20, 20, 23, 22)

9.9'

Limestone - as in Core #29 above, more argillaceous and with dark grey shaly limestone more prevalent, some long faint healed vertical hair-line fractures, few scattered Brachiopods and with layer of Brachiopods at 458 1/2.

Core No. 31464-474Recovered: 10.0 ft.

(Times: 21, 17, 18, 17, 16, 17, 23, 21, 38, 22)

10.0'

Limestone -

grey and dark grey faintly brownish banded calcilutite, shaly, dense, tight, no fossils noted.

Core No. 32474-484Recovered 10.1 ft.

(Times: 21, 19, 18, 19, 18, 19, 20, 17, 16, 16)

10.1'

Limestone -

dark grey, banded with grey calcilutite, shaly, dense, tight, barren.

Core No. 33484-490Recovered: 6.2 ft.

(Times: 20, 17, 16, 18, 21, 20)

6.2'

Limestone -

as in Core 32 above.

Core No. 34490-494Recovered: 4.0 ft.

(Times: 12, 14, 12, 12)

4.0 ft.

Limestone -

as in Core above.

Core No. 35494-504Recovered: 10.0 ft.

(Times: 12, 10, 10, 10, 11, 15, 17, 10, 10, 8)

10.0'

Limestone -

grey and dark grey banded and shaly as above.

Core No. 36504-514Recovered: 10.0 ft.

(Times: 11, 11, 12, 13, 10, 11, 10, 10, 10, 11)

10.0'

Limestone -

grey and dark grey banded as above, shaly, calcilutite, dense, barren, tight.

Core No. 37514-524Recovered: 10.0 ft.

(Times: 9, 10, 12, 11, 11, 11, 11, 11, 10, 9)

10.0'

Limestone -

banded and shaly as above, few nodular and thin lenses of white crystalline gypsum inclusions

Core No. 38524-534Recovered: 10.0 ft.

(Times: 15, 11, 16, 14, 12, 13, 10, 12, 12, 12)

10.0' Limestone -

banded and shaly as above, few gypsum inclusions, rare Brachiopod.

Core No. 39534-544Recovered: 10.0 ft.

(Times: 13, 9, 11, 13, 12, 12, 12, 12, 10, 10)

8.5'

Limestone -

grey and dark brown grey banded calcilutite, shaly, dense.

1.5'

Limestone -

brownish-grey and dark grey banded, shaly calcilutite in part micrograined (fossil debris?) brecciated at top, scattered Brachiopods and Brachiopod fragments, some pyritic inclusions, dense, tight.

Core No. 40544-554Recovered: 10.3 ft.

(Times: 12, 12, 16, 14, 15, 16, 15, 15, 18, 19)

10.3'

Limestone

banded brownish grey and dark brownish grey shaly calcilutite, few Brachiopods, some open oblique and vertical fractures.

Core No. 41554-559 1/2Recovered: 5.3 ft.

(Times: 18, 14, 12, 12, 15, 20 +)

5.3'

Limestone -

dark grey brown, slightly banded shaly calcilutite, dense, tight, scattered Brachiopods, few open oblique and vertical fractures.

Core No. 42559 1/2-564Recovered: 4.2 ft.

(Times: 3, 6, 6, 7, 11)

4.2'

Limestone -

grey and dark brown-grey banded calcilutite shaly. in part a fine biomicrite, locally bioclastic with fair to good leached skeletal porosity, trace light yellowish-green sulphur crystal inclusions, trace very fine micro-crystalline pyrite? pyrrhotite? crystals, no oil staining.

Core No. 43564-574Recovered: 10.0 ft.

(Times: 15, 15, 12, 13, 12, 13, 13, 13, 26, 30)

10.0'

Shale -

dark brownish grey, very limy, in part a shaly limestone, faint thin stratification, dense, barren.

Core No. 44574-584Recovered: 9.5 ft.

(Times: 37, 35, 37, 37, 37, 35, 36, 35, 32, 31)

9.5'

Limestone -

dark brownish grey, very shaly, almost a limy shale, hard, dense, tight, barren.

Buffalo River Shale - 564Core No. 45584-594Recovered: 9.8 ft.

(Times: 20, 15, 9, 9, 14, 11, 10, 10, 12, 13)

9.8'

Shale -

dark brownish grey, very limy, compact, hard, massive, in part broken.

Core No. 46594-604Recovered: 10.0 ft.

(Times: 11, 11, 9, 11, 10, 11, 10, 9, 11, 13)

10.0'

Shale -

as in core above, some oblique fractures show light greenish-yellow sulphur precipitation.

Core No. 47604-614Recovered 10.0 ft.

(Times: 12, 12, 12, 12, 10, 10, 11, 13, 11, 11)

10.0'

Shale -

dark brownish grey as above, very limy, in part a shaly limestone.

<u>Core No. 48</u>	<u>614-620</u>	<u>Recovered: 6.0 ft.</u>
(Times:		
6.0'	Shale -	dark gray, slightly brownish, very limy, badly fractured and broken in part - oblique fractures common.
<u>Core No. 49</u>	<u>620-622</u>	<u>Recovered: nil</u>
(Times:		
<u>Core No. 50</u>	<u>622-624</u>	<u>Recovered: 2.0 ft.</u>
(Times:		
2.0'	Shale	as above, badly broken and fractured.
<u>Core No. 51</u>	<u>624-634</u>	<u>Recovered: 10.0 ft.</u>
(Times:		
10.0'	Shale -	dark brownish grey, very limy, hard, compact, in part fractured and broken
<u>Core No. 52</u>	<u>634-644</u>	<u>Recovered: 10.0 ft.</u>
(Times: 26, 23, 22, 21, 25, 24, 26, 24, 23, 20)		
10.0'	Shale -	as in core above.
<u>Core No. 53</u>	<u>644-654</u>	<u>Recovered: 10.0 ft.</u>
(Times: 23, 21, 21, 21, 25, 23, 23, 21, 22, 15)		
8.0'	Shale -	as in core above.
1.0'	Limestone -	dark brown grey very shaly calcilutite, dense, tight.
1.0'	Limestone -	grey brown calcarenite, bioclastic, crypto-crystalline matrix, scattered Brachiopods, tight, few faint incipient fractures exhibiting dead oil staining.

Core No. 54654-664Recovered: 10.0 ft.

(Times: 8, 7, 14, 11, 10, 7, 6, 13, 11, 13)

- 1.7' Limestone - brown-grey, calcarenite, bioclastic (fine fossil debris), dense, tight, few thin shale laminae and contains 2 thin gypsum streaks.
- 3.5' Limestone - grey and dark brownish grey, banded, calcilutite, shaly, dense, tight, few Brachiopods, in part obliquely fractured.
- 1.9' Limestone - grey brown, bioclastic (coarse fossil debris - Crinoids, Brachiopod fragments, etc.) fair to good interfragmental porosity - no oil staining, scattered lemon yellow sulphur crystal inclusions and prominent sulphur crystallization and lining few fractures at top of section.
- 2.9' Limestone - brownish grey to dark grey brown, calcilutite, very shaly, in part a limy shale, dense, tight, locally calcarenitic.

Core No. 55664-672 1/2Recovered: 7.3 ft.

(Times: 18, 16, 14, 15, 25, 24, 21, 25, 14)

- 0.5' Shale - dark brown grey, very limy, compact
- 0.8' Shale - dark brown black, moderately limy, compact to fissile, fossil debris and abundant Brachiopods
- 2.0' Shale - as in top part of core, in part a shaly limestone, faint tight vertical hair-line fracture.
- 4.0' Shale - brown black to dark brown, micro-micaceous, moderately limy, scattered Brachiopods, in part broken and fractured.

Core No. 56672 1/2 - 674Recovered: 1.4 ft.

(Times: 14, 22)

- 1.4' Shale - brown black, micromicaceous, moderately limy, in part broken

Core No. 57674-678 1/2Recovered: 2.4 ft.

(Times: 22, 20, 21, 28, 12)

- 2.4' Shale - brown black, micromicaceous, limy, scattered Brachiopods, in part fissile, in part broken and fractured.

<u>Core No. 58</u>	<u>678 1/2 - 680</u>	<u>Recovered: 1.5 ft.</u>
(Times: 10, 26)		
1.5'	Shale -	as in core above.
<u>Core No. 59</u>	<u>680-684</u>	<u>Recovered: 3.5 ft.</u>
3.5'	Shale -	as above.
<u>Core No. 60</u>	<u>684-690</u>	<u>Recovered: 5.0 ft.</u>
(Times: 30, 15, 22, 26, 23, 24)		
5.0'	Shale -	dark gray to black, micromicaceous, moderately limy, fissile to crumbly, badly broken.
<u>Core No. 61</u>	<u>690-694</u>	<u>Recovered: nil</u>
(Times: 26, 20, 36, 27)		
<u>Core No. 62</u>	<u>694-700</u>	<u>Recovered 4.0 ft.</u>
(Times: 30, 28, 31, 29, 32, 31)		
4.0'	Shale -	brownish-black, faintly micromicaceous, limy, few Brachiopods, fissile to crumbly, in part fractured and broken.
<u>Core No. 63</u>	<u>700-701</u>	<u>Recovered: nil</u>
(Time: 47)		
<u>Core No. 64</u>	<u>701-704</u>	<u>Recovered: 2 1/2 ft.</u>
(Times: 17, 21, 22)		
2.5'	Shale -	as in core above
<u>Core No. 65</u>	<u>704-711</u>	<u>Recovered: 6.3 ft.</u>
(Times: 20, 15, 27, 23, 19, 21, 50)		
6.3'	Shale -	brownish-black, limy, scattered Brachiopods, rare Ostracods, few streaks fine fossil debris, fissile, crumbly, broken.

<u>Core No. 66</u>	<u>711-721</u>	<u>Recovered: 10.0 ft.</u>
	(Times: 15, 19, 18, 23, 15, 27, 23, 25, 20, 30)	
10.0'	Shale -	brownish-black and limy as above, no Brachiopods noted, sparse fine fossil debris, crumbly, fissile.
<u>Core No. 67</u>	<u>721-724</u>	<u>Recovered: 2.0 ft.</u>
	(Times: 28, 27, 22)	
2.0'	Shale -	as in core above.
<u>Core No. 68</u>	<u>724-733</u>	<u>Recovered: 10.0 ft.</u>
	(Times: 27, 28, 28, 28, 30, 30, 29, 30)	
10.0'	Shale -	black, fissile to blocky, crumbly, non-limy, barren, trace pyrite.
<u>Core No. 69</u>	<u>733-743</u>	<u>Recovered: 10.3 ft.</u>
	(Times: 21, 19, 18, 17, 15, 16, 15, 15, 13, 20)	
10.3'	Shale -	black, fissile to blocky, crumbly, slightly bituminous, limy, minor Brachiopods, scattered pyrites, few streaks fossil debris toward base of section.
<u>Core No. 70</u>	<u>743-746</u>	<u>Recovered: 2.5 ft.</u>
	(Times: 16, 16, 38)	
2.5'	Limestone -	brown black, very argillaceous, bituminous, pyritic, scattered Ostracods, dense, fractured, broken.
<u>Core No. 71</u>	<u>746-754</u>	<u>Recovered: 7.5 ft.</u>
	(Times: 16, 19, 10, 10, 10, 13, 10, 11)	
7.5'	Shale -	black to brown-black, very limy, in part a shaly limestone, highly bituminous, fossiliferous (Tentaculites?) few layers small Brachiopods, fossil and fossil debris shows distinct layering, few faint weakly healed and open oblique fractures.

<u>Core No. 72</u>	<u>754-764</u>	<u>Recovered: 10.0 ft.</u>
(Times: 11, 20, 21, 16, 10, 9, 8, 11, 11, 11)		
10.0'	Shale -	as above, highly bituminous, distinct layering of Tentaculites (?) locally a shaly limestone, fractured as above.
<u>Core No. 73</u>	<u>764-774</u>	<u>Recovered: 10.0 ft.</u>
(Times: 33, 10, 12, 12, 9, 10, 10, 14, 10, 9)		
10.0'	Limestone -	black to brown-black, highly bituminous, dense, in part a limy shale, prominent fossiliferous (Tentaculites) stratification in upper 3 ft. of core, open to weakly cemented vertical to oblique fractures.
<u>Core No. 74</u>	<u>774-784</u>	<u>Recovered: 10.0 ft.</u>
(Times: 11, 11, 8, 9, 9, 8, 7, 8, 7, 8)		
10.0'	Limestone -	black, highly bituminous, dense, brittle, abundant long vertical open fractures. Section at 774 1/2 - 775 1/2 is dark brown microcrystalline bioclastic.
<u>Core No. 75</u>	<u>784-793</u>	<u>Recovered: 3.5 ft.</u>
(Times: 15, 12, 8, 6, 7, 11, 11, 15, 50)		
3.5'	Shale -	black, highly bituminous, limy, in part a shaly limestone, brittle, some prominent fossiliferous layering, prominent open and healed vertical to oblique fractures.
<u>Core No. 76</u>	<u>793-795 1/2</u>	<u>Recovered: 2.3 ft.</u>
(Times:		
1.3'	Shale -	as above with prominent calcite healed vertical fracture.
1.0'	Limestone -	dark brown, microcrystalline, dense, bituminous.
<u>Core No. 77</u>	<u>795 1/2 - 804</u>	<u>Recovered: 8.0 ft.</u>
(Times: 39, 16, 16, 13, 11, 13, 18, 16, 14)		
8.0'	Limestone -	black, highly bituminous and shaly, prominent beds of brown-grey cryptocrystalline bituminous limestone, some layering of

Core No. 77 (continued)

organic (?) debris (bioclastic ?), dense, tight.

Core No. 78804-814Recovered: 9.8 ft.

(Times: 11, 10, 6, 10, 7, 10, 7, 8, 5, 5)

0.4'	Limestone -	dark brown, cryptocrystalline, bituminous, large fracture infilled with hydrocarbon residue
0.6'	Shale -	black, bituminous, limy, compact.
0.4'	Limestone -	dark brown grey, microcrystalline, dense, bituminous, finely bioclastic, exhibits oblique (20°) bedding.
0.4'	Shale -	brown-black to black, highly bituminous, limy, compact, few streaks of limestone as above at 20° bedding.
0.7'	Limestone -	as above.
2.8'	Interbedded -	Limestone, dark brown grey to black bituminous and shale as above, scattered pyrites, fine fossil debris, few recemented fine vertical fractures.
2.5'	Limestone -	black, bituminous, chaly, minor pyrites, scattered Tentaculites, faint fracture infilled with hydrocarbon residue.

Core No. 79814-824Recovered: 10.0 ft.

(Times: 7, 8, 7, 11, 13, 14, 13)

3.8'	Shale -	black to brownish-black, highly bituminous, very limy, in part a microcrystalline or bioclastic limestone with prominent Brachiopods.
6.2'	Limestone -	dark brown to brown black, bituminous, highly fossiliferous (Brachiopods - almost coquinoïd), minor isolated pin-point porosity with dark brown patchy dead oil-staining.

Core No. 80824-834Recovered: 10.0 ft.

(Times: 7, 6, 6, 8, 5, 8, 8, 6, 5, 7)

10.0'

Limestone -

brown-grey to grey brown calcilutite, highly fossiliferous (Brachiopods) in part slightly bituminous, minor bituminous shaly laminae and bedding, dense, tight, long open fracture in upper 2 1/2", trace small patchy dead oil staining along fracture plane.

Core No. 81834-837Recovered: 30 ft.

(Times: 6, 7, 7)

3.0'

Limestone -

brown-grey to grey-brown as above, locally bioclastic, fossils less abundant than above, few irregular laminae, some faint healed fractures.

TOTAL DEPTH DRILLER

837 ft.

TOTAL DEPTH E-LOG

837 ft.

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Feb. 28/67						Progress every 24 hours from 8:00 a.m. to 8:00 a.m.
Mar. 1/67						Bull-dozed road on Great Slave Lake from Hay River townsite to well-site. Built bridge over pressure ridge.
Mar. 2/67						Blizzard - could not move rig to location. Visibility zero - waiting out storm. Pressure ridge moved - rebuilt ice bridge. Plowed out road to location and moved in rig and all materials.
Mar. 3/67	0	166	86			Rigged up. Drilled through ice at 1:30 p.m. March 2/67. (Ice 40" thick), Lake bottom at 80 ft. Soft sediments - set 7" conductor pipe at 114 ft. K.B. Spudded in lake bottom at 3:30 p.m. March 3/67. Drilled 6" hole 0 - 166 Tripped at 145ft. for new bit Drilling ahead at 8:00 a.m.
Mar. 4/67	166	181	15			Drilled 6" hole 166 - 173 Tripped at 173 for bit Drilled 4 3/4" hole 173 - 181 Hole flowed water at est. 10 gal/hr. - lost circulation at 173 - regain circulation with 15 sks. gel + 3 sks. weighting material Ran 6 jts., 176.9' of 3 1/2" and 4 1/2" surface casing with Texas shoe set at 180' K.B. Rigging up to cement at 8:00 a.m.
Mar. 5/67	181					Cemented casing with ¹⁹ 20 sks cement + 3% CaCl ₂ . Casing cemented at 9:15 a.m. March 4/67. Pulled conductor pipe 15ft. up. W. O. C. At 3:00 a.m. slacked off casing, retrieved conductor pipe and commenced heading up.

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 6/67	181					Completed heading up. Wait on bit - bit had to be machined down to adapt to sub. Found cement at 80 ft. - drilled out cement.
Mar. 7/67	181	193	12			Drilled 2 15/16" hole Pressured up b.o.p. - pressure held O.K. Rigged up to core and worked on pump. Commenced coring at 1:00 p.m. March 6. Diamond cored 2 7/16" hole Hole started making water at 190' Coring ahead at 8:00 a.m.
Mar. 8/67	193	255	62			Cored 2 7/16" hole Core No. 1 185-195 Rec. 9.8ft. Tripped at 195 and changed bits - changed to step-type for faster penetration Cored 2 7/16" hole 195-255
Mar. 9/67	255	275	20			Core No. 2 195-205 Rec. 10.0ft. Core No. 3 205-215 Rec. 10.0ft. Core No. 4 215-225 Rec. 10.0ft. Core No. 5 225-235 Rec. 9.5ft. Core No. 6 235-245 Rec. 10.0ft. Coring ahead at 8:00 a.m. Cored 2 7/16" hole 255-275 Core No. 7 245-255 Rec. 9.7ft. Core No. 8 255-265 Rec. 10.3ft. Core No. 9 265-275 Rec. 10.0ft. Hole flowing water @ est. 8 gal/min. Laid down core bbl. and ran in open end to 180ft. Squeezed 22 sks. cement + 3% CaCl ₂ at up to 375#. Cement squeezed by 8:30 p.m. W. O. C.

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 10/67	275					W. O. C. Worked on flare line and b. o. p. Completed winterizing rig. Commenced drilling cement at 12:00 midnight Cement from 150-250 Worked on space heater Preparing to core ahead at 8:00 a.m.
Mar. 11/67	274	314	40			Corrected depth from 275 to 274 Cored 2 7/16" hole 274-314 Core No. 10 274-284 Rec. 10.0 ft. Core No. 11 284-294 Rec. 9.9 ft. Core No. 12 294-304 Rec. 10.0 ft. Core No. 13 304-314 Rec. 10.1 ft. Water commenced flowing soon after coring was resumed, increasing from 1 gal./min. to 10 + gal./min. Pulled to 180 ft. and squeezed diesel gal plug (2 bbl. diesel fluid + 600# gel) in @ up to 450# - pressure bled off to 75#, Plug in at 10:30 p.m. Worked on frozen pump and lines
Mar. 12/67	314	354	40			Worked on frozen pump and lines Cleaned out hole to bottom 1:00 p.m. to 7:00 p.m. Water commenced flowing again - mixed mud -- was able to control flow. Cored 2 7/16" hole 314-354 Core No. 14 314-324 Rec. 10.0 ft. Core No. 15 324-334 Rec. 10.0 ft. Core No. 16 334-344 Rec. 10.0 ft. Core No. 17 344-354 Rec. 10.0 ft. Lost circulation @ 354 followed by water flow. Mixed 3 bbl. mud and pumped same in - no returns Mixing mud at 8:00 a.m.

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 13/67	354	400	46			Dumped in 3 bbls. mud - no returns Cored ahead 2 7/16" hole w/water - well commenced flowing water again after few feet. Able to core ahead - well takes water gradually while coring but flows when core is being recovered Core No. 18 354-364 Rec. 10.0 ft. Core No. 19 364-374 Rec. 9.7 ft. Core No. 20 374-384 Rec. 10.0 ft. Core No. 21 384-394 Rec. 10.0 ft. Ice shift has gradually caused drill stem to bind excessively against casing. Mixed mud, killed well and tripped at 394 - bit O.K., Tripped in and continued coring. Coring ahead at 8:00 a.m. at 400'
Mar. 14/67	400	422	22			Cored 2 7/16" hole 400-422 Core No. 22 394-404 Rec. 10.0 ft. Kelly drillpipe sub twisted off - recovered pipe, replaced sub and continued coring Core No. 23 404-414 Rec. 10.3 ft. Core No. 24 414-422 Rec. 7.8 ft. Drill pipe binding excessively against casing and b.o.p. Ran deviation surveys Survey @ 60' - off 4°, @ 120' - 0° Tripped out, recovered stuck core bbl. and ran back in to 400. Killed water flow with 600# gel + 400# weighting material. Pulled pipe to 180 ft., worked on b.o.p. and prepared to run cement plug.
Mar. 15/67	422					Squeezed 16 sbs. cement + 3% CaCl₂ at 180 ft. at pressures up to 270# - pressure bled down. Cement in @ 9:30 a.m. Laid pipe down and moved rig off by 2:00 p.m. Ran deviation surveys: 5 1/2° off @ 30', 4° off @ 60', 1° off @ 90', 0° off @ 120' Waiting on power ice-auger to cut slot in ice to realign casing.
Mar. 16/67	422					Ice-auger arrived at 9:00 a.m. March 15, cut 5 18" holes in ice, moved well-head 4 1/2' to the east to realign casing to the vertical position.

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 16/67 (continued)	422					Survey at 30' - off 1/2° Ran in and cleaned out hole - cement from 235-370, no water flow Preparing to core ahead at 8:00 a.m.
Mar. 17/67	422	490	67			Cored 2 7/16" hole Core No. 25 422-423 (jammed) Rec. 1.2' Core No. 26 423-424 (jammed) Rec. 1.5' Core No. 27 424-434 Rec. 9.9' Core No. 28 434-444 Rec. 9.8' Core No. 29 444-454 Rec. 10.0' Core No. 30 454-464 Rec. 9.9' Core No. 31 464-474 Rec. 10.0' Core No. 32 474-484 Rec. 10.1' Coring ahead at 8:00 a.m.
Mar. 18/67	490	555	65			Cored 2 7/16" hole Core No. 33 484-490 (jammed) Rec. 6.2' Core No. 34 490-494 Rec. 4.0' Core No. 35 494-504 Rec. 10.0' Core No. 36 504-514 Rec. 10.0' Core No. 37 514-524 Rec. 10.0' Worked on b.o.p. 5:15 to 8:00 p.m. - unable to pressure up, rams worn out - continued coring ahead. Core No. 38 524-534 Rec. 10.0' Core No. 39 534-544 Rec. 10.0' Core No. 40 544-554 Rec. 10.3'
Mar. 19/67	555	574	19			Cored 2 7/16" hole Core No. 41 554-559 1/2 Rec. 5.3ft. Core No. 42 559 1/2 - 564 Rec. 4.2ft. Core No. 43 564-574 Rec. 10.0ft. Tripped at 574 and found feamer shell twisted off above bit. Walt on tap to fish bit out - ran Structure Test Hole Survey Log. Interval 179-574

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 19/67 (cont'd)						Ran in with tap and recovered fish. Worked on pump and core barrel. Tripped in hole, thinned mud down and prepared to core ahead.
Mar. 20/67	574	622	48			Cored 2 7/16" hole Core No. 44 574-584 Rec. 9.5' Worked on pump. Tripped out at 584 and changed to step-type bit for faster penetration. Tripped in and cored ahead. Core No. 45 584-594 Rec. 9.8ft. Core No. 46 594-604 Rec. 10.0ft. Core No. 47 604-614 Rec. 10.0ft. Core No. 48 614-620 Rec. 6.0ft. (jammed) Core No. 49 620-622 No recovery, no core catcher Tripping out at 8:00 a.m.
Mar. 21/67	622	667	45			Completed trip out and recovered core catcher. Ran deviation survey - off 1 1/2" @ 30' Tripped in and cored ahead Core No. 50 622-624 Rec. 2.0 ft. Core No. 51 624-634 Rec. 10.0 ft. Worked on b.o.p. - installed new rams (3 hrs.) Core No. 52 634-644 Rec. 10.0 ft. Core No. 53 644-654 Rec. 10.0 ft. Core No. 54 654-664 Rec. 10.0 ft. Coring ahead at 8:00 a.m. at 667
Mar. 22/67	667	701	34			Cored 2 7/16" hole Core No. 55 664-672 1/2 Rec. 7.3' Core No. 56 672 1/2-674 Rec. 1.4' Core No. 57 674-678 1/2 Rec. 2.4' Core No. 58 678 1/2-680 Rec. 1.5'

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 22/67 (cont'd)						Core No. 59 680-684 Rec. 3.5' Core No. 60 684-690 Rec. 5.0' Core No. 61 690-694 Rec. nil Core No. 62 694-700 Rec. 4.0' Core No. 63 700-701 Rec. nil Formation badly fractured - cores jamming. Tripping out at 8:00 a.m. to check core barrel
Mar. 23/67	701	733	32			Serviced core barrel and ran in with new bit. Cored 2 7/16" hole 701-733 Core No. 64 701-704 Rec. 2.5' Core No. 65 704-711 Rec. 6.3' Core No. 66 711-721 Rec. 10.0' Core No. 67 721-724 Rec. 2.0' Core No. 68 724-733 - circulating off bottom from 2:30 a.m. waiting out storm - winds estimated at $\pm$ 50 m.p.h. with snow, derrick swaying. Waiting out storm at 8:00 a.m.
Mar. 24/67	733	733				Waited out storm to 8:00 p.m. Attempted to recover core - inner barrel stuck - pulled wire-line loose and tripped out. Storm still high and derrick unstable to rack pipe, had to lay pipe down. Recovered Core No. 68 724-733 10.0 ft., worked on core barrel and tripped in to core.
Mar. 25/67	733	784	51			Cored 2 7/16" hole Core No. 69 733-743 Rec. 10.3' Core No. 70 743-746 Rec. 2.5' (jammed) Ice slowly sagging and rig table hanging up on b. o. p. - jacked up rig and continued coring Core No. 71 746-754 Rec. 7.5' Core No. 72 754-764 Rec. 10.0' Water flow increasing - coming from fractured section Core No. 73 764-774 Rec. 10.0' Core No. 74 774-784 Rec. 10.0' Worked on light plant Coring ahead at 8:00 a.m.

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 26/67	784	802	18			Cored 2 7/16" hole Core No. 75 784-793 Rec. 3.5' 784-802 Inner core and barrel stuck - had to trip out w/Core No. 75. Lost 6.5' of core and found bit twisted off or worn off at the crown. Ran in with re-run bit, milled on junk and cored to 795.5'. Tripped out and recovered Core No. 76, 793-795 1/2, Rec. 2.3' Ran in w/new bit and reamer shell and cored ahead. Water flow increased to estimated 2 bbl/min. while tripping. Coring ahead at 8:00 a.m. at 802.
Mar. 27/67	802	837	35			Cored 2 7/16" hole 802-837 Inner barrel stuck attempting to recover core at 804. Tripped out and found junk iron jammed between inner and outer barrels. Serviced barrels and tripped in w/new bit. Core No. 77 795 1/2 - 804 Rec. 8.0' Core No. 78 804 - 814 Rec. 9.8' Core No. 79 814 - 824 Rec. 10.0' Core No. 80 824 - 834 Rec. 10.0' Core No. 81 834 - 837 Rec. 3.0' Tripped out at 837 and found reamer shell above bit twisted off. Water flow very heavy with high H₂S content. Closed b.o.p's and prepare to kill well with heavy mud prior to fishing.
Mar. 28/67	837					Ran in to 200' and killed well w/10 bbls. mud. Ran Structure Test Hole Survey E-log 179 to 837' Ran in with tap, made on to fish and worked on fish - unable to work fish loose and unable to back tap off fish - pipe backed off uphole. Made back on to pipe and shot 1/4# charge on top of fish - unsuccessful. Shot 3/4# charge on top off fish - still unsuccessful in parting pipe. Pulled on pipe - pipe parted and recovered 820' pipe. Well started to flow water after trip out. Shut well in and prepared to kill flow prior to velocity survey and abandonment.
Mar. 29/67	837					Killed well with 600# gel (12 bbl.)

DAILY PROGRESS REPORT

DATE	DEPTH		Footage	Hours on Bottom	BIT NOS.	REMARKS
	From	To				
Mar. 29/67 (cont'd)	837					Ran Velocity Survey - 12:00 noon to 5:00 p.m. Ran in to 600, closed b. o. p. and pumped in 14 sks. (3 1/2 bbl) neat cement. Plug in at 10:20 p.m. March 28, interval 600-837 Pulled to 240 - well started to flow - closed b. o. p. and pumped 16 sks. (4 bbl.) cement + 3% CaCl₂. Plug in at 1:10 a.m. March 29, Pulled to 120; shut b. o. p. and pumped in 6 sks. cement + 3% CaCl₂. Plug in at 2:00 a.m. March 29. Pulled to 40' and shut well in. W. O. C.
Mar. 30/67	837					W. O. C. Felt for and found plug with wireline at 10:30 a.m. March 29 at 563'. Ran in open end and found mud slug at 280'. Circulated with difficulty below 300 and could not clean hole without bit. Ran cement plug 280-120 with 25 sks. cement + 2% CaCl₂. Plug down at 6:30 p.m. March 29. W. O. C. Felt for and found plug at 130 at 2:30 p.m. Rigged down and prepared to shoot casing off.
Mar. 31/67	837					Shot casing at 120' - unable to pull loose Shot casing at 90' - pulled loose and recovered 90' of 4 1/2" pipe. Completed rigging down and released rig at 12:00 noon March 30, 1967.

DAILY MUD RECORD

Date	Depth	Weight	Viscosity	Water Loss	Filter Cake	Ph.	Remarks and Additives
		#/ Gal.	Seconds	15 min. C.C.	32nds		
March 3/67	175						1500# gel, 900# barytes (kill water flow)
10/67	314						600# gel (for diesel gel plug)
11/67	354						500# gel
12/67	400						100# gel
13/67	422						600# gel (to kill water flow) 400# barytes
27/67	837						800# gel, 800# barytes (kill well)
28/67	837						800# gel (kill well)



CORE LABORATORIES-CANADA LTD
PETROLEUM RESERVOIR ENGINEERING
EDMONTON CALGARY REGINA
WATER ANALYSIS



File CBH-2-1486

Company J. Ray McDermott & Co. Inc.

Well Name McD et al Hay River No. 1 1-41

Sample No. _____

Formation _____

Depth 180' - 255'

Location 61° 10' N - 115° 30' W Field Hay River Area Province Northwest Territories

Date Sampled March 8, 1967 Date Analyzed May 19, 1967 Analyst L.A.V.

Sampled From Flowing Well

By _____

Recovery Flow suspected from around casing shoe and
originating probably from 126'

Constituents:

1. Total Solids 11,201 mg/liter 2. pH 7.35 3. Sp.Gr. 1.0088 @60°F.
4. Resistivity 0.614 Ohm-meters @ 72 °F 5. H₂S Absent


MILLIGRAMS PER LITER

Na & K	Ca	Mg	Fe	Ba		Cl	HCO ₃	SO ₄	CO ₃	OH	
2,999	546	318	Absent	Absent		4,478	472	2,388	-	-	

MEQ PER LITER

130.4	27.2	26.1	Absent	Absent		126.3	7.7	49.7	-	-	
-------	------	------	--------	--------	--	-------	-----	------	---	---	--

LOGARITHMIC PATTERN MEQ PER LITER





CORE LABORATORIES-CANADA LTD
PETROLEUM RESERVOIR ENGINEERING
EDMONTON CALGARY REGINA
WATER ANALYSIS



File CBH-2-1486

Company J. Ray McDermott & Co., Inc.

Page 1 of 3

Well Name MCD of ol Hay River #1-1-41

Sample No. 1

Formation

Depth Hole Depth 384'

Location 61° 10' N - 115° 30' W Field Hay River Area

Province Northwest Territories

Date Sampled Mar. 12/67

Date Analyzed May 16/67

Analyst LAV

Sampled From Flowing Well

By

Recovery

Elevation

Constituents:

1. Total Solids 8,437 mg/liter

2. pH 7.03

3. Sp.Gr. 1.0064

@60°F.

4. Resistivity .857 Ohm-meters @ 70 °F

5. H₂S Absent


MILLIGRAMS PER LITER

Na & K	Ca	Mg	Fe	Ba		Cl	HCO ₃	SO ₄	CO ₃	OH	
2358	373	206	Abs.	Abs.		3396	344	1760	-	-	

MEQ PER LITER

102.5	18.6	16.9	-	-		95.8	5.6	36.6	-	-	
-------	------	------	---	---	--	------	-----	------	---	---	--

LOGARITHMIC PATTERN MEQ PER LITER



Remarks:

Note - Strat test drilled from ice on lake.



CORE LABORATORIES-CANADA LTD.
PETROLEUM RESERVOIR ENGINEERING
EDMONTON CALGARY REGINA
WATER ANALYSIS



File CBH-2-1486
Company J. Ray McDermott & Co., Inc. Page 2 of 3
Well Name McD et al Hay River #1-1-41 Sample No. 2
Formation _____ Depth 795'
Location 61° 10' N - 115° 30' W Field Hay River Area Province Northwest Territories
Date Sampled Mar. 26/67 Date Analyzed May 16/67 Analyst L.A.V.
Sampled From Flowing Well By _____
Recovery _____ Elevation _____

Constituents:

1. Total Solids 15,219 mg/liter 2. pH 6.90 3. Sp.Gr. 1.0126 @60°F.
4. Resistivity 0.427 Ohm-meters @ 70 °F 5. H₂S Present


MILLIGRAMS PER LITER

Na & K	Ca	Mg	Fe	Ba		Cl	HCO ₃	SO ₄	CO ₃	OH	
4950	560	286	Abs.	Abs.		7693	880	1696	-	-	

MEQ PER LITER

215.2	27.9	23.5	-	-		216.9	14.4	35.3	-	-	
-------	------	------	---	---	--	-------	------	------	---	---	--

LOGARITHMIC PATTERN MEQ PER LITER



Remarks:

Strat test drilled from ice on lake



CORE LABORATORIES-CANADA LTD
PETROLEUM RESEARCH ENGINEERING
EDMONTON CALGARY REGINA
WATER ANALYSIS



File CXH-2-1486
Company J. Ray McDermott & Co., Inc. Page 3 of 3
Well Name McD et al Hay River #1-1-41 Sample No. 3
Formation _____ Depth 701' (believe originating @ 653')
Location 61° 10' N - 115° 30' W Field Hay River Area Province Northwest Territories
Date Sampled Mar. 22/67 Date Analyzed May 16/67 Analyst L.A.V.
Sampled From Flowing Well Flowing Well By _____
Recovery _____ Elevation _____

Constituents:

1. Total Solids 16,789 mg/liter 2. pH 7.40 3. Sp.Gr. 1.0126 @60°F.
4. Resistivity 0.406 Ohm-meters @ 70 °F 5. H₂S Present


MILLIGRAMS PER LITER

Na & K	Ca	Mg	Fe	BA		CL	HCO ₃	SO ₄	CO ₃	OH	
5,267	507	298	Abs.	Abs.		7,976	741	2,000	-	-	

MEQ PER LITER

229.0	25.3	24.4	-	-		224.9	12.2	41.6	-	-	
-------	------	------	---	---	--	-------	------	------	---	---	--

LOGARITHMIC PATTERN MEQ PER LITER



Remarks:


Strat test drilled from ice on lake.

McD et al Hay River No.1 1-41

LAT. 61° 00' 37" N. & LONG. 115° 37' 58" W.

STRATIGRAPHIC LOG

ELEV. -517' K.B.



TOTAL DEPTH - 837'

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 30/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time			
	From	To	Total						
LIST EVERY BIT USED						Remarks			
Drag	Name	New Used	From	To	Total				
ROCK	Number								
BIT	Number								
MUD						Driller			
Aquagel						Helper			
Sacks						Water Jack			
Cement						Accidents			
Other Materials						USE CORRECT TIMES.			

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time			
	From	To	Total						
#1									
LIST EVERY BIT USED						Remarks RIGGED DOWN... SHOT CASING OFF @ 120' UNABLE TO PULL LOOSE, SHOT AGAIN @ 90'. REC 90' TOOK LOAD OFF TIMBERS TO HOLE #2 WAITING FOR ICE BRIDGE + HIGH BOY			
Drag	Name	New Used	From	To	Total				
ROCK	Number								
BIT	Number								
MUD						Driller F KOWALCHUK			
Aquagel						Helper R KENT			
Sacks						Water Jack B FOSSHEIM			
Cement						Accidents			
Other Materials						USE CORRECT TIMES. 12 HRS.			

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time			
	From	To	Total						
LIST EVERY BIT USED						Remarks LEFT LOADED FLAT DECK @ ICE BRIDGE 3 MILES FROM NEW LOCATION, WAITING FOR TIMBERS TO FREEZE IN			
Drag	Name	New Used	From	To	Total				
ROCK	Number								
BIT	Number								
MUD						Driller G SCHULTZ			
Aquagel						Helper S ROWDEN			
Sacks						Water Jack R McDONALD			
Cement						Accidents			
Other Materials						USE CORRECT TIMES. 12 HRS.			

TOOL PUSHER

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 27/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at			
	Drag	Name	New Used	From	To	Total					
										Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at	
MUD	Aquagel		Sacks	Cement			USE CORRECT TIMES.				
	Bran		Sacks	Sacks							
	Other Materials										

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
#1	837					8 ⁰⁰ A.M. - 10 ⁴⁵ WAITING ON CEMENT					
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at			
	Drag	Name	New Used	From	To	Total					
										Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at	
MUD	Aquagel		Sacks	Cement			USE CORRECT TIMES. 12 HRS				
	Bran		Sacks	Sacks							
	Other Materials		10 LBS	CAL							
Driller F. KOWALCHUK							8 ⁰⁰ A.M.				
Helper R. KENT							8 ⁰⁰ P.M.				
Water Jack B. FOSSHEIM											
Accidents											

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
#1											
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at			
	Drag	Name	New Used	From	To	Total					
										Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at	
MUD	Aquagel		Sacks	Cement			USE CORRECT TIMES. 12 HRS				
	Bran		Sacks	Sacks							
	Other Materials										
Driller C. SCHULTZ							8 ⁰⁰ P.M.				
Helper S. ROWDEN							8 ⁰⁰ A.M.				
Water Jack R. McDONALD											
Accidents											

TOOL PUSHER

DAILY DRILLING REPORT

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 21/67
Location HAY RIVER

MIDNIGHT TOUR

TOWN		LEFT RIG		TOTAL TIME		Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
						Hole Finished at	
						Circulating Hole to	
						Made Final Trip to	
LIST EVERY BIT USED					Remarks	Waited on Logger to	
						Logged Hole to	
ROCK BIT					Driller	Rigged Down to	
						Left Hole No. at	
Aquagel Sacks Cement					Helper	Arrived Hole No. at	
						Rigged Up to	
Other Materials					Water Jack	Spudded Hole at	
						USE CORRECT TIMES.	

DAYLIGHT TOUR

TOWN		LEFT RIG		TOTAL TIME		Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
#1	837					Hole Finished at	
						Circulating Hole to	
						Made Final Trip to	
LIST EVERY BIT USED					Remarks	Waited on Logger to	
						Logged Hole to	
ROCK BIT					Driller	Rigged Down to	
						Left Hole No. at	
Aquagel Sacks Cement					Helper	Arrived Hole No. at	
						Rigged Up to	
Other Materials					Water Jack	Spudded Hole at	
						USE CORRECT TIMES.	

EVENING TOUR

TOWN		LEFT RIG		TOTAL TIME		Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
#1					2 ³⁰ AM - 8 ⁰⁰ A.M.	Hole Finished at	
					WAITING ON CEMENT	Circulating Hole to	
					UNABLE TO CIRCULATE TO SURFACE FROM 600' SQUEEZED IN 14 SKS + PULLED BACK TO 240' WELL STARTED TO FLOW CEMENTED AGAIN WITH 16 SKS @ 37-45 PULLED BACK TO 120'	Made Final Trip to	
LIST EVERY BIT USED					Remarks	Waited on Logger to	
						Logged Hole to	
ROCK BIT					Driller	Rigged Down to	
						Left Hole No. at	
Aquagel Sacks Cement					Helper	Arrived Hole No. at	
						Rigged Up to	
Other Materials					Water Jack	Spudded Hole at	
						USE CORRECT TIMES.	

TOOL PUSHER

R. D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 27/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time			
	From	To	Total						
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at	
	Drag	Name	New Used	From	To	Total			Circulating Hole to
									Made Final Trip to
									Waited on Logger to
									Logged Hole to
ROCK	Number						Rigged Down to		
	BIT	Number					Left Hole No. at		
MUD	Aquagel		Sacks		Cement		Arrived Hole No. at		
	Bran		Sacks			Sacks	Rigged Up to		
	Other Materials						Spudded Hole at		
						Driller	USE CORRECT TIMES.		
						Helper			
						Water Jack			
						Accidents			

DAYLIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time			
	From	To	Total						
#1	837								
BITS	LIST EVERY BIT USED						Remarks FISHING FOR REAMER & BIT. RAN IN 200' & KILLED WELL WITH MUD, TRIPPED OUT & LOGGED. RAN IN WITH SPEAR, CAUGHT REAMER, UNABLE TO PULL IT. REAMER SPREAD OPEN.	Hole Finished at	
	Drag	Name	New Used	From	To	Total			Circulating Hole to
									Made Final Trip to
									Waited on Logger to
									Logged Hole #1 3 P.M. to 4 P.M.
ROCK	Number						Rigged Down to		
	BIT	Number					Left Hole No. at		
MUD	Aquagel	8	Sacks		Cement		Arrived Hole No. at		
	Bran		Sacks			Sacks	Rigged Up to		
	Other Materials	6 BAROID 20 GALS DIESEL					Spudded Hole at		
						Driller F. KOWALCHUK	8:00 A.M. 8:00 P.M. USE CORRECT TIMES. 12 HRS		
						Helper R. KENT			
						Water Jack B. FOSSHEIM			
						Accidents			

EVENING TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time			
	From	To	Total						
#1	837								
BITS	LIST EVERY BIT USED						Remarks UNABLE TO PULL FISH, UNABLE TO GET LOOSE FROM FISH, SHOT PIPE OFF & PULLED OUT OF HOLE, WAITING TO SHOOT VELOCITY HOLE FLOWING WATER.	Hole Finished at	
	Drag	Name	New Used	From	To	Total			Circulating Hole to
									Made Final Trip to
									Waited on Logger to
									Logged Hole to
ROCK	Number						Rigged Down to		
	BIT	Number					Left Hole No. at		
MUD	Aquagel		Sacks		Cement		Arrived Hole No. at		
	Bran		Sacks			Sacks	Rigged Up to		
	Other Materials						Spudded Hole at		
						Driller G. SCHULTZ	8:00 P.M. 8:00 A.M. USE CORRECT TIMES. 12 HRS		
						Helper S. ROWDEN			
						Water Jack R. McDONALD			
						Accidents			

TOOL PUSHER

R. D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 26/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN LEFT RIG TOTAL TIME Hrs. Min.

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
ROCK	Number						
BIT	Number						
MUD	Aquagel			Sacks	Cement		
	Bran			Sacks		Sacks	
	Other Materials						
Driller						USE CORRECT TIMES.	
Helper							
Water Jack							
Accidents							

DAYLIGHT TOUR

LEFT TOWN LEFT RIG TOTAL TIME Hrs. Min.

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
#1	804	819	15'		CORING # 78		
					79		
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
ROCK	Number	#4	804	819	15		
BIT	Number						
MUD	Aquagel			Sacks	Cement		
	Bran			Sacks		Sacks	
	Other Materials						
Driller						USE CORRECT TIMES. 12 HRS.	
Helper							
Water Jack							
Accidents							

Core # 78 stuck in inner BBL. Broke wire line, tripped out, hole flowing @ 70 GPM. Pumping water away from rig. Reconditioned 2 inner BBLs, ran in with new bit. Cut # 79.

Driller F. KOWALCHUK
Helper R. KENT
Water Jack B. FOSHEIM

Hole Finished at
Circulating Hole to
Made Final Trip to
Waited on Logger to
Logged Hole to
Rigged Down to
Left Hole No. at
Arrived Hole No. at
Rigged Up to
Spudded Hole at
8 A.M.
8 P.M.

EVENING TOUR

LEFT TOWN LEFT RIG TOTAL TIME Hrs. Min.

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
#1	819	837	18		CORING # 79		
					80		
					8'		
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
ROCK	Number	#4	819	837	18'		
BIT	Number						
MUD	Aquagel			Sacks	Cement		
	Bran			Sacks		Sacks	
	Other Materials						
Driller						USE CORRECT TIMES. 12 HRS.	
Helper							
Water Jack							
Accidents							

BIT STOPPED DIGGING @ 837. PUMP PRESSURE WENT TO 400 LB. PULLED OUT, LOST REAMER SHELL & BIT, TWISTED OFF. HOLE FLOWING WATER, & VERY STRONG WITH H₂S, CLOSED B.O.P.s.

Driller G. SCHULTZ
Helper S. ROWDEN
Water Jack R. McDONALD

Accidents HAD TO TREAT WORKMENS EYES FOR GAS IRRITATION.

Hole Finished at
Circulating Hole to
Made Final Trip to
Waited on Logger to
Logged Hole to
Rigged Down to
Left Hole No. at
Arrived Hole No. at
Rigged Up to
Spudded Hole at
5:00 P.M.
8:00 A.M.

TOOL PUSHER

R. D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 25/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at							
LIST EVERY BIT USED							Remarks						
BITS	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						Driller Helper Water Jack Accidents						
	Number												
MUD	Aquagel	Sacks	Cement				USE CORRECT TIMES.						
	Brann	Sacks	Sacks										
Other Materials													

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1	784	793	9		CORING #75	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 A.M. 8:00 P.M. USE CORRECT TIMES. 12 HRS.							
LIST EVERY BIT USED							Remarks BIT STOPPED DRILLING. TRIED TO RECOVER BBL. BBL STOCK HAD TO TRIP OUT, LAST 62' CORE THROUGH CATCHER BIT WORE OUT. PART OF BIT LEFT ON BOTTOM. TRIPPED IN, REC 1 FT. OF CORE.						
BITS	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						Driller F KOWALCHUK Helper R KENT Water Jack B FOSSHEIM Accidents						
	Number												
MUD	Aquagel	Sacks	Cement				USE CORRECT TIMES. 12 HRS.						
	Brann	Sacks	Sacks										
Other Materials													

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1	793	804	11		CORING #76 77	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 P.M. 8:00 A.M. USE CORRECT TIMES. 12 HRS.							
LIST EVERY BIT USED							Remarks CORED TO 795.5 AND TRIPPED OUT TO CHECK BIT, RAN NEW BIT + REAMER SUB. CORED #77.						
BITS	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number	#4					Driller C SCHULTZ Helper S BOWDEN Water Jack R McDONALD Accidents						
	Number												
MUD	Aquagel	Sacks	Cement				USE CORRECT TIMES. 12 HRS.						
	Brann	Sacks	Sacks										
Other Materials													

TOOL PUSHER

R.D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE March 24/67
Location NO. 1 RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
LIST EVERY BIT USED					Remarks	Hole Finished at	
Drag	Name	New Used	From	To			
						Circulating Hole	
						Made Final Trip	
						Waited on Logger	
						Logged Hole	
						Rigged Down	
						Left Hole No.	
						Arrived Hole No.	
						Rigged Up	
						Spudded Hole	
ROCK					Driller	USE CORRECT TIMES.	
BIT							
MUD					Helper		
Aquagel					Water Jack		
Brn					Accidents		
Other Materials							

DAYLIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
#1	733	753	20'		CORING # 69		
					70	Hole Finished at	
					71	Circulating Hole	
LIST EVERY BIT USED					Remarks <u>STILL TROUBLED WITH</u>	Made Final Trip	
Drag	Name	New Used	From	To			
						Waited on Logger	
						Logged Hole	
						Rigged Down	
						Left Hole No.	
						Arrived Hole No.	
						Rigged Up	
						Spudded Hole	
ROCK					Driller <u>F. KOWALCHUK</u>	8:00 AM	
BIT						Helper <u>B. KENT</u>	8:00 PM
MUD					Water Jack <u>B. FOSSHEIM</u>		
Aquagel					Accidents		
Brn							
Other Materials							

EVENING TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
#1	753	784	31'		CORING # 72		
					73	Hole Finished at	
					74	Circulating Hole	
LIST EVERY BIT USED					Remarks <u>CHANGED CORE CATCHER.</u>	Made Final Trip	
Drag	Name	New Used	From	To			
						Waited on Logger	
						Logged Hole	
						Rigged Down	
						Left Hole No.	
						Arrived Hole No.	
						Rigged Up	
						Spudded Hole	
ROCK					Driller <u>C. SCHULTZ</u>	8:00 PM	
BIT						Helper <u>S. ROWDEN</u>	8:00 A.M.
MUD					Water Jack <u>R. McDONALD</u>		
Aquagel					Accidents		
Brn							
Other Materials							

TOOL PUSHER

R. D. Murray

Rig No.

R. D. MURPHY
DRILLING CONTRACTORDATE MARCH 23/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
						Hole Finished at				
						Circulating Hole to				
						Made Final Trip to				
						Waited on Logger to				
						Logged Hole to				
						Rigged Down to				
						Left Hole No. at				
						Arrived Hole No. at				
						Rigged Up to				
						Spudded Hole at				
LIST EVERY BIT USED					Remarks					
Drag	Name	New Used	From	To	Total					
ROCK	Number									
BIT	Number									
MUD					Driller					
Aquagel					Sacks					
Cement					Sacks					
Brn					Sacks					
Other Materials					Sacks					
					Water Jack					
					Accidents					
					USE CORRECT TIMES.					

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
#1	733		-			Hole Finished at				
						Circulating Hole to				
						Made Final Trip to				
						Waited on Logger to				
						Logged Hole to				
						Rigged Down to				
						Left Hole No. at				
						Arrived Hole No. at				
						Rigged Up to				
						Spudded Hole at				
LIST EVERY BIT USED					Remarks					
Drag	Name	New Used	From	To	Total	WAITING OUT STORM				
ROCK	Number									
BIT	Number									
MUD					Driller					
Aquagel					Sacks					
Cement					Sacks					
Brn					Sacks					
Other Materials					Sacks					
					Water Jack					
					Accidents					
					USE CORRECT TIMES. 12 HRS.					

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
#1	733					Hole Finished at				
						Circulating Hole to				
						Made Final Trip to				
						Waited on Logger to				
						Logged Hole to				
						Rigged Down to				
						Left Hole No. at				
						Arrived Hole No. at				
						Rigged Up to				
						Spudded Hole at				
LIST EVERY BIT USED					Remarks					
Drag	Name	New Used	From	To	Total	TRIED TO RECOVER BBL. UNABLE TO TRIPPED OUT - RECEIVED BBL. AND CORE-SERVICED BBL, TRIPPED IN.				
ROCK	Number									
BIT	Number									
MUD					Driller					
Aquagel					Sacks					
Cement					Sacks					
Brn					Sacks					
Other Materials					Sacks					
					Water Jack					
					Accidents					
					USE CORRECT TIMES. 12 HRS.					

TOOL PUSHER

R.D. Murphy

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE
Location

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.			
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time											
	From	To	Total														
						Hole Finished at											
												Circulating Hole to					
LIST EVERY BIT USED					Remarks	Waited on Logger to											
BITS	Drag	Name	New Used	From								To	Total				
ROCK	Number						Logged Hole to										
BIT	Number												Rigged Down to				
MUD	Aquagel	Sacks	Cement				Left Hole No. at										
	Bran	Sacks		Sacks									Arrived Hole No. at				
	Other Materials						Rigged Up to										
						Spudded Hole at											
												Driller					
						Helper											
												Water Jack					
						Accidents											
												USE CORRECT TIMES.					

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.			
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time											
	From	To	Total														
#1	702	723	21		CORING # 64	Hole Finished at											
					65							Circulating Hole to					
					66												
LIST EVERY BIT USED					Remarks	Waited on Logger to											
BITS	Drag	Name	New Used	From								To	Total				
ROCK	Number	#3					Logged Hole to										
BIT	Number												Rigged Down to				
MUD	Aquagel	Sacks	Cement				Left Hole No. at										
	Bran	Sacks		Sacks									Arrived Hole No. at				
	Other Materials						Rigged Up to										
						Spudded Hole at											
												Driller F KOWALCHUK					
						Helper R KENT											
												Water Jack B FOSSHEIM					
						Accidents											
												USE CORRECT TIMES. 12 HRS					

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.			
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time											
	From	To	Total														
#1	723	733	10		CORING # 67	Hole Finished at											
					68							Circulating Hole to					
LIST EVERY BIT USED					Remarks	Waited on Logger to											
BITS	Drag	Name	New Used	From								To	Total				
ROCK	Number	#3					Logged Hole to										
BIT	Number												Rigged Down to				
MUD	Aquagel	Sacks	Cement				Left Hole No. at										
	Bran	Sacks		Sacks									Arrived Hole No. at				
	Other Materials						Rigged Up to										
						Spudded Hole at											
												Driller G. SCHULTZ					
						Helper S ROWDEN											
												Water Jack R McDONALD					
						Accidents											
												USE CORRECT TIMES. 12 HRS					

TOOL PUSHER

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 21/67
Location May Point

DAILY DRILLING REPORT

MIDNIGHT TOUR.

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
	ROCK BIT	Number					
		Number					
MUD	Aquagel			Sacks	Cement		
	Bran			Sacks		Sacks	
	Other Materials						
Driller Helper Water Jack Accidents							
USE CORRECT TIMES.							

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time									
	From	To	Total												
#1	665	687	22		CORING - # 55	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 A.M. TO 8:00 P.M.									
					56										
					57										
					58										
					59										
LIST EVERY BIT USED							Remarks								
BITS	Drag	Name	New Used	From	To	Total	CORE JAMMING IN BBL.								
							HAD TO RECOVER SHORT								
							CORES.								
ROCK BIT	Number														
	Number														
MUD	Aquagel	Sacks	Cement												
	Brn	Sacks	Sacks												
Other Materials															
				Driller F KOWALCHUK											
				Helper R KENT											
				Water Jack B FOSSHEIM											
				Accidents											
				USE CORRECT TIMES. 12 HRS											

EVENING TOUR

LEFT TOWN			LEFT RIG			TOTAL TIME			Hrs.			Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time								
	From	To	Total											
#1	687	702	15'		CORE # 60									
					61									
					62									
					63									
LIST EVERY BIT USED														
BITS	Drag	Name	New Used	From	To	Total								
ROCK BIT	Number													
	Number													
Remarks														
CORE STILL JAMMING IN THE BBL. FRACTURED FORMATION. PULLED 4 SHORT CORES. TRIPPED OUT.														
Driller														
G. SCHULTZ														
Helper														
S. KWOEN														
Water Jack														
R. McDONALD														
Accidents														
MUD														
AquaGel		Sacks		Cement										
Brn		Sacks		Sacks										
Other Materials														
Hole Finished at														
Circulating Hole to														
Made Final Trip to														
Waited on Logger to														
Logged Hole to														
Rigged Down to														
Left Hole No. at														
Arrived Hole No. at														
Rigged Up to														
Spudded Hole at														
8:00 P.M.														
8:00 A.M.														
USE CORRECT TIMES. 12 HRS														

TOOL PUSHER

R D Murray

DATE MARCH 20/67
Location RAY RIVER

MIDNIGHT TOUR

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time
	From	To	Total			
						Hole Finished at Circulating Hole to Made First Trip to

LIST EVERY BIT USED							Remarks	
BITS	Drag	Name	New Used	From	To	Total		
	ROCK BIT	Number						
	Number							
MUD	Aquagel		Sacks	Cement			Driller	
	Bran		Sacks				Helper	
	Other Materials						Water Jack	
							Accidents	

Made First Trip to

Waited on Logger to

Logged Hole to

Rigged Down to

Left Hole No. at

Arrived Hole No. at

Rigged Up to

Spudded Hole at

USE CORRECT TIMES.

DAYLIGHT TOUR

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time
	From	To	Total			
#1	622	635	13'		CORE # 49	Hole Finished at Circulating Hole to Made By
					50	
					51	

LIST EVERY BIT USED							Remarks		Made Final Trip	
Drag	Name	New Used	From	To	Total			Waited on Logger		
BITS							PAN DEVIATION IN CASING @ 30'-1 1/2" - PAN BACK IN HOLE TO CORE. CORED TILL 4:40 PM. WORKED ON BOP REPLACED RAMPS, PRESSURED UP. O.K. 7:00 - 8:00 CORING	Logged Hole		
						Rigged Down				
						Left Hole No.				
						Arrived Hole No.				
	ROCK	Number					Rigged Up			
	BIT	Number					Spridded Hole			
MUD	Aquagel	Sacks		Cement			Driller	F. KUMALCHUK	8:00 A.M.	
	Brin	Sacks			Sacks		Helper	R. KENT	TO	
	Other Materials						Water Jack	B. FOSSHEIM	8:00 P.M.	
							Accidents			

USE CORRECT TIMES. 12:45

EVENING TOUR

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time
	From	To	Total			
#1	635	665	30'		CORE 52	Hole Finished at Circulating Holeto.....
					53	
					54	

LIST EVERY BIT USED							Remarks		Made Final Trip		
BITS	Drag	Name	New Used	From	To	Total					
	ROCK BIT	Number									
		Number									
MUD	Aquagel	Sacks		Cement							
	Bran	Sacks			Sacks						
	Other Materials										

Remarks **TROUBLE PICKING UP CORE CORE GBL JAMMING DUE TO FRACTURED FORMATION. TRIPPED OUT, RAN DEVIATION @ 30' (2°) ICE SHIFTED**

Driller **C. SCHULTZ**
 Helper **S. POWDEN**
 Water Jack **R. McDONALD**
 Accidents

Made Final Trip to
 Waited on Logger to
 Logged Hole to
 Rigged Down to
 Left Hole No. at
 Arrived Hole No. at
 Rigged Up to
 Spudded Hole at
8:00 P.M.
To
8:00 A.M.

USE CORRECT TIMES **12 14 15**

TOOL PUSHER

R. D. Murray.

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 19/67
Location Hay River

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.					
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time								
	From	To	Total											
						Hole Finished at								
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at						
	Drag	Name	New Used	From	To	Total								
ROCK BIT	Number						Left Hole No. at							
	Number										Arrived Hole No. at			
MUD	Aquagel	Sacks	Cement				Rigged Up to							
	Bran	Sacks		Sacks							Spudded Hole at			
	Other Materials													
Driller						USE CORRECT TIMES.								
Helper														
Water Jack														
Accidents														

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.					
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time								
	From	To	Total											
#1	564	591	27		CORING #43	Hole Finished at								
					44									
BITS	LIST EVERY BIT USED						Remarks <u>BEAN PUMP WENT BAD, SWITCHED TO P.C. PUMP, REPAIRED. BEAN PUMP PULLED OUT TO CHANGE BIT, RAN BACK IN, STARTED TO CORE #44.</u>	Hole Finished at						
	Drag	Name	New Used	From	To	Total								
ROCK BIT	Number						Left Hole No. at							
	Number										Arrived Hole No. at			
MUD	Aquagel	Sacks	Cement				Rigged Up to							
	Bran	Sacks		Sacks							Spudded Hole at			
	Other Materials													
Driller <u>F. KUWALCHUK</u>						8:00 AM								
Helper <u>R. KENT</u>						TO								
Water Jack <u>B. FOSSHEIM</u>						8:00 PM								
Accidents						USE CORRECT TIMES. 12 HRS.								

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.					
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time								
	From	To	Total											
#1	591	622	31		CORING #46	Hole Finished at								
					47									
					48									
BITS	LIST EVERY BIT USED						Remarks <u>CORE JAMMED IN BBL @ 622'. CORE CATCHER & LOWER SUB OF INNER BBL STAYED IN HOLE. TRIPPED OUT @ 622'.</u>	Hole Finished at						
	Drag	Name	New Used	From	To	Total								
ROCK BIT	Number						Left Hole No. at							
	Number										Arrived Hole No. at			
MUD	Aquagel	Sacks	Cement				Rigged Up to							
	Bran	Sacks		Sacks							Spudded Hole at			
	Other Materials													
Driller <u>G. SCHULTZ</u>						8:00 PM								
Helper <u>S. ROWDEN</u>						TO								
Water Jack <u>R. McDONALD</u>						8:00 AM								
Accidents						USE CORRECT TIMES. 12 HRS.								

TOOL PUSHER

R.D. Murray

Rly No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 17/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
						Hole Finished at				
						Circulating Hole to				
						Made Final Trip to				
						Waited on Logger to				
						Logged Hole to				
						Rigged Down to				
						Left Hole No. at				
						Arrived Hole No. at				
						Rigged Up to				
						Spudded Hole at				
LIST EVERY BIT USED					Remarks					
Drag	Name	New Used	From	To						Total
ROCK BIT	Number					Driller				
	Number									Helper
Aquagel Sacks Cement					Water Jack					
Brass Sacks Sacks									Accidents	
Other Materials					USE CORRECT TIMES.					

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
#1	551	564	9		CORINE #41	Hole Finished at				
					42	Circulating Hole to				
						Made Final Trip to				
						Waited on Logger to				
						Logged Hole to				
						Rigged Down to				
						Left Hole No. at				
						Arrived Hole No. at				
						Rigged Up to				
						Spudded Hole at				
LIST EVERY BIT USED					Remarks					
Drag	Name	New Used	From	To						Total
ROCK BIT	Number	#2	555	564		Driller <u>F KOWALCHUK</u>				
	Number									Helper <u>R KENT</u>
Aquagel Sacks Cement					Water Jack <u>B FOSSHEIM</u>					
Brass Sacks Sacks									Accidents	
Other Materials					USE CORRECT TIMES. 12 HRS					

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
#1						Hole Finished at				
						Circulating Hole to				
						Made Final Trip to				
						Waited on Logger to				
						Logged Hole to				
						Rigged Down to				
						Left Hole No. at				
						Arrived Hole No. at				
						Rigged Up to				
						Spudded Hole at				
LIST EVERY BIT USED					Remarks					
Drag	Name	New Used	From	To						Total
ROCK BIT	Number					Driller <u>C SCHULTZ</u>				
	Number									Helper <u>S ROWDEN</u>
Aquagel Sacks Cement					Water Jack <u>R McDONALD</u>					
Brass Sacks Sacks									Accidents	
Other Materials					USE CORRECT TIMES. 12 HRS					

TOOL PUSHER

R.D. Murray

DATE MARCH 17/67
Location MAY RIVER

MIDNIGHT TOUR

DAYLIGHT TOUR

EVENING TOUR

TOOL PUSHER

R. H. Sweeney

DATE MARCH 16/67
Location MAY RIVER

McD et al HAY RIVER #1 1-41
61° 10' — 115° 30'

MIDNIGHT TOUR

STIR

DAYLIGHT TOUR

178

EVENING TOUR

TOOL PUSHER

R. A. Stewart

12 HRS

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 12/67
Location

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
BITS	LIST EVERY BIT USED					Remarks							
	Drag	Name	New Used	From	To		Total						
ROCK BIT	Number												
	Number												
MUD	Aquagel	Sacks	Cement										
	Bran	Sacks		Sacks									
	Other Materials												
Driller													
Helper													
Water Jack													
Accidents													
						USE CORRECT TIMES.							

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1													
BITS	LIST EVERY BIT USED					Remarks							
	Drag	Name	New Used	From	To		Total						
ROCK BIT	Number												
	Number												
MUD	Aquagel	Sacks	Cement										
	Bran	Sacks		Sacks									
	Other Materials												
Driller													
Helper													
Water Jack													
Accidents													
						USE CORRECT TIMES. 12 HRS							

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1													
BITS	LIST EVERY BIT USED					Remarks							
	Drag	Name	New Used	From	To		Total						
ROCK BIT	Number												
	Number												
MUD	Aquagel	Sacks	Cement										
	Bran	Sacks		Sacks									
	Other Materials												
Driller													
Helper													
Water Jack													
Accidents													
						USE CORRECT TIMES. 12 HRS							

TOOL PUSHER

R.D. Murray

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 13/67
Location HAY RIVER

DAILY DRILLING REPORT

Mod 31 at HAY RIVER #1 1-41
S1° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time								
	From	To	Total											
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at								
LIST EVERY BIT USED						Remarks				USE CORRECT TIMES.				
BITS	Drag	Name	New Used	From	To									Total
ROCK BIT	Number						Driller Helper Water Jack Accidents							
	Number													
MUD	Aquagel		Sacks		Cement									
	Bran		Sacks			Sacks								
	Other Materials													

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time								
	From	To	Total											
#1	400	422	22		CORING	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at								
LIST EVERY BIT USED						Remarks CORING # 23 & 24. BIT PLUGGED OFF @ 422, UNABLE TO RETRIEVE INNER BBL, HAD TO TRIP OUT. ICE SHIFTED @ 2 ³⁰ PM. B.O.P. RUBBING ON KELLY. RAN DEVIATION @ 140'-0" 60'-4"				5:00 AM TO 8:00 PM. USE CORRECT TIMES. 12 HRS.				
BITS	Drag	Name	New Used	From	To									Total
ROCK BIT	Number	#2	400	422	22		Driller <u>S. SCHULTZ</u> Helper <u>S. ROWDEN</u> Water Jack <u>P. McDONALD</u> Accidents							
	Number													
MUD	Aquagel		Sacks		Cement									
	Bran		Sacks			Sacks								
	Other Materials													

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time								
	From	To	Total											
#1			422			Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at								
LIST EVERY BIT USED						Remarks TRIPPED OUT WITH CORE BBL. RAN BACK TO 400', MIXED GEL TO KILL WATER FLOW. PULLED BACK TO 180'. WORKED ON B.O.P. GETTING READY TO START RUN CEMENT PLUG.				8:00 PM TO 8:00 AM. USE CORRECT TIMES. 12 HRS.				
BITS	Drag	Name	New Used	From	To									Total
ROCK BIT	Number						Driller <u>F. KOWALCHUK</u> Helper <u>R. KENT</u> Water Jack <u>B. FOSSHEIM</u> Accidents							
	Number													
MUD	Aquagel	6	Sacks		Cement									
	Bran		Sacks			Sacks								
	Other Materials	5 DIESEL	4 BAROOD											

TOOL PUSHER

R. D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 12/67
Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.																						
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time																														
	From	To	Total																																	
						Hole Finished at																														
												Circulating Hole to																								
																		Made Final Trip to																		
LIST EVERY BIT USED							Remarks						Waited on Logger to																							
BITS	Drag	Name	New Used	From	To	Total													Logged Hole to																	
																									Rigged Down to											
																															Left Hole No. at					
ROCK	Number						Rigged Up to																													
	BIT	Number											Spudded Hole at																							
MUD	Aquagel	Sacks	Cement				Driller																													
	Brn	Sacks	Sacks										Helper																							
	Other Materials																		Water Jack																	
							Accidents																													
													USE CORRECT TIMES.																							

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.																						
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time																														
	From	To	Total																																	
#1	354	384	30		CORE # 18 19 20 21 STARTED	Hole Finished at																														
												Circulating Hole to																								
																		Made Final Trip to																		
LIST EVERY BIT USED							Remarks HOLE FLOWING TRIED TO MIX MUD WITH SMALL PUMP SWITCHED OVER TO RIC PUMP. CUT 30' CORE, ICE MOVING, KELLY RUBBING B.O.P. TRIED TO RESET RIC + B.O.P.						Waited on Logger to																							
BITS	Drag	Name	New Used	From	To	Total													Logged Hole to																	
																									Rigged Down to											
																															Left Hole No. at					
ROCK	Number	#2	354	384	30		Rigged Up to																													
	BIT	Number											Spudded Hole at																							
MUD	Aquagel	Sacks	Cement				Driller C. SCHULTZ																													
	Brn	Sacks	Sacks										Helper S. ROWDEN																							
	Other Materials																		Water Jack R. McDONALD																	
							Accidents																													
													USE CORRECT TIMES. 12 HRS.																							

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.																						
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time																														
	From	To	Total																																	
#1	384	400	16		CORING #21 #22	Hole Finished at																														
												Circulating Hole to																								
																		Made Final Trip to																		
LIST EVERY BIT USED							Remarks						Waited on Logger to																							
BITS	Drag	Name	New Used	From	To	Total													Logged Hole to																	
																									Rigged Down to											
																															Left Hole No. at					
ROCK	Number	#2	384	400			Rigged Up to																													
	BIT	Number											Spudded Hole at																							
MUD	Aquagel	Sacks	Cement				Driller F. KOWALCHUK																													
	Brn	Sacks	Sacks										Helper R. KENT																							
	Other Materials	10 GAL DIESEL																	Water Jack B. FOSSHEIM																	
							Accidents																													
													USE CORRECT TIMES. 12 HRS.																							

TOOL PUSHER

R.D. Murray

DATE MARCH 11/61
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEF	TOWN	LEFT RIG	TOTAL TIME	Hrs.	Min.

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
ROCK BIT	Number						Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at
	Number						
MUD	Aquagel Sacks Cement Bran Sacks Sacks Other Materials						Driller Helper Water Jack Accidents

USE CORRECT TIMES.

DAYLIGHT TOUR

LEFT TOWN LEFT RIG TOTAL TIME Hrs. Min.

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time		
	From	To	Total					
#1								
BITS	LIST EVERY BIT USED						Remarks 8:00-8:15 SERVICING R.C. 8:15-1:00 CLEANING DISPLACED PLUG. FROM PUMPS 1:00-7:00 WASHING BACK TO BOTTOM & MIXING MOD. GETTING READY TO CORE.	Hole Finished at
	Drag	Name	New Used	From	To	Total		Circulating Hole to
								Made Final Trip to
								Waited on Logger to
							Logged Hole to	
							Rigged Down to	
							Left Hole No. at	
							Arrived Hole No. at	
							Rigged Up to	
							Spudded Hole at	
							8:00 A.M.	
							TO	
							8:00 P.M.	
MUD	Aquagel	Sacks	Cement				USE CORRECT TIMES. 12 HRS	
	Iron	Sacks		Sacks				
	Other Materials 2 BAROID							
	Driller C. SCHULTZ							
	Helper S POWDEN							
	Water Jack R. McDONALD							
	Accidents							

EVENTING TOUR

LEFT TOWN LEFT RIG TOTAL TIME Hrs. Min.

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
#1	314	354	40'		CORING CORE #14		
					15	Hole Finished at	
					16	Circulating Hole to	
					17	Made Final Trip to	
BITS	LIST EVERY BIT USED						Remarks TRIED TO CORE WITH RIC PUMP, USING MUD, TO MUCH PUMP PRESSURE THROUGH BBL. WENT BACK TO SMALL PUMP. HOLE MAKING WATER.
	Drag	Name	New Used	From	To	Total	
	ROCK	Number	# 2	314	354	40'	
	BIT	Number					
MUD	Aquagel	3	Sacks	Cement		Driller	F. KOWALCHUK
	Brin		Sacks		Sacks	Helper	R. KENT
	Other Materials					Water Jack	B. FOSSHEIM.
						Accidents	

8:00 P.M.
TO
8:00 A.M.

USE CORRECT TIMES. 12 HRS

USE CORRECT TIMES. 12 HRS

TOOL PUSHER

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 10/67
Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
BITS	LIST EVERY BIT USED						Remarks						
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number												
	Number												
MUD	Aquagel	Sacks	Cement										
	Bran	Sacks		Sacks									
	Other Materials												
						Driller							
						Helper							
						Water Jack							
						Accidents							
						USE CORRECT TIMES.							

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1	274	312	38'		HOLE MAKING WATER								
					MIXED MUD								
BITS	LIST EVERY BIT USED						Remarks						
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number	#2	274	312	38'								
	Number												
MUD	Aquagel	6	Sacks	Cement									
	Bran		Sacks		Sacks								
	Other Materials												
						Driller G. SCHULTZ							
						Helper S ROWDEN							
						Water Jack R. McDONALD							
						Accidents							
						8:00 A.M. TO 8:00 P.M.							
						USE CORRECT TIMES. 12 HRS.							

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1	312	314	2		CORING #13								
BITS	LIST EVERY BIT USED						Remarks						
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number												
	Number												
MUD	Aquagel	10	Sacks	Cement									
	Bran		Sacks		Sacks								
	Other Materials 150 GAL DIESEL												
						Driller							
						Helper							
						Water Jack							
						Accidents							
						8:00 P.M. TO 8:00 A.M.							
						USE CORRECT TIMES.							

TOOL PUSHER

R.D. Murray

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 9/67
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at							
LIST EVERY BIT USED				Remarks									
BITS	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number												
	Number												
MUD	Aquagel	Sacks	Cement					Driller					
	Bran	Sacks	Sacks					Helper					
	Other Materials								Water Jack				
								Accidents					
USE CORRECT TIMES.													

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at							
LIST EVERY BIT USED				Remarks									
BITS	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number												
	Number												
MUD	Aquagel	Sacks	Cement					Driller					
	Bran	Sacks	Sacks					Helper					
	Other Materials								Water Jack				
								Accidents					
USE CORRECT TIMES. 12 HRS													

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
#1						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at							
LIST EVERY BIT USED				Remarks									
BITS	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number												
	Number												
MUD	Aquagel	Sacks	Cement					Driller					
	Bran	Sacks	Sacks					Helper					
	Other Materials								Water Jack				
								Accidents					
USE CORRECT TIMES. 12 HRS													

TOOL PUSHER

R.D. Murray

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 8/61
Location HAY RIVER

DAILY DRILLING REPORT

MIDNIGHT TOUR

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
LIST EVERY BIT USED					Remarks	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at	
Drag	Name	New Used	From	To			
ROCK	Number						
BIT	Number						
Aquagel	Sacks	Cement					
Bran	Sacks		Sacks				
Other Materials					Driller		
					Helper		
					Water Jack		
					Accidents		
					USE CORRECT TIMES.		

DAYLIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
HAY RIVER #1	259				CORING		
LIST EVERY BIT USED					Remarks	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at	
Drag	Name	New Used	From	To			
ROCK	Number						
BIT	Number						
Aquagel	Sacks	Cement					
Bran	Sacks		Sacks				
Other Materials					Driller		
					Helper		
					Water Jack		
					Accidents		
					USE CORRECT TIMES. 12 HRS.		

EVENING TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
HAY RIVER #1							
LIST EVERY BIT USED					Remarks	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at	
Drag	Name	New Used	From	To			
ROCK	Number						
BIT	Number						
Aquagel	Sacks	Cement					
Bran	Sacks		Sacks				
Other Materials					Driller		
					Helper		
					Water Jack		
					Accidents		
					USE CORRECT TIMES. 12 HRS.		

TOOL PUSHER

R.D. Murray

R. D. MURRAY

DRILLING CONTRACTOR

DATE MARCH 21 1967

Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 I-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at				
LIST EVERY BIT USED				Remarks						
Drag	Name	New Used	From		To					Total
ROCK BIT	Number					Driller Helper Water Jack Accidents	USE CORRECT TIMES.			
	Number									
MUD	Aquagel	Sacks	Cement			Other Materials				
	Brass	Sacks		Sacks						

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
HAY RIVER #1	195'	225'	40'		185-195' 10' REC CORING - 195-205' 10' REC 205'-215' 10' REC 205'-225' 10' REC	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 A.M. TO 9:00 P.M. USE CORRECT TIMES. 12 HRS.				
LIST EVERY BIT USED				Remarks						
Drag	Name	New Used	From		To					Total
ROCK BIT	Number	1	185	195	10	PULLED CORE BARREL FROM 185' TRIPPED FROM 195' TO RUN NEW STEPPIT - PUMP PRESSURE 41LB. RPM. 240				
	Number	2	195	RUN	30					
MUD	Aquagel	Sacks	Cement			Other Materials				
	Brass	Sacks		Sacks						

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
HAY RIVER #1	225'	259'	34'		CORING	Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 P.M. TO 8:00 A.M. USE CORRECT TIMES. 12 HRS.				
LIST EVERY BIT USED				Remarks						
Drag	Name	New Used	From		To					Total
ROCK BIT	Number	2			34	CORE #5 - 10' REC 8:00-9:50 P.M. CORE #6 - 10' REC 11:15-12:00 P.M. HAD TROUBLE WITH CORE CATCHER. JAMMED. 2 INNER O.B.L. CORE #7 - 5:30-7:30 A.M. PUMP PRESSURE @ 50 LB. RPM. 240				
	Number	2								
MUD	Aquagel	Sacks	Cement			Other Materials				
	Brass	Sacks		Sacks						

TOOL PUSHER

R. D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE MARCH 6/67
Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
						Hole Finished at					
									Circulating Hole		
									Made Final Trip		
						Waited on Logger					
						Logged Hole					
						Rigged Down					
						Left Hole No.					
						Arrived Hole No.					
						Rigged Up					
						Spudded Hole					
LIST EVERY BIT USED				Remarks		Driller					
Drag	Name	New Used	From	To	Total						
ROCK	Number					Helper					
BIT	Number								Water Jack		
Aquagel				Sacks	Cement	Accidents					
Brann				Sacks	Sacks				USE CORRECT TIMES.		
Other Materials											

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
HAY RIVER #1	180	185	5'			Hole Finished at					
									Circulating Hole		
									Made Final Trip		
						Waited on Logger					
						Logged Hole					
						Rigged Down					
						Left Hole No.					
						Arrived Hole No.					
						Rigged Up					
						Spudded Hole					
LIST EVERY BIT USED				Remarks		Driller <u>G. SCHULTZ</u>					
Drag	Name	New Used	From	To	Total				Helper <u>S. ROWDEN</u>		
									Water Jack <u>R. McDONALD</u>		
									Accidents		
ROCK	Number					USE CORRECT TIMES. <u>12 HRS.</u>					
BIT	Number										
Aquagel				Sacks	Cement						
Brann				Sacks	Sacks						
Other Materials											

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
HAY RIVER #1	195'	195'	10'		CORING	Hole Finished at					
									Circulating Hole		
									Made Final Trip		
						Waited on Logger					
						Logged Hole					
						Rigged Down					
						Left Hole No.					
						Arrived Hole No.					
						Rigged Up					
						Spudded Hole					
LIST EVERY BIT USED				Remarks		Driller <u>F. KOWALCHUK</u>					
Drag	Name	New Used	From	To	Total				Helper <u>R. KENT</u>		
									Water Jack <u>B. FOSSHEIM</u>		
									Accidents		
ROCK	Number					USE CORRECT TIMES. <u>12 HRS.</u>					
BIT	Number										
Aquagel				Sacks	Cement						
Brann				Sacks	Sacks						
Other Materials											

TOOL PUSHER

R. D. Murray

DATE MARCH 5 / 67
Location HAY RIVER

McD et al HAY RIVER #1 1-41
61° 10' — 115° 30'

MIDNIGHT TOUR

LEFT TO 'N		LEFT RIG		TOTAL TIME		Hrs.		Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at				
BITS	LIST EVERY BIT USED						Remarks			
	Drag	Name	New Used	From	To	Total				
	ROCK BIT	Number								
		Number								
MUD	Aquagel Sacks Cement Bran Sacks Sacks Other Materials						Driller Helper Water Jack Accidents			
							USE CORRECT TIMES.			

DAYLIGHT TOUR

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
HAY RIVER #1											
LIST EVERY BIT USED						Remarks					
BITS	Drag	Name	New Used	From	To	Total					
	ROCK BIT	Number									
MUD						Driller					
Aquegel						Helper					
Sacks						Water Jack					
Cement						Accidents					
Sacks											
Other Materials											

FINISHED RIGGING UP. A.O.P.
GETTING READY TO DRILL OUT.
FOUND OUT BQ SUB WOULD NOT
FIT 2 1/2" ROCK BIT WENT TO
PINE POINT TO MACHINE SHOP

G. SCHULTZ
S. POWDEN
R. McDONALD

Hole Finished at

Circulating Hole to

Made Final Trip to

Waited on Logger to

Logged Hole to

Rigged Down to

Left Hole No. at

Arrived Hole No. at

Rigged Up to

Spudded Hole at

8:00 A.M.
TO
8:00 P.M.

USE CORRECT TIMES. 12 HRS.

EVENING TOUR

[illegible]

TOOL PUSHER

R. W. Murray.

DATE MARCH 4/67
Location HAY RIVER

McD et al HAY RIVER #1 1-41
61° 10' — 115° 30'

MIDNIGHT TOUR

[illegible]

DAYLIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time			
	From	To	Total						
HAY RIVER #1			177.5			Hole Finished at			
						Circulating Hole to			
						Made Final Trip to			
						Waited on Logger to			
						Logged Hole to			
						Rigged Down to			
						Left Hole No. at			
						Arrived Hole No. at			
						Rigged Up to			
						Spudded Hole at			
LIST EVERY BIT USED					Remarks				
BITS	Drag	Name	New Used	From	To	Total	RAN 20 BAGS CEMENT WITH 4		
							BOSS SLURRY & DISPLACED WITH		
							95 GALS. COMPLETING @ 9 ⁴⁵ A.M.		
							9:45 AM - 8 ⁰⁰ PM WAITING IN CEMENT		
ROCK BIT	Number						PULLED 1" CONDUCTOR UP 15' OFF		
	Number						BOTTOM OF LAKE		
MUD	Aquagel Sacks Cement						Driller C. SCHULTZ		
	Brann Sacks Sacks						Helper S. ROWDEN		
	Other Materials						Water Jack R. McDONALD		
							Accidents		

8:00 A.M.
TO
8:00 P.M.

USE CORRECT TIMES. 12 HRS

EVENING TOUR

LEFT TOWN			LEFT RIG			TOTAL TIME			Hrs.	Min.
Hole No.	FEET DRILLED			Pipe sect	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time				
	From	To	Total							
BITS	LIST EVERY BIT USED					Remarks				
	Drag	Name	New Used	From	To		Total			
	ROCK	Number								
	BIT	Number								
MUD	Aquagel		Sacks	Cement						
	Brum		Sacks			Sacks				
	Other Materials									
Driller F KOWALCHUK Helper R. KENT Water Jack B FASSHEIM Accidents						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 P.M. TO 8:00 A.M. USE CORRECT TIMES. 12 HRS				

TOOL PUSHER

R. D. Murray

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 3/67
Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time									
	From	To	Total												
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at							
	Drag	Name	New Used	From	To	Total		Circulating Hole to							
								Made Final Trip to							
								Waited on Logger to							
							Logged Hole to								
							Rigged Down to								
							Left Hole No. at								
							Arrived Hole No. at								
							Rigged Up to								
							Spudded Hole at								
MUD	Aquagel Sacks Cement						Driller								
	Bran Sacks Sacks							Helper							
	Other Materials								Water Jack						
										Accidents					
						USE CORRECT TIMES.									

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time									
	From	To	Total												
HAY RIVER #1	166	175	9'		HARD LIMESTONE										
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at							
	Drag	Name	New Used	From	To	Total		Circulating Hole to							
								Made Final Trip to							
								Waited on Logger to							
							Logged Hole to								
							Rigged Down to								
							Left Hole No. at								
							Arrived Hole No. at								
							Rigged Up to								
							Spudded Hole at								
MUD	Aquagel Sacks Cement						Driller	8:00 A.M.							
	Bran Sacks Sacks							Helper	TO						
	Other Materials 6-BAROID								Water Jack	8:00 P.M.					
										Accidents					
						USE CORRECT TIMES. 12 HRS									

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time									
	From	To	Total												
#1	175'	177.5			LIMESTONE										
					66'-3 1/2"										
					111'-4 1/2"										
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at							
	Drag	Name	New Used	From	To	Total		Circulating Hole to							
								Made Final Trip to							
								Waited on Logger to							
							Logged Hole to								
							Rigged Down to								
							Left Hole No. at								
							Arrived Hole No. at								
							Rigged Up to								
							Spudded Hole at								
MUD	Aquagel Sacks Cement						Driller	8:00 P.M.							
	Bran Sacks Sacks							Helper	TO						
	Other Materials 3 BAROID								Water Jack	8:00 A.M.					
										Accidents					
						USE CORRECT TIMES. 12 HRS									

TOOL PUSHER

R.D. Murray

Log No.

R. D. MURRAY
DRILLING CONTRACTOR

DATE MARCH 2/67
Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
BITS	LIST EVERY BIT USED						Remarks						
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						Driller						
	Number												
MUD	Aquagel		Sacks	Cement			Helper						
	Brn		Sacks	Sacks									
	Other Materials												
						Water Jack	Accidents						
USE CORRECT TIMES.													

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
HAY RIVER #1	0	80'	80'		WATER								
	80'	122'	42'		SOFT SILTY SEDIMENT								
	122'	142'	20'		LIMESTONE								
BITS	LIST EVERY BIT USED						Remarks						
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						Driller						
	Number												
MUD	Aquagel		Sacks	Cement			Helper						
	Brn		Sacks	Sacks									
	Other Materials												
						Water Jack	Accidents						
USE CORRECT TIMES. 12 HRS													

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
HAY RIVER #1	142	166	24'		LIMESTONE, VERY HARD								
					AND ROUGH								
BITS	LIST EVERY BIT USED						Remarks						
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						Driller						
	Number												
MUD	Aquagel		Sacks	Cement			Helper						
	Brn		Sacks	Sacks									
	Other Materials												
						Water Jack	Accidents						
USE CORRECT TIMES. 12 HRS													

TOOL PUSHER

R.D. Murray

DAILY DRILLING REPORT

DRILLING CONTRACTOR

DATE MARCH 1/67
Location HAY RIVER

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILED	Explain Logging Time and Stand by Time					
	From	To	Total								
LIST EVERY BIT USED					Remarks		Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at				
Drag	Name	New Used	From	To							
ROCK	Number										
BIT	Number										
MUD					Driller						
Aquagel					Helper						
Sacks					Water Jack						
Cement					Accidents						
Other Materials							USE CORRECT TIMES.				

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
HAY RIVER #1											
LIST EVERY BIT USED					Remarks		Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at				
Drag	Name	New Used	From	To							
ROCK	Number										
BIT	Number										
MUD					Driller						
Aquagel					Helper						
Sacks					Water Jack						
Cement					Accidents						
Other Materials							USE CORRECT TIMES. 12 HRS.				

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.		Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
LIST EVERY BIT USED					Remarks		Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at				
Drag	Name	New Used	From	To							
ROCK	Number										
BIT	Number										
MUD					Driller						
Aquagel					Helper						
Sacks					Water Jack						
Cement					Accidents						
Other Materials							USE CORRECT TIMES. 12 HRS.				

TOOL PUSHER

R.D. Murray

MURRAY
DRILLING CONTRACTOR

DATE FEB 28/67
Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
ROCK	Number						
	BIT		Number				
MUD	Aquagel		Sacks	Cement			
	Bran		Sacks	Sacks			
	Other Materials						
				Driller			
				Helper			
				Water Jack			
				Accidents			
						USE CORRECT TIMES.	

DAYLIGHT TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
ROCK	Number						
	BIT		Number				
MUD	Aquagel		Sacks	Cement			
	Bran		Sacks	Sacks			
	Other Materials						
				Driller			
				Helper			
				Water Jack			
				Accidents			
						8:00 AM TO 8:00 P.M.	
						USE CORRECT TIMES. 12 HRS	

EVENING TOUR

LEFT TOWN		LEFT RIG		TOTAL TIME		Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
BITS	LIST EVERY BIT USED						Remarks
	Drag	Name	New Used	From	To	Total	
ROCK	Number						
	BIT		Number				
MUD	Aquagel		Sacks	Cement			
	Bran		Sacks	Sacks			
	Other Materials						
				Driller			
				Helper			
				Water Jack			
				Accidents			
						8:00 P.M. TO 8:00 A.M.	
						USE CORRECT TIMES. 12 HRS	

TOOL PUSHER

R.D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTORDATE FEB 27/67
Location HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 I-41
61° 10' — 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
BITS	LIST EVERY BIT USED						Remarks WAITING FOR CAT TO CLEAR ROAD TO LOCATION	Hole Finished at					
	Drag	Name	New Used	From	To	Total		Circulating Hole to					
								Made Final Trip to					
								Waited on Logger to					
								Logged Hole to					
								Rigged Down to					
ROCK BIT	Number						Left Hole No. at						
	Number						Arrived Hole No. at						
MUD	Aquagel	Sacks	Cement				Rigged Up to						
	Bran	Sacks		Sacks			Spudded Hole at						
	Other Materials						8:00 A.M. TO 8:00 P.M. USE CORRECT TIMES. 12 HRS						
DAYLIGHT TOUR													

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
BITS	LIST EVERY BIT USED						Remarks NO LOCATION WENT OUT ON LAKE TO PUT TIMBERS OVER PRESSURE RIDGE, READY TO MOVE IN THE A.M.	Hole Finished at					
	Drag	Name	New Used	From	To	Total		Circulating Hole to					
								Made Final Trip to					
								Waited on Logger to					
								Logged Hole to					
								Rigged Down to					
ROCK BIT	Number						Left Hole No. at						
	Number						Arrived Hole No. at						
MUD	Aquagel	Sacks	Cement				Rigged Up to						
	Bran	Sacks		Sacks			Spudded Hole at						
	Other Materials						8:00 P.M. TO 8:00 A.M. USE CORRECT TIMES. 12 HRS.						
EVENING TOUR													

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs. Min.	
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
BITS	LIST EVERY BIT USED						Remarks	Hole Finished at					
	Drag	Name	New Used	From	To	Total		Circulating Hole to					
								Made Final Trip to					
								Waited on Logger to					
								Logged Hole to					
								Rigged Down to					
ROCK BIT	Number						Left Hole No. at						
	Number						Arrived Hole No. at						
MUD	Aquagel	Sacks	Cement				Rigged Up to						
	Bran	Sacks		Sacks			Spudded Hole at						
	Other Materials						USE CORRECT TIMES.						

TOOL PUSHER

R.D. Murray

Rig No.

R. D. MURRAY
DRILLING CONTRACTOR

DATE

FEB 26/67

Location

HAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' 115° 30'

MIDNIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 A.M. TO 8:00 P.M. USE CORRECT TIMES. 12 HRS.					
LIST EVERY BIT USED					Remarks NO LOCATION						
BITS	Drag	Name	New Used	From						To	Total
ROCK BIT	Number										
	Number										
MUD	Aquagel	Sacks	Cement				Driller Helper Water Jack Accidents				
	Bray	Sacks	Sacks								
	Other Materials										

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 8:00 P.M. TO 8:00 A.M. USE CORRECT TIMES. 12 HRS.					
LIST EVERY BIT USED					Remarks NO LOCATION						
BITS	Drag	Name	New Used	From						To	Total
ROCK BIT	Number										
	Number										
MUD	Aquagel	Sacks	Cement				Driller Helper Water Jack Accidents				
	Bray	Sacks	Sacks								
	Other Materials										

EVENING TOUR

LEFT TOWN				LEFT RIG		TOTAL TIME		Hrs.	Min.		
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time					
	From	To	Total								
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at USE CORRECT TIMES.					
LIST EVERY BIT USED					Remarks						
BITS	Drag	Name	New Used	From						To	Total
ROCK BIT	Number										
	Number										
MUD	Aquagel	Sacks	Cement				Driller Helper Water Jack Accidents				
	Bray	Sacks	Sacks								
	Other Materials										

TOOL PUSHER

R. D. Murray

R. D. MURRAY
DRILLING CONTRACTOR

DATE FEB 25/67
Location MAY RIVER

DAILY DRILLING REPORT

McD et al HAY RIVER #1 1-41
61° 10' - 115° 30'

MIDNIGHT TOUR

LEFT TOWN	LEFT RIG	TRIP TIME	Hrs.	Min.

Hole No.		FEET DRILLED			Pipe or	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time																																														
		From	To	Total																																																	
<table border="1"> <thead> <tr> <th colspan="7">LIST EVERY BIT USED</th> <th rowspan="2">Remarks</th> </tr> <tr> <th>Drag</th> <th>Name</th> <th>New Used</th> <th>From</th> <th>To</th> <th>Total</th> <th></th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2">ROCK BIT</td> <td>Number</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Number</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							LIST EVERY BIT USED							Remarks	Drag	Name	New Used	From	To	Total																		ROCK BIT	Number							Number							
LIST EVERY BIT USED							Remarks																																														
Drag	Name	New Used	From	To	Total																																																
ROCK BIT	Number																																																				
	Number																																																				
MUD	Aquagel		Sacks	Cement			Driller																																														
	Brum		Sacks				Helper																																														
	Other Materials						Water Jack																																														
							Accidents																																														

Hole Finished at
 Circulating Hole to
 Made Final Trip to
 Waited on Logger to
 Logged Hole to
 Rigged Down to
 Left Hole No. at
 Arrived Hole No. at
 Rigged Up to
 Spudded Hole at

USE CORRECT TIMES.

DAYLIGHT TOUR

LEFT TOWN LEFT RIG TOTAL TIME Hrs. Min.

Hole No.		FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time																																									
		From	To	Total																																												
<table border="1"> <thead> <tr> <th colspan="7">LIST EVERY BIT USED</th> </tr> <tr> <th>Drag</th> <th>Name</th> <th>New Used</th> <th>From</th> <th>To</th> <th>Total</th> <th></th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td rowspan="2">ROCK BIT</td> <td>Number</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Number</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							LIST EVERY BIT USED							Drag	Name	New Used	From	To	Total																ROCK BIT	Number						Number						Remarks ARRIVED IN HAY RIVER AT NOON. STARTED TO RIG UP CAMP & UTILITY TRAILERS. NO LOCATION READY
LIST EVERY BIT USED																																																
Drag	Name	New Used	From	To	Total																																											
ROCK BIT	Number																																															
	Number																																															
<table border="1"> <thead> <tr> <th colspan="2">MUD</th> <th colspan="2">Sacks</th> <th colspan="2">Cement</th> <th colspan="2">Sacks</th> </tr> </thead> <tbody> <tr> <td colspan="2">Aquagel</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> <tr> <td colspan="2">Bron</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> <tr> <td colspan="2">Other Materials</td> <td colspan="2"></td> <td colspan="2"></td> <td colspan="2"></td> </tr> </tbody> </table>							MUD		Sacks		Cement		Sacks		Aquagel								Bron								Other Materials								Driller Helper Water Jack Accidents									
MUD		Sacks		Cement		Sacks																																										
Aquagel																																																
Bron																																																
Other Materials																																																
							Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at 12:00 P.M. 8:00 P.M.																																									
							TIE LOGS 8 HRS.																																									

EVENING TOUR

LEFT TOWN LEFT RIG TOTAL TIME Hrs. Min.

Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time	
	From	To	Total				
LIST EVERY BIT USED				Remarks MOUNTING LIGHT PLANT IN TRUCK VAN RIGGING UP GAS TANKS WAITING ON LOCATION	Hole Finished at		
BITS	Drag	Name	New Used		From	To	Total
ROCK BIT	Number						
		Number					
MUD	Aquagel	Sacks	Cement	Driller		5:00 P.M. TO 8: A.M. USE CORRECT TIMES. 12 HRS.	
	Bran	Sacks	Sacks	Water Jack			
	Other Materials			Accidents			

USE CORRECT TIMES. 12 HRS.

TOOL PUSHER

R. D. Murray

Rig No. 1

R. D. MURRAY

DAILLING CONTRACTOR

DATE

FEB 23 - 1967

Location

WCD at al HAY RIVER #1 1-41
61° 10' - 115° 30'

DAILY DRILLING REPORT

MIDNIGHT TOUR

J. RAY DERMOTT & CO.

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at							
BITS	LIST EVERY BIT USED						Remarks	Driller Helper Water Jack Accidents					
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						USE CORRECT TIMES.						
	Number												
MUD	Aquagel			Sacks	Cement								
	Bran			Sacks		Sacks							
	Other Materials												

DAYLIGHT TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at							
BITS	LIST EVERY BIT USED						Remarks	Driller Helper Water Jack Accidents					
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						USE CORRECT TIMES.						
	Number												
MUD	Aquagel			Sacks	Cement								
	Bran			Sacks		Sacks							
	Other Materials												

EVENING TOUR

LEFT TOWN				LEFT RIG				TOTAL TIME				Hrs.	Min.
Hole No.	FEET DRILLED			Pipeset	DESCRIBE FORMATION DRILLED	Explain Logging Time and Stand by Time							
	From	To	Total										
						Hole Finished at Circulating Hole to Made Final Trip to Waited on Logger to Logged Hole to Rigged Down to Left Hole No. at Arrived Hole No. at Rigged Up to Spudded Hole at							
BITS	LIST EVERY BIT USED						Remarks	Driller Helper Water Jack Accidents					
	Drag	Name	New Used	From	To	Total							
ROCK BIT	Number						USE CORRECT TIMES.						
	Number												
MUD	Aquagel			Sacks	Cement								
	Bran			Sacks		Sacks							
	Other Materials												

TOOL PUSHER

R. D. Murray