

AGAT LABORATORIES
Core Services Division

PRELIM DATA

9211-P33-4-7


CALGARY COPY
PRELIMINARY REPORT

PARA et al CAMERON
73-60-10-117-30

m-73

Prepared For
PARAMOUNT RESOURCES LTD.

RC3076
02/14/91



PRELIM DATA

COMPANY: PARAMOUNT RESOURCES LTD.
 WELL: PARA et al CAMERON
 LOCATION: 73-60-10-117-30
 FORMATION: SULPHUR POINT
 DRILLING FLUID:

AGAT LABORATORIES

Page: 1
 W/O No: RC3076
 Date: 14/02/91

PRELIMINARY CORE ANALYSIS DATA

Sample	Interval (m)		Rep Thick (m)	Sample Length (m)	-----Gas Permeability-----			Porosity	Density (kg/m3)		Residual Saturation		Remarks
	Top	Base			Kmax (mD)	K90 (mD)	Vertical (mD)		Bulk	Grain	Oil	Water	

CORE NO. 3 1397.00 - 1407.00 (RECEIVED IN LAB = 10.00m)													
SP001P	1398.03	-	-	-	.11	-	-	.022	2640	2690	.000	.278	
SP002P	1401.37	-	-	-	.09	-	-	.050	2550	2680	.196	.099	
SP003P	1403.61	-	-	-	.04	-	-	.008	2680	2700	.000	.189	
SP004P	1405.42	-	-	-	.05	-	-	.034	2610	2700	.000	.158	
CORE NO. 4 1407.00 - 1425.00 (RECEIVED IN LAB = 18.00m)													
SP005P	1408.12	-	-	-	.04	-	-	.036	2650	2750	.217	.194	
SP006P	1409.69	-	-	-	.51	-	-	.056	2650	2800	.254	.102	
SP007P	1410.78	-	-	-	.60	-	-	.126	2480	2830	.121	.172	
SP008P	1412.43	-	-	-	112.	-	-	.213	2220	2830	.484	.340	
SP009P	1414.46	-	-	-	.04	-	-	.020	2770	2830	trc	.188	
SP010P	1416.77	-	-	-	7.86	-	-	.028	2740	2820	trc	.121	
SP011P	1417.00	-	-	-	.82	-	-	.072	2630	2830	.817	.108	
SP012P	1418.44	-	-	-	55.1	-	-	.147	2420	2840	.391	.092	
SP013P	1419.80	-	-	-	.19	-	-	.065	2650	2830	.314	.312	
SP014P	1424.95	-	-	-	<.01	-	-	.009	2760	2790	.532	.119	

COMPANY: PARAMOUNT RESOURCES LTD.
WELL: PARA et al CAMERON
LOCATION: 73-60-10-117-30
FIELD:
FORMATION(S): SULPHUR POINT
W/O: RC3076



RECOVERY: 28.00 m
CORED INTERVAL: 1397.00 -1425.00
DRLG. FLD.:
ELEVATION: KB:
GRD:

CORELOG

