

**ENTEST**CORP.

CUSTOMER: PARAMOUNT RESOURCES LTD.

WELL NAME / No. PARAMOUNT ET AL LIARD

TYPE TEST: 3RD INTERVAL 24HR., 6HR. PARTIAL

COMPANY REP: BERT BLAKELY

FIELD OR AREA: LIARD

ZONE: MATTSON SAND

METER RUN: 154.05 mm

GAS DENSITY: 0.65 Air = 1

UNIT NUMBER: 14

SUPERVISOR: R. LUTZ

| Date<br>dd/mm/yy | Time<br>hh:mm | Elps flow<br>Time<br>Decimal | Choke<br>size<br>mm                                      | Tubing<br>Press.<br>kPa | Casing<br>Press.<br>kPa | Flow<br>Temp °C | Static<br>Press. kPa | Diff. Press.<br>kPa | Meter<br>Temp °C | Orifice<br>Size<br>mm | Gas<br>Rate<br>10³M³/day | Cum.<br>Gas<br>10³M³ | Fluid<br>Volume M³<br>/ hr | Calc. Inc.<br>HC/hr<br>M³ | Cum<br>HC<br>M³ | Calc. Inc.<br>H₂O/hr M³ | Cum<br>H₂O<br>M³ | BS&W<br>% | P.H. | SAL % |
|------------------|---------------|------------------------------|----------------------------------------------------------|-------------------------|-------------------------|-----------------|----------------------|---------------------|------------------|-----------------------|--------------------------|----------------------|----------------------------|---------------------------|-----------------|-------------------------|------------------|-----------|------|-------|
| 05/03/99         | 09:00         |                              | SLICKLINE RETRIEVING RECORDERS. RUNNING GRADIENT.        |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 10:15         |                              | OUT OF HOLE WITH RECORDERS.                              |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 11:10         |                              | OUT OF HOLE WITH COLLAR STOP.                            |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 11:30         |                              | RIG UP WIRELINE TO SET W/R PLUG.                         |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 12:15         |                              | RUNNING PLUG.                                            |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 13:05         |                              | OUT OF HOLE.                                             |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 13:45         |                              | OPEN TO BLEED DOWN TO 10 MPa. CSG. = 13593 KPa.          |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 14:00         |                              |                                                          |                         | 10000                   |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 14:20         |                              | RUN IN TO PERFORATE.                                     |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 15:00         |                              | OUT OF HOLE. RIG OFF. PREPARE TO FLOW.                   |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 15:30         | 0.00                         | 19.05                                                    | N/A                     | 14223                   |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | OPEN TO FLOW ON 48/64"(19.05mm) CHOKE.                   |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 15:35         | 0.08                         | 19.05                                                    | N/A                     | 10911                   |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 15:40         | 0.16                         | 19.05                                                    | N/A                     | 10350                   |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 15:45         | 0.25                         | 19.05                                                    | N/A                     | 9978                    | 15              | 1827                 | 89.64               | 0                | 76.20                 | 526.19                   | 5.48                 |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | METER IN SERVICE WITH 3.00"(76.20mm) ORIFICE PLATE.      |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 16:00         | 0.50                         | 19.05                                                    | N/A                     | 8472                    | 15              | 1979                 | 68.72               | 5                | 76.20                 | 476.70                   | 10.45                |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | CHANGE ORIFICE TO 4.00"(101.6 mm). INCREASE BACKPRESSURE |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 16:15         | 0.75                         | 19.05                                                    | N/A                     | 8467                    | 15              | 1310                 | 43.82               | 7                | 101.60                | 592.11                   | 16.61                |                            |                           |                 |                         |                  |           |      |       |

**ENTEST<sub>CORP.</sub>**

CUSTOMER: PARAMOUNT RESOURCES LTD.

AL NAME / No. PARAMOUNT ET AL LIARD

TYPE TEST: 3RD INTERVAL 24HR.,6HR. PARTIAL

COMPANY REP: BERT BLAKELY

FIELD OR AREA: LIARD

ZONE: MATTSON SAND

METER RUN: 154.05 mm

GAS DENSITY: 0.65    Air = 1

UNIT NUMBER: 14

SUPERVISOR: R.LUTZ

[illegible]

**ENTEST**CORP.

CUSTOMER: PARAMOUNT RESOURCES LTD.

WELL NAME / No. PARAMOUNT ET AL LIARD

TYPE TEST: 3RD INTERVAL 24HR., 6HR. PARTIAL

COMPANY REP: BERT BLAKELY

FIELD OR AREA: LIARD

ZONE: MATTSON SAND

METER RUN: 154.05 mm

GAS DENSITY: 0.65 Air = 1

UNIT NUMBER: 14

SUPERVISOR: R.LUTZ

| Date<br>dd/mm/yy | Time<br>hh:mm | Eps flow<br>Time<br>Decimal                           | Choke<br>size<br>mm | Tubing<br>Press.<br>kPa | Casing<br>Press.<br>kPa | Flow<br>Temp °C                     | Static<br>Press. kPa | Diff. Press.<br>kPa | Meter<br>Temp °C | Orifice<br>Size<br>mm | Gas<br>Rate<br>10³M³/day | Cum.<br>Gas<br>10³M³ | Fluid<br>Volume M³<br>/ hr | Calc. Inc<br>HC/hr<br>M³ | Cum<br>HC<br>M³ | Calc. Inc<br>H₂O/hr M³ | Cum<br>H₂O<br>M³ | BS&W<br>% | P.H. | SAL % |
|------------------|---------------|-------------------------------------------------------|---------------------|-------------------------|-------------------------|-------------------------------------|----------------------|---------------------|------------------|-----------------------|--------------------------|----------------------|----------------------------|--------------------------|-----------------|------------------------|------------------|-----------|------|-------|
|                  | 21:45         |                                                       |                     |                         | 13401                   | TOTAL OIL PRODUCED = 1.90 M^3       |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 22:00         |                                                       |                     |                         | 13647                   | TOTAL H2O PRODUCED = 0.07 M^3       |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 22:15         |                                                       |                     |                         | 13827                   |                                     | TEST TIME = 6:00hrs  |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 22:30         |                                                       |                     |                         | 13839                   | BUILD UPS TILL 23:30 PM = 13896 KPA |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
| 06/03/99         | 11:30         | PART 2 OF 3RD INTERVAL PERFORATING FINISHED.          |                     |                         |                         |                                     |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 13:30         | RECORDERS SET. SLICKLINE OUT OF HOLE.                 |                     |                         |                         |                                     |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 14:00         | 6.00                                                  | 19.05               | N/A                     | 14073                   |                                     |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  |               | OPEN TO FLOW ON A 48/64"(19.05mm) CHOKE.              |                     |                         |                         |                                     |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 14:05         | 6.08                                                  | 19.05               | N/A                     | 11787                   | 8                                   |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 14:10         | 6.16                                                  | 19.05               | N/A                     | 11322                   | 8                                   |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 14:15         | 6.25                                                  | 19.05               | N/A                     | 11280                   | 8                                   | 1000                 | 47.31               | 2                | 95.25                 | 466.56                   | 146.24               |                            |                          |                 |                        |                  |           |      |       |
|                  |               | METER IN SERVICE WITH A 3.75"(95.25mm) ORIFICE PLATE. |                     |                         |                         |                                     |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 14:30         | 6.50                                                  | 19.05               | N/A                     | 11253                   | 10                                  | 938                  | 43.82               | 0                | 95.25                 | 437.66                   | 149.99               |                            |                          |                 |                        |                  |           |      |       |
|                  | 14:45         | 6.75                                                  | 19.05               | N/A                     | 11184                   | 14                                  | 910                  | 42.33               | -1               | 95.25                 | 425.04                   | 153.63               |                            |                          |                 |                        |                  |           |      |       |
|                  | 15:00         | 7.00                                                  | 19.05               | N/A                     | 10869                   | 15                                  | 931                  | 41.83               | 0                | 95.25                 | 426.38                   | 157.38               | 0.24                       | 0.24                     | 2.14            | 0.00                   | 0.07             | 1         |      |       |
|                  |               | CHOKE OPENED TO 56/64"(22.23mm).                      |                     |                         |                         |                                     |                      |                     |                  |                       |                          |                      |                            |                          |                 |                        |                  |           |      |       |
|                  | 15:30         | 7.50                                                  | 22.23               | N/A                     | 8787                    | 18                                  | 1296                 | 57.27               | 6                | 95.25                 | 576.62                   | 169.23               |                            |                          |                 |                        |                  |           |      |       |
|                  | 16:00         | 8.00                                                  | 22.23               | N/A                     | 8780                    | 22                                  | 1379                 | 61.01               | 13               | 95.25                 | 604.73                   | 181.57               | 0.85                       | 0.85                     | 2.99            | 0.00                   | 0.07             | 0         |      |       |
|                  | 16:30         | 8.50                                                  | 22.23               | N/A                     | 8630                    | 22                                  | 1379                 | 59.76               | 18               | 95.25                 | 592.87                   | 193.73               |                            |                          |                 |                        |                  |           |      |       |

**ENTEST CORP.**

CONTINUING: PARAMOUNT RESOURCES LTD.

ALL NAME / No. PARAMOUNT ET AL LIARD

TYPE TEST: 3RD INTERVAL 24HR., 6HR. PARTIAL

COMPANY REP: BERT BLAKELY

FIELD OR AREA: LIARD

ZONE: MATTSON SAND

METRIC RUN: 154.05 min

GAS DENSITY: 0.65 Air = 1

UNIT NUMBER: 14

SUPERVISOR: R.LUTZ

[illegible]

**ENTEST**corp.

CUSTOMER: PARAMOUNT RESOURCES LTD.

J. NAME / No. PARAMOUNT ET AL LIARD

TYPE TEST: 3RD INTERVAL 24HR., 6HR. PARTIAL

COMPANY REP: BERT BLAKELY

FIELD OR AREA: LIARD

ZONE: MATTSON SAND

METER RUN: 154.05 mm

GAS DENSITY: 0.65 Air = 1

UNIT NUMBER: 14

SUPERVISOR: R. LUTZ

| Date<br>dd/mm/yy | Time<br>hh:mm | Elps flow<br>Time<br>Decimal | Choke<br>size<br>mm                                  | Tubing<br>Press.<br>kPa | Casing<br>Press.<br>kPa | Flow<br>Temp °C | Static<br>Press. kPa | Diff. Press.<br>kPa | Meter<br>Temp °C | Orifice<br>Size<br>mm | Gas<br>Rate<br>10³M³/day | Cum.<br>Gas<br>10³M³ | Fluid<br>Volume M³<br>/ hr | Calc. Inc.<br>HC/hr<br>M³ | Cum<br>HC<br>M³ | Calc. Inc.<br>H₂O/hr M³ | Cum<br>H₂O<br>M³ | BS&W<br>% | P.H. | SAL % |
|------------------|---------------|------------------------------|------------------------------------------------------|-------------------------|-------------------------|-----------------|----------------------|---------------------|------------------|-----------------------|--------------------------|----------------------|----------------------------|---------------------------|-----------------|-------------------------|------------------|-----------|------|-------|
|                  | 23:30         | 15.50                        | 22.23                                                | N/A                     | 8050                    | 23              | 1310                 | 55.78               | 19               | 95.25                 | 557.88                   | 361.92               |                            |                           |                 |                         |                  |           |      |       |
| 07/03/99         | 00:00         | 16.00                        | 22.23                                                | N/A                     | 8030                    | 23              | 1310                 | 55.78               | 19               | 95.25                 | 557.88                   | 373.55               | 0.19                       | 0.19                      | 5.49            | 0.00                    | 0.10             | 1         | 0    | 0     |
|                  |               |                              | BLOW DOWN METER. SPIN-OUT=TRACE OF H2O AND 3% SEDIME |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 00:30         | 16.50                        | 22.23                                                | N/A                     | 8050                    | 23              | 1310                 | 60.76               | 19               | 95.25                 | 581.49                   | 385.61               |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | ZEROED AND BLOW DOWN METER.                          |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 01:00         | 17.00                        | 22.23                                                | N/A                     | 8000                    | 24              | 1303                 | 57.77               | 20               | 95.25                 | 564.87                   | 397.37               | 0.21                       | 0.20                      | 5.69            | 0.01                    | 0.11             | 6         | 8    | 2     |
|                  | 01:30         | 17.50                        | 22.23                                                | N/A                     | 7960                    | 23              | 1296                 | 61.25               | 19               | 95.25                 | 580.65                   | 409.43               |                            |                           |                 |                         |                  |           |      |       |
|                  | 02:00         | 18.00                        | 22.23                                                | N/A                     | 7950                    | 24              | 1276                 | 60.76               | 19               | 95.25                 | 573.96                   | 421.36               | 0.09                       | 0.08                      | 5.77            | 0.01                    | 0.12             | 7         | 8    | 1     |
| 07/03/99         |               |                              | CUMM. GAS FLARED = 421.36 10³M³                      |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | GAS FLARED PAST 12hrs = 263.98 10³M³                 |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | CUMM OIL = 5.77 M³                                   |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | OIL PRODUCED PAST 12hrs = 3.63 M³                    |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | CUMM H2O = 0.12 M³                                   |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | H2O PRODUCED PAST 12hrs = 0.05 M³                    |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | ZEROED AND BLOW DOWN METER                           |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  |               |                              | SPIN-OUT = TRACE OF SEDIMENT. API = 38               |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |
|                  | 02:30         | 18.50                        | 22.23                                                | N/A                     | 7960                    | 24              | 1276                 | 60.76               | 18               | 95.25                 | 575.05                   | 433.31               |                            |                           |                 |                         |                  |           |      |       |
|                  | 03:00         | 19.00                        | 22.23                                                | N/A                     | 7920                    | 24              | 1276                 | 60.26               | 18               | 95.25                 | 572.76                   | 445.22               | 0.35                       | 0.32                      | 6.09            | 0.03                    | 0.15             | 9         | 8    | 5.6   |
|                  |               |                              | SPIN-OUT = 1% SEDIMENT.                              |                         |                         |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |      |       |

**ENTEST**corp.

CUSTOMER: PARAMOUNT RESOURCES LTD.

WELL NAME / No. PARAMOUNT ET AL LIARD

TYPE TEST: 3RD INTERVAL 24HR., 6HR. PARTIAL

COMPANY REP: BERT BLAKELY

FIELD OR AREA: LIARD

ZONE: MATTSON SAND

METER RUN: 104.06 mm

GAS DENSITY: 0.65 Air = 1

UNIT NUMBER: 14

SUPERVISOR: R.LUTZ

| Date<br>dd/mm/yy | Time<br>hh:mm | Eps flow<br>Time<br>Decimal | Choke<br>size<br>mm                            | Tubing<br>Press<br>kPa | Casing<br>Press<br>kPa | Flow<br>Temp °C | Static<br>Press. kPa | Diff. Press.<br>kPa | Meter<br>Temp °C | Orifice<br>Size<br>mm | Gas<br>Rate<br>10³M³/day | Cum.<br>Gas<br>10³M³ | Fluid<br>Volume M³<br>/ hr | Calc. Inc.<br>HC/hr<br>M³ | Cum<br>HC<br>M³ | Calc. Inc.<br>H₂O/hr M³ | Cum<br>H₂O<br>M³ | BS&W<br>% | P.H | SAL % |
|------------------|---------------|-----------------------------|------------------------------------------------|------------------------|------------------------|-----------------|----------------------|---------------------|------------------|-----------------------|--------------------------|----------------------|----------------------------|---------------------------|-----------------|-------------------------|------------------|-----------|-----|-------|
|                  | 03:30         | 19.50                       | 22.23                                          | N/A                    | 7920                   | 24              | 1276                 | 60.26               | 19               | 95.25                 | 571.67                   | 457.11               |                            |                           |                 |                         |                  |           |     |       |
|                  | 04:00         | 20.00                       | 22.23                                          | N/A                    | 7940                   | 24              | 1282                 | 60.76               | 18               | 95.25                 | 576.39                   | 469.10               | 0.14                       | 0.13                      | 6.22            | 0.01                    | 0.16             | 8         | 8   | 3     |
|                  |               |                             | SPIN-OUT = TRACE OF SEDIMENT.                  |                        |                        |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |     |       |
|                  | 04:30         | 20.50                       | 22.23                                          | N/A                    | 7950                   | 24              | 1276                 | 59.76               | 19               | 95.25                 | 569.37                   | 480.95               |                            |                           |                 |                         |                  |           |     |       |
|                  | 05:00         | 21.00                       | 22.23                                          | N/A                    | 7900                   | 24              | 1276                 | 60.51               | 19               | 95.25                 | 572.81                   | 492.86               | 0.34                       | 0.31                      | 6.52            | 0.03                    | 0.20             | 10        | 8   | 1.4   |
|                  |               |                             | SPIN-OUT = TRACE OF SEDIMENT.                  |                        |                        |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |     |       |
|                  | 05:30         | 21.50                       | 22.23                                          | N/A                    | 7870                   | 24              | 1276                 | 60.26               | 19               | 95.25                 | 571.67                   | 504.76               |                            |                           |                 |                         |                  |           |     |       |
|                  | 06:00         | 22.00                       | 22.23                                          | N/A                    | 7820                   | 23              | 1262                 | 60.26               | 19               | 95.25                 | 568.56                   | 516.59               | 0.12                       | 0.10                      | 6.63            | 0.02                    | 0.22             | 15        | 8   | 2     |
|                  |               |                             | ZEROED METER.                                  |                        |                        |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |     |       |
|                  | 06:30         | 22.50                       | 22.23                                          | N/A                    | 7810                   | 23              | 1255                 | 60.26               | 19               | 95.25                 | 567.00                   | 528.40               |                            |                           |                 |                         |                  |           |     |       |
| 07/03/99         | 07:00         | 23.00                       | 22.23                                          | N/A                    | 7800                   | 23              | 1262                 | 60.26               | 19               | 95.25                 | 568.56                   | 540.24               | 0.28                       | 0.27                      | 6.89            | 0.01                    | 0.23             | 4         | 8   | 2.2   |
|                  |               |                             | SPIN-OUT= 2% SEDIMENT.                         |                        |                        |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |     |       |
|                  | 07:30         | 23.50                       | 22.23                                          | N/A                    | 7820                   | 22              | 1269                 | 59.76               | 19               | 95.25                 | 567.82                   | 552.06               |                            |                           |                 |                         |                  |           |     |       |
|                  | 08:00         | 24.00                       | 22.23                                          | N/A                    | 7830                   | 22              | 1255                 | 59.76               | 19               | 95.25                 | 564.72                   | 563.82               | 0.21                       | 0.20                      | 7.09            | 0.01                    | 0.24             | 6         | 7   | 1.8   |
|                  |               |                             | SPIN-OUT= TRACE OF SEDIMENT. H2S= 0 PPM API=38 |                        |                        |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |     |       |
|                  | 08:30         | 24.50                       | 22.23                                          | N/A                    | 7800                   | 21              | 1269                 | 60.26               | 19               | 95.25                 | 570.12                   | 575.69               |                            |                           |                 |                         |                  |           |     |       |
|                  | 09:00         | 25.00                       | 22.23                                          | N/A                    | 7800                   | 21              | 1241                 | 59.76               | 16               | 95.25                 | 564.82                   | 587.46               | 0.21                       | 0.20                      | 7.29            | 0.01                    | 0.25             | 5         | 7   | 2     |
|                  |               |                             | GAS SAMPLES TAKEN:# 00200, 00198 AGAT          |                        |                        |                 |                      |                     |                  |                       |                          |                      |                            |                           |                 |                         |                  |           |     |       |
|                  | 09:30         | 25.50                       | 22.23                                          | N/A                    | 7780                   | 22              | 1241                 | 59.76               | 21               | 95.25                 | 559.48                   | 599.12               |                            |                           |                 |                         |                  |           |     |       |

ZONE: MATTSON SAND

`SUPERVISOR: R.LUTZ

[illegible]

ZONE: MATTSON SAND

SUPERVISOR: R.LUTZ

[illegible]



**ENTEST***CORP.*

CUSTOMER: PARAMOUNT RESOURCES LTD.

J.L NAME / No. PARAMOUNT ET AL LIARD

TYPE TEST: 3RD INTERVAL 24HR.,6HR. PARTIAL

COMPANY REP: BERT BLAKELY

FIELD OR AREA: LIARD

ZONE: MATTSON SAND

METER RUN: 154.05 mm

GAS DENSITY: 0.65 Air = 1

UNIT NUMBER: 14

SUPERVISOR: R.LUTZ

| Date<br>dd/mm/yy | Time<br>hh:mm | Elps flow<br>Time<br>Decimal | Choke<br>size<br>mm | Tubing<br>Press.<br>kPa | Casing<br>Press.<br>kPa | Flow<br>Temp °C | Static<br>Press. kPa | Diff. Press.<br>kPa | Meter<br>Temp °C | Orifice<br>Size<br>mm | Gas<br>Rate<br>10³M³/day | Cum.<br>Gas<br>10³M³ | Fluid<br>Volume M³<br>/ hr. | Calc. Inc.<br>HC/hr<br>M³ | Cum<br>HC<br>M³ | Calc. Inc.<br>H₂O/hr.M³ | Cum<br>H₂O<br>M³ | BS&W<br>% | P.H. | SAL % |
|------------------|---------------|------------------------------|---------------------|-------------------------|-------------------------|-----------------|----------------------|---------------------|------------------|-----------------------|--------------------------|----------------------|-----------------------------|---------------------------|-----------------|-------------------------|------------------|-----------|------|-------|
|                  |               |                              |                     |                         |                         |                 |                      |                     |                  |                       |                          |                      |                             |                           |                 |                         |                  |           |      |       |
|                  |               |                              |                     |                         |                         |                 |                      |                     |                  |                       |                          |                      |                             |                           |                 |                         |                  |           |      |       |

WIRELINE RUNNING GRADIENT &amp; RETRIEVING RECORDERS.