

PARAMOUNT RESOURCES LTD.
BIT RECORD

11/17/00 08:38 FAX 403 266 6032

PARAMOUNT RES. FLR 39

007
P. U6

Province N.W.T.		Field FT. LAIRD		Well Name DRAK & MOUNT COTY		Operator PARAMOUNT RES.		Operator's Rep: AL IRONSIDE		Location: 1-02		URC: W/C-1884													
Contractor SOTA		Rig # 51	Drawworks DLWELL-500	Tactipushes RICK PARKER		Pump #1 MAT. 6P30	LINER	162	STRONG	216	Licensed Formation MATTSON														
Drill Collars	1	No.	O.D.	I.D.	Comp.	Date	Time	Remarks:							Licensed Depth 1800										
		2																							
Tool Joints	1	Size	Grade	Weight	Conn.	Under surface:	Under inter.:								Licensed P										
		2	114mm	H.W.	62.46	45° XH	10-25-00																		
		3	114mm	E	29.77	45° XH																			
BIT NO.	SIZE (mm)	BRAND	RETR SERIAL	TYPE	DEPTH NO.	NOZZLES 1 2 3	DEPTH OUT	METERS DRILLED	HOURS	ACCUM HOURS	R.O.P. (m/hr)	WEIGHT (kg)	RPM	VERT. DEV.	PUMP PRESS.	RATE (m/min)	BLUD WT.	W.L.	SHOCK TOOL	NO DCA	DULL CONDITION				
1	111.2	H.C.	NEW	GT-81	G277H	17.5 17.5 17.5	257	257	17.25	17.25	14.80	8-8000	160-180	2.00	4100	1.18	1090	100	N/C	N/A	12	2	2	3	1
2	111.2	H.C.	NEW	GT-C1	L71DM	17.5 17.5 17.5			3.78	11.00		6,000	170	2.00	2200	1.20	1100	70	N/C	N/A	12	2	2	2	1
3	222	H.C.	NEW	GT-S1	KD22J	17.5 17.5 17.5	330	78	24.00	45.00	9.04	3-4000	180-200	3.00	7700	1.08	1090	72	N/C	N/A	12	2	2	2	3
2RR	111.2	H.C.	R.R.	GT-C1	L71DM	17.5 17.5 17.5	330	78	9.00	54.00	6.11	3-4000	180-200	3.00	7700	1.08	1090	72	N/C	N/A	12	2	2	2	3
3RR	222	H.C.	R.R.	GT-S1	KD22J	17.5 17.5 17.5	514	164	25.78	79.75	7.15	3-12000	30-80	1.25	11000	1.24	1090	80	N/C	N/A	12	2	2	2	3
2RR	111.2	H.C.	RR	GT-C1	L71DM	17.5 17.5 17.5	514	69	9.00	88.75	7.33	3-10000	170	0.75	11800	1.24	1120	72	N/C	N/A	12	3	3		8
1	222	H.C.	NEW	GT-S1	W31ZY	15.9 15.9 15.9	720	208	14.25	103.00	14.46	25,000	MOTOR	0.40	8100	1.38	1090	44	12.4	COMB.	14	8	7		3
2	222	S.T.	NEW	F-35	LY4080	15.9 15.9 15.9	878	198	22.00	128.00	7.04	25000	MOTOR	0.40	8900	1.38	1090	40	8.8	COMB.	14	7	8		8
3	222	H.C.	NEW	ATJ844G	K380K	15.9 15.9 15.9	823	47	6.00	131.00	7.83	15-20	MOTOR	1.40	6700	1.38	1090	44	10.2	COMB.	14	3	5		2
4	222	H.C.	NEW	ATJ868R	L51DL	18.9 18.9 18.9	1082	128	30.25	181.25	6.26	20-30	MOTOR	0.80	7200	0.73	1110	42	7.8	COMB.	14	6	7		2
5	222	H.C.	NEW	ATJ868R	K780V	18.9 18.9 18.9	1097	38	6.25	187.50	6.24	15-20	MOTOR	0.80	7800	0.69	1220	71	8.7	COMB.	14	4	7		2
6	222	H.C.	NEW	ATJ868R	L500L	15.9 15.9 15.9	1147	66	19.00	195.50	3.11	30	MOTOR	0.80	12400	1.37	1280	64	5.6	COMB.	14	5	8		3
7	222	S.T.	NEW	F7-00	LY4795	19 19 19	1183	39	14.00	199.50	2.67	30000	MOTOR	0.80	18700	1.38	1210	71	8.4	COMB.	14	3	8		2
8	222	S.T.	NEW	F7-00	L55998	19 19 19	1248	85	19.00	214.00	3.33	30-34	MOTOR	0.50	12800	1.38	1280	72	8.4	COMB.	14	3	8		2
9	222	H.C.	NEW	ATJ-877D	G220V	19 19 19	1284	39	20.80	239.80	1.80	30-30	MOTOR	0.50	10800	1.38	1280	75	8.8	COMB.	14	3	8		2
10	222	H.C.	NEW	ATJ-868R	Y2648	19 19 19	1327	46	18.00	258.50	2.42	30-30	MOTOR	0.50	10800	1.38	1270	77	7.8	COMB.	14	3	8		2
11	222	S.T.	NEW	F7-P	LY1788	19 19 19	1349	22	7.25	282.75	3.83	30-30	MOTOR	0.80	10800	1.38	1280	70	7.7	COMB.	14	3	8		2
12	222	S.T.	NEW	F7-00	M30013	19 19 19	1388	47	14.25	280.00	3.20	30-35	MOTOR	0.80	10800	1.38	1280	65	7.5	COMB.	14	2	8		2
13	222	S.T.	NEW	F7-00	LY7813	19 19 19	1428	32	13.25	293.25	2.41	30-30	MOTOR	0.80	11800	1.38	1280	68	7.4	COMB.	14	4	9		5
14	222	H.C.	NEW	ATJ-877D	G220V	19 19 19	1442	14	8.75	302.00	1.87	80-30	MOTOR	0.40	12800	1.38	1270	68	7.2	COMB.	14	6	8		3
15	222	H.C.	NEW	ATJ-877D	G212W	19 19 19	1471	29	19.00	321.00	1.82	32000	MOTOR	0.50	10800	1.38	1270	84	7.8	COMB.	14	8	9		3
16	222	H.C.	NEW	ATJ-877D	G302H	19 19 19	1490	19	7.75	328.75	2.45	32000	MOTOR	0.60	10800	1.38	1270	69	7.9	COMB.	14	4	9		2
17	222	S.T.	NEW	F8-00PS	LY8723	19 19 19	1640	20	8.50	337.25	2.85	20-32	MOTOR	1.00	11080	1.38	1270	82	7.5	COMB.	14	4	9		3
18	222	H.C.	NEW	EP-805	D650B	18.9 18.9 18.9																			

BIT RECORD