



<b>Container Identification</b>
PB 2B

<b>Laboratory Number</b>
WE62245B

<b>Operator Name</b>
PARAMOUNT RESOURCES LTD.

<b>Unique Well Identifier</b>	<b>Well Name</b>	<b>Elevation</b>	
1-02/60-20-123-30	PARA ET AL MOUNT COTY 60-20-123-30	KB m	GRD m
		374.60	369.10

<b>Field or Area</b>	<b>Pool or Zone</b>	<b>Sampler's Company</b>
MOUNT COTY	DEBOLT	ALPINE

<b>Test Type</b>	<b>Test No.</b>	<b>Test Recovery</b>	<b>Name of Sampler</b>
DST	3		

<b>Test Interval or Perfs</b>	<b>Sampling Point</b>	<b>Separator</b>	<b>Reservoir</b>	<b>Source</b>	<b>Sampled</b>	<b>Received</b>
1709.00-1727.00	1					
mKB		Pressure (kPa)				
		Temperature (°C)				

<b>Date Sampled</b>	<b>Date Received</b>	<b>Date Reported</b>	<b>Analyst</b>
Nov 28, 2000	Dec 07, 2000	Dec 13, 2000	LN

<b>Other Information</b>

### Cations

ION	mg/L	Mass Fraction	mmol/L
Na	1293.0	0.283	56.2
K	16.6	0.004	0.4
Ca	6.3	0.001	0.2
Mg	3.5	0.001	0.1
Fe	2.6	0.001	Trace

### Anions

ION	mg/L	Mass Fraction	mmol/L
Cl	84.5	0.018	2.4
HCO <sub>3</sub>	1494.5	0.327	24.5
SO <sub>4</sub>	1610.0	0.352	16.8
CO <sub>3</sub>	58.8	0.013	1.0
OH	Nil	Nil	Nil

### Other Measurements

Measurement	Value
Mud Filtrate Loss mL	6.00
Total Dissolved Solids (Calculated) mg/L	4569
Observed pH	8.94
H <sub>2</sub> S (25°C) mg/L	N/D
Relative Density (25°C)	1.002
Resistivity / OHM·m (25°C)	1.950
Salinity %	0.02

Total Cations

Total Anions

### Logarithmic Pattern mmol/L

