


**PARAMOUNT RESOURCES LTD.
PARA ET AL CAMERON C-50
C-50
Static Gradient
Mar 6/2001**

**Test Completed By
Solid Production Services
505 – 19th Ave
Nisku, Alberta
T9E-7V9
(780) 955-7525**



GENERAL INFORMATION

Client Information:

Company: Paramount Resources Ltd.

Contact:

Phone: Fax: e-mail:

Site Information:

Contact:

Phone: Fax: e-mail:

Well Information:

Name: Para et al Cameron C-50

Operator:

Location-Downhole: C-50

Location-Surface:

Test Information:

Company: Solid Production Services Ltd.

Representative:

Supervisor:

Test Type: Static Gradient Job Number: 0103072

Test Unit:

Start Date: 2001/03/06 Start Time: 13:51:00

End Date: 2001/03/06 End Time: 17:31:00

Report Date: 2001/03/10 Prepared By: Ella Berscheid

Remarks: Qualified By:

WELL INFORMATION

Well Name : Para et al Cameron C-50

Well Operator :

Well Location : C-50

Location-Surface :

Field : Cameron

Well Type : Vertical

Pool :

Formation : Sulphur Point

Perforation Type :			Producing Through : Tubing	Size	73.00mm
Pool Datum	m	CF	Elevation Referenced From	692.70m	KB
Datum Depth	m	CF	Elevation Referenced To	688.40m	GL
			Offset	4.30m	

Production Intervals

Production Interval & MPP Reference To : KB

MPP Pressure Reference : None

	From - m	To - m	Depth - m	Pressure - kPa
1.	1360.00	1362.00	1.	1361.00
2.			2.	
3.			3.	
4.			4.	
5.			5.	
6.			6.	
7.			7.	
8.			8.	
9.			9.	
10.			10.	
11.			11.	
12.			12.	

Remarks :

Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Static Gradient Top gauge 75063

Para et al Cameron C-50
Formation: Sulphur Point

Job Number: 0103072

Top

Gauge Serial Number	75063	Gauge Type	ss2500
Gauge Manufacturer	Spartek	Maximum Recorder Range	20685.00 kPa
Run Depth	1360.50000 m	Date of Last Calibration	2000/12/06
Gauge Start Date	2001/03/06 13:51:00	Gauge Stop Date	2001/03/06 17:31:00
Date Gauge On Bottom	2001/03/06 15:09:00	Date Gauge Off Bottom	2001/03/06 17:09:00

Test Data

Test/Prod Interval Top KB (TVD)	1360.00000 m	Base KB (TVD)	1362.00000 m
Pool Datum	m	Datum Depth	m
Tubing Pressure Initial	93.00 kPa(a)	Final	kPa(a)
Casing Pressure Initial	93.00 kPa(a)	Final	kPa(a)
Start Test Date	2001/03/06 13:51:00	Time Well Shut-In	2001/03/05 14:00:00

Depth m	Time hh:mm:ss	Duration min	Pressure kPa(a)	Gradient kPa/m	Temp. °C	Gradient °C/m
3.80	14:07:18	16.30	91.39		8.78	
303.80	14:21:28	14.17	80.57	-0.036	7.98	-0.003
603.80	14:29:08	7.67	2618.21	8.459	21.58	0.045
903.80	14:37:08	8.00	5532.44	9.714	32.06	0.035
1103.80	14:44:38	7.50	7488.02	9.778	41.55	0.047
1203.80	14:51:18	6.67	8457.46	9.694	47.33	0.058
1303.80	14:56:57	5.67	9428.44	9.710	52.29	0.050
1328.80	15:02:17	5.33	9667.54	9.564	53.95	0.066
1348.80	15:07:18	5.00	9856.17	9.432	54.60	0.032
1360.50	15:14:08	6.83	9963.11	9.140	54.98	0.033


Results

Gas Gradient	0.000 kPa/m	Gas/Liquid Interface	326.16 m	80.57 kPa(a)
Liquid Gradient	9.140 kPa/m	Well Datum (MPP)	1361.00 m	9967.68 kPa(a)

Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Para et al Cameron C-50
Formation: Sulphur Point
Job Number: 0103072

Static Gradient-Top gauge-75063



Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Static Gradient Bottom gauge 75115

Para et al Cameron C-50
Formation: Sulphur Point

Job Number: 0103072

Bottom

Gauge Serial Number	75115	Gauge Type	ss2500
Gauge Manufacturer	Spartek	Maximum Recorder Range	20685.00 kPa
Run Depth	1361.00000 m	Date of Last Calibration	2001/02/10
Gauge Start Date	2001/03/06 13:51:00	Gauge Stop Date	2001/03/06 17:31:00
Date Gauge On Bottom	2001/03/06 15:09:00	Date Gauge Off Bottom	2001/03/06 17:09:00

Test Data

Test/Prod Interval Top KB (TVD)	1360.00000 m	Base KB (TVD)	1362.00000 m
Pool Datum	m	Datum Depth	m
Tubing Pressure Initial	93.00 kPa(a) Final		kPa(a)
Casing Pressure Initial	93.00 kPa(a) Final		kPa(a)
Start Test Date	2001/03/06 13:51:00	Time Well Shut-In	2001/03/05 14:00:00

Depth m	Time hh:mm:ss	Duration min	Pressure kPa(a)	Gradient kPa/m	Temp. °C	Gradient °C/m
4.30	14:15:17	24.28	89.78		2.59	
304.30	14:21:47	6.50	90.40	0.002	3.79	0.004
604.30	14:29:48	8.00	2623.65	8.444	19.62	0.053
904.30	14:37:37	7.83	5537.16	9.712	30.54	0.036
1104.30	14:45:07	7.50	7496.79	9.798	40.10	0.048
1204.30	14:51:47	6.67	8469.48	9.727	46.19	0.061
1304.30	14:57:28	5.67	9440.37	9.709	51.12	0.049
1329.30	15:02:38	5.17	9682.13	9.670	53.26	0.086
1349.30	15:07:37	5.00	9874.97	9.642	54.08	0.041
1361.00	15:13:48	6.17	9980.39	9.010	54.55	0.040


Results

Gas Gradient	0.002 kPa/m	Gas/Liquid Interface	323.14 m	90.44 kPa(a)
Liquid Gradient	9.010 kPa/m	Well Datum (MPP)	1361.00 m	9980.39 kPa(a)

Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Para et al Cameron C-50
Formation: Sulphur Point
Job Number: 0103072

Static Gradient-Bottom gauge-75115



Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Para et al Cameron C-50
Formation: Sulphur Point

Job Number: 0103072

	75063	75063	75063	75063	75115	75115	75115	75115
	Date	Clk Time	Pres.	Temp.	Date	Clk Time	Pres.	Temp.
	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C
1	2001/03/06	15:08:08	9962.42	54.65	2001/03/06	15:08:38	9980.41	54.17
2			On Bottom					
3			Run depth: 75063 - 1360.5 mkb, 75115 - 1361.0 mkb					
4	2001/03/06	15:08:17	9963.08	54.66	2001/03/06	15:08:48	9980.93	54.18
5	2001/03/06	15:08:27	9963.23	54.67	2001/03/06	15:08:57	9981.08	54.19
6	2001/03/06	15:09:07	9962.64	54.74	2001/03/06	15:09:38	9981.41	54.26
7	2001/03/06	15:09:47	9962.50	54.80	2001/03/06	15:10:18	9981.49	54.33
8	2001/03/06	15:10:27	9962.42	54.86	2001/03/06	15:10:58	9981.28	54.38
9	2001/03/06	15:11:08	9962.43	54.90	2001/03/06	15:11:38	9980.98	54.43
10	2001/03/06	15:11:48	9961.53	54.92	2001/03/06	15:12:18	9980.75	54.48
11	2001/03/06	15:12:28	9961.90	54.96	2001/03/06	15:12:57	9980.56	54.51
12	2001/03/06	15:13:08	9961.42	54.97	2001/03/06	15:13:37	9980.41	54.54
13	2001/03/06	15:13:48	9962.82	54.98	2001/03/06	15:14:17	9980.28	54.56
14	2001/03/06	15:14:27	9962.15	54.99	2001/03/06	15:14:57	9979.94	54.57
15	2001/03/06	15:15:07	9962.90	55.01	2001/03/06	15:15:38	9979.92	54.59
16	2001/03/06	15:15:47	9960.54	55.02	2001/03/06	15:16:18	9979.69	54.60
17	2001/03/06	15:16:27	9960.71	55.02	2001/03/06	15:16:58	9979.60	54.62
18	2001/03/06	15:17:08	9961.32	55.02	2001/03/06	15:17:38	9979.37	54.62
19	2001/03/06	15:17:48	9959.91	55.03	2001/03/06	15:18:17	9979.29	54.63
20	2001/03/06	15:18:28	9960.33	55.04	2001/03/06	15:18:57	9979.07	54.63
21	2001/03/06	15:19:08	9959.35	55.04	2001/03/06	15:19:37	9978.77	54.64
22	2001/03/06	15:19:48	9959.87	55.04	2001/03/06	15:20:17	9978.62	54.64
23	2001/03/06	15:20:27	9960.49	55.04	2001/03/06	15:20:57	9978.63	54.64
24	2001/03/06	15:21:07	9959.88	55.05	2001/03/06	15:21:38	9978.43	54.65
25	2001/03/06	15:21:47	9959.48	55.04	2001/03/06	15:22:18	9978.30	54.65
26	2001/03/06	15:22:27	9961.13	55.04	2001/03/06	15:22:58	9978.11	54.65
27	2001/03/06	15:23:08	9960.83	55.04	2001/03/06	15:23:38	9977.86	54.65
28	2001/03/06	15:23:48	9959.40	55.05	2001/03/06	15:24:17	9977.56	54.65
29	2001/03/06	15:24:28	9958.93	55.05	2001/03/06	15:24:57	9977.48	54.65
30	2001/03/06	15:25:08	9959.61	55.05	2001/03/06	15:25:37	9977.41	54.66
31	2001/03/06	15:25:47	9960.17	55.05	2001/03/06	15:26:17	9977.23	54.66
32	2001/03/06	15:26:27	9959.00	55.04	2001/03/06	15:26:57	9977.20	54.66
33	2001/03/06	15:27:07	9958.73	55.05	2001/03/06	15:27:38	9977.11	54.66
34	2001/03/06	15:27:47	9957.59	55.05	2001/03/06	15:28:18	9976.88	54.66
35	2001/03/06	15:28:27	9958.33	55.05	2001/03/06	15:28:58	9976.66	54.65
36	2001/03/06	15:29:08	9957.54	55.06	2001/03/06	15:29:38	9976.53	54.66
37	2001/03/06	15:29:48	9958.04	55.06	2001/03/06	15:30:17	9976.26	54.65
38	2001/03/06	15:30:28	9958.26	55.05	2001/03/06	15:30:57	9976.35	54.66
39	2001/03/06	15:31:08	9957.82	55.06	2001/03/06	15:31:37	9976.22	54.66
40	2001/03/06	15:31:47	9957.35	55.05	2001/03/06	15:32:17	9976.13	54.66
41	2001/03/06	15:32:27	9957.09	55.06	2001/03/06	15:32:57	9975.76	54.66
42	2001/03/06	15:33:07	9956.81	55.05	2001/03/06	15:33:38	9975.87	54.66
43	2001/03/06	15:33:47	9956.89	55.05	2001/03/06	15:34:18	9975.67	54.66
44	2001/03/06	15:34:27	9956.60	55.05	2001/03/06	15:34:58	9975.53	54.66
45	2001/03/06	15:35:08	9956.74	55.06	2001/03/06	15:35:38	9975.35	54.66
46	2001/03/06	15:35:48	9955.66	55.05	2001/03/06	15:36:18	9975.27	54.66
47	2001/03/06	15:36:28	9955.48	55.05	2001/03/06	15:36:57	9975.22	54.66

Print Filter Used: Nth Line = 4.000

Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Para et al Cameron C-50
Formation: Sulphur Point

Job Number: 0103072

	75063	75063	75063	75063	75115	75115	75115	75115
	Date	Clk Time	Pres.	Temp.	Date	Clk Time	Pres.	Temp.
	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C
48	2001/03/06	15:37:08	9954.51	55.05	2001/03/06	15:37:37	9974.98	54.66
49	2001/03/06	15:37:47	9954.97	55.06	2001/03/06	15:38:17	9974.85	54.66
50	2001/03/06	15:38:27	9955.43	55.06	2001/03/06	15:38:57	9974.88	54.66
51	2001/03/06	15:39:07	9955.64	55.05	2001/03/06	15:39:38	9974.73	54.66
52	2001/03/06	15:39:47	9955.33	55.06	2001/03/06	15:40:18	9974.73	54.67
53	2001/03/06	15:40:27	9955.19	55.05	2001/03/06	15:40:58	9974.43	54.66
54	2001/03/06	15:41:08	9957.08	55.06	2001/03/06	15:41:38	9974.21	54.66
55	2001/03/06	15:41:48	9955.93	55.06	2001/03/06	15:42:18	9974.28	54.66
56	2001/03/06	15:42:28	9955.96	55.05	2001/03/06	15:42:57	9974.08	54.66
57	2001/03/06	15:43:08	9956.43	55.06	2001/03/06	15:43:37	9973.88	54.66
58	2001/03/06	15:43:48	9957.27	55.06	2001/03/06	15:44:17	9973.96	54.66
59	2001/03/06	15:44:27	9956.09	55.06	2001/03/06	15:44:57	9973.76	54.66
60	2001/03/06	15:45:07	9955.58	55.06	2001/03/06	15:45:38	9973.61	54.66
61	2001/03/06	15:45:47	9956.61	55.05	2001/03/06	15:46:18	9973.53	54.66
62	2001/03/06	15:46:27	9955.99	55.05	2001/03/06	15:46:58	9973.33	54.66
63	2001/03/06	15:47:08	9956.82	55.06	2001/03/06	15:47:38	9973.08	54.66
64	2001/03/06	15:47:48	9957.20	55.05	2001/03/06	15:48:17	9973.02	54.66
65	2001/03/06	15:48:28	9955.88	55.05	2001/03/06	15:48:57	9972.84	54.65
66	2001/03/06	15:49:08	9956.11	55.05	2001/03/06	15:49:37	9972.79	54.66
67	2001/03/06	15:49:48	9958.69	55.05	2001/03/06	15:50:17	9972.74	54.66
68	2001/03/06	15:50:27	9957.89	55.06	2001/03/06	15:50:57	9972.63	54.66
69	2001/03/06	15:51:07	9956.18	55.06	2001/03/06	15:51:38	9972.29	54.65
70	2001/03/06	15:51:47	9954.67	55.05	2001/03/06	15:52:18	9972.29	54.65
71	2001/03/06	15:52:27	9955.00	55.05	2001/03/06	15:52:58	9972.03	54.65
72	2001/03/06	15:53:08	9957.16	55.05	2001/03/06	15:53:38	9972.11	54.66
73	2001/03/06	15:53:48	9954.58	55.05	2001/03/06	15:54:17	9971.90	54.65
74	2001/03/06	15:54:28	9954.63	55.06	2001/03/06	15:54:57	9971.89	54.65
75	2001/03/06	15:55:08	9954.76	55.06	2001/03/06	15:55:37	9971.63	54.65
76	2001/03/06	15:55:47	9954.75	55.06	2001/03/06	15:56:17	9971.87	54.66
77	2001/03/06	15:56:27	9954.30	55.06	2001/03/06	15:56:57	9971.49	54.65
78	2001/03/06	15:57:07	9954.52	55.05	2001/03/06	15:57:38	9971.60	54.66
79	2001/03/06	15:57:47	9954.25	55.05	2001/03/06	15:58:18	9971.59	54.66
80	2001/03/06	15:58:27	9953.70	55.05	2001/03/06	15:58:58	9971.41	54.66
81	2001/03/06	15:59:08	9953.22	55.06	2001/03/06	15:59:38	9971.31	54.65
82	2001/03/06	15:59:48	9952.80	55.06	2001/03/06	16:00:17	9971.15	54.65
83	2001/03/06	16:00:28	9952.18	55.06	2001/03/06	16:00:57	9971.03	54.65
84	2001/03/06	16:01:08	9952.64	55.06	2001/03/06	16:01:37	9970.92	54.65
85	2001/03/06	16:01:48	9953.55	55.06	2001/03/06	16:02:17	9970.98	54.66
86	2001/03/06	16:02:27	9954.13	55.05	2001/03/06	16:02:57	9970.83	54.66
87	2001/03/06	16:03:07	9954.08	55.06	2001/03/06	16:03:38	9970.72	54.66
88	2001/03/06	16:03:47	9953.42	55.06	2001/03/06	16:04:18	9970.62	54.65
89	2001/03/06	16:04:27	9953.04	55.06	2001/03/06	16:04:58	9970.53	54.66
90	2001/03/06	16:05:08	9954.10	55.05	2001/03/06	16:05:38	9970.45	54.65
91	2001/03/06	16:05:48	9952.70	55.06	2001/03/06	16:06:18	9970.39	54.65
92	2001/03/06	16:06:28	9952.11	55.06	2001/03/06	16:06:57	9970.28	54.66
93	2001/03/06	16:07:08	9952.08	55.06	2001/03/06	16:07:37	9970.19	54.65
94	2001/03/06	16:07:47	9951.98	55.06	2001/03/06	16:08:17	9970.08	54.65

Print Filter Used: Nth Line = 4.000

Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Para et al Cameron C-50
Formation: Sulphur Point

Job Number: 0103072

	75063	75063	75063	75063	75115	75115	75115	75115
	Date	Clk Time	Pres.	Temp.	Date	Clk Time	Pres.	Temp.
	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C
95	2001/03/06	16:08:27	9953.08	55.06	2001/03/06	16:08:57	9970.07	54.66
96	2001/03/06	16:09:07	9953.61	55.05	2001/03/06	16:09:38	9969.90	54.65
97	2001/03/06	16:09:47	9951.95	55.06	2001/03/06	16:10:18	9969.85	54.65
98	2001/03/06	16:10:27	9952.84	55.06	2001/03/06	16:10:58	9969.87	54.66
99	2001/03/06	16:11:08	9951.95	55.06	2001/03/06	16:11:38	9969.60	54.65
100	2001/03/06	16:11:48	9953.55	55.05	2001/03/06	16:12:17	9969.64	54.65
101	2001/03/06	16:12:28	9953.23	55.06	2001/03/06	16:12:57	9969.59	54.66
102	2001/03/06	16:13:08	9951.67	55.06	2001/03/06	16:13:37	9969.55	54.66
103	2001/03/06	16:13:48	9951.15	55.06	2001/03/06	16:14:17	9969.47	54.66
104	2001/03/06	16:14:27	9951.43	55.05	2001/03/06	16:14:57	9969.17	54.64
105	2001/03/06	16:15:07	9951.35	55.06	2001/03/06	16:15:38	9969.22	54.65
106	2001/03/06	16:15:47	9951.49	55.06	2001/03/06	16:16:18	9969.17	54.66
107	2001/03/06	16:16:27	9952.42	55.06	2001/03/06	16:16:58	9969.08	54.66
108	2001/03/06	16:17:08	9951.69	55.06	2001/03/06	16:17:38	9968.92	54.65
109	2001/03/06	16:17:48	9951.12	55.06	2001/03/06	16:18:17	9968.87	54.65
110	2001/03/06	16:18:28	9951.35	55.06	2001/03/06	16:18:57	9968.91	54.66
111	2001/03/06	16:19:08	9950.68	55.06	2001/03/06	16:19:37	9968.88	54.66
112	2001/03/06	16:19:47	9952.47	55.06	2001/03/06	16:20:17	9968.85	54.66
113	2001/03/06	16:20:27	9951.59	55.05	2001/03/06	16:20:57	9968.65	54.66
114	2001/03/06	16:21:07	9951.12	55.06	2001/03/06	16:21:38	9968.58	54.66
115	2001/03/06	16:21:47	9951.43	55.06	2001/03/06	16:22:18	9968.57	54.66
116	2001/03/06	16:22:27	9950.19	55.06	2001/03/06	16:22:58	9968.44	54.66
117	2001/03/06	16:23:08	9951.05	55.06	2001/03/06	16:23:38	9968.35	54.66
118	2001/03/06	16:23:48	9951.57	55.06	2001/03/06	16:24:18	9968.36	54.66
119	2001/03/06	16:24:28	9951.96	55.06	2001/03/06	16:24:57	9968.18	54.65
120	2001/03/06	16:25:08	9951.00	55.07	2001/03/06	16:25:37	9968.09	54.66
121	2001/03/06	16:25:47	9950.43	55.07	2001/03/06	16:26:17	9968.12	54.66
122	2001/03/06	16:26:27	9948.72	55.07	2001/03/06	16:26:57	9967.95	54.65
123	2001/03/06	16:27:07	9947.96	55.06	2001/03/06	16:27:38	9967.93	54.66
124	2001/03/06	16:27:47	9948.78	55.07	2001/03/06	16:28:18	9967.87	54.66
125	2001/03/06	16:28:27	9948.87	55.06	2001/03/06	16:28:58	9967.80	54.66
126	2001/03/06	16:29:08	9948.41	55.07	2001/03/06	16:29:38	9967.75	54.66
127	2001/03/06	16:29:48	9949.83	55.06	2001/03/06	16:30:17	9967.71	54.66
128	2001/03/06	16:30:28	9948.75	55.06	2001/03/06	16:30:57	9967.57	54.66
129	2001/03/06	16:31:08	9949.53	55.06	2001/03/06	16:31:37	9967.53	54.66
130	2001/03/06	16:31:48	9950.38	55.06	2001/03/06	16:32:17	9967.51	54.66
131	2001/03/06	16:32:27	9949.61	55.06	2001/03/06	16:32:57	9967.36	54.66
132	2001/03/06	16:33:07	9950.25	55.06	2001/03/06	16:33:38	9967.36	54.66
133	2001/03/06	16:33:47	9948.05	55.07	2001/03/06	16:34:18	9967.26	54.66
134	2001/03/06	16:34:27	9949.13	55.06	2001/03/06	16:34:58	9967.14	54.66
135	2001/03/06	16:35:08	9948.87	55.06	2001/03/06	16:35:38	9967.25	54.66
136	2001/03/06	16:35:48	9949.13	55.06	2001/03/06	16:36:18	9967.08	54.65
137	2001/03/06	16:36:28	9949.36	55.06	2001/03/06	16:36:57	9967.14	54.66
138	2001/03/06	16:37:08	9948.74	55.06	2001/03/06	16:37:37	9966.99	54.66
139	2001/03/06	16:37:47	9949.43	55.06	2001/03/06	16:38:17	9966.93	54.66
140	2001/03/06	16:38:27	9949.49	55.06	2001/03/06	16:38:57	9966.89	54.66
141	2001/03/06	16:39:07	9950.58	55.06	2001/03/06	16:39:38	9966.76	54.66

Print Filter Used: Nth Line = 4.000

Paramount Resources Ltd.
C-50
Start Test Date: 2001/03/06
Final Test Date: 2001/03/06

Para et al Cameron C-50
Formation: Sulphur Point

Job Number: 0103072

	75063	75063	75063	75063	75115	75115	75115	75115
	Date	Clk Time	Pres.	Temp.	Date	Clk Time	Pres.	Temp.
	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C	yyyy/mm/dd	hh:mm:ss	kPa(a)	°C
142	2001/03/06	16:39:47	9949.59	55.06	2001/03/06	16:40:18	9966.81	54.66
143	2001/03/06	16:40:27	9949.30	55.06	2001/03/06	16:40:58	9966.73	54.66
144	2001/03/06	16:41:08	9948.73	55.06	2001/03/06	16:41:38	9966.65	54.66
145	2001/03/06	16:41:48	9948.78	55.06	2001/03/06	16:42:17	9966.59	54.66
146	2001/03/06	16:42:28	9948.69	55.06	2001/03/06	16:42:57	9966.51	54.66
147	2001/03/06	16:43:08	9949.01	55.06	2001/03/06	16:43:37	9966.49	54.66
148	2001/03/06	16:43:48	9948.76	55.06	2001/03/06	16:44:17	9966.40	54.66
149	2001/03/06	16:44:27	9949.83	55.05	2001/03/06	16:44:57	9966.45	54.66
150	2001/03/06	16:45:07	9948.10	55.06	2001/03/06	16:45:38	9966.37	54.66
151	2001/03/06	16:45:47	9948.63	55.06	2001/03/06	16:46:18	9966.24	54.66
152	2001/03/06	16:46:27	9949.37	55.06	2001/03/06	16:46:58	9966.21	54.66
153	2001/03/06	16:47:08	9948.73	55.06	2001/03/06	16:47:38	9966.14	54.66
154	2001/03/06	16:47:48	9947.15	55.06	2001/03/06	16:48:17	9966.12	54.66
155	2001/03/06	16:48:28	9948.55	55.07	2001/03/06	16:48:57	9966.04	54.66
156	2001/03/06	16:49:08	9949.23	55.06	2001/03/06	16:49:37	9965.99	54.66
157	2001/03/06	16:49:47	9947.29	55.06	2001/03/06	16:50:17	9965.78	54.65
158	2001/03/06	16:50:27	9947.86	55.07	2001/03/06	16:50:57	9965.88	54.66
159	2001/03/06	16:51:07	9948.16	55.06	2001/03/06	16:51:38	9965.76	54.65
160	2001/03/06	16:51:47	9949.03	55.06	2001/03/06	16:52:18	9965.84	54.66
161	2001/03/06	16:52:27	9947.48	55.05	2001/03/06	16:52:58	9965.77	54.66
162	2001/03/06	16:53:08	9947.42	55.06	2001/03/06	16:53:38	9965.80	54.66
163	2001/03/06	16:53:48	9947.38	55.06	2001/03/06	16:54:18	9965.68	54.66
164	2001/03/06	16:54:28	9948.80	55.06	2001/03/06	16:54:57	9965.75	54.66
165	2001/03/06	16:55:08	9946.81	55.06	2001/03/06	16:55:37	9965.60	54.66
166	2001/03/06	16:55:47	9947.00	55.07	2001/03/06	16:56:17	9965.54	54.66
167	2001/03/06	16:56:27	9948.36	55.06	2001/03/06	16:56:57	9965.51	54.66
168	2001/03/06	16:57:07	9949.99	55.06	2001/03/06	16:57:38	9965.45	54.66
169	2001/03/06	16:57:47	9947.32	55.05	2001/03/06	16:58:18	9965.32	54.65
170	2001/03/06	16:58:27	9948.35	55.06	2001/03/06	16:58:58	9965.29	54.66
171	2001/03/06	16:59:08	9948.92	55.06	2001/03/06	16:59:38	9965.32	54.66
172	2001/03/06	16:59:48	9947.48	55.07	2001/03/06	17:00:17	9965.16	54.65
173	2001/03/06	17:00:28	9948.17	55.07	2001/03/06	17:00:57	9965.26	54.66
174	2001/03/06	17:01:08	9948.73	55.06	2001/03/06	17:01:37	9965.22	54.66
175	2001/03/06	17:01:48	9949.05	55.06	2001/03/06	17:02:17	9965.20	54.66
176	2001/03/06	17:02:27	9948.36	55.06	2001/03/06	17:02:57	9965.02	54.66
177	2001/03/06	17:03:07	9947.13	55.07	2001/03/06	17:03:38	9965.08	54.66
178	2001/03/06	17:03:47	9945.75	55.06	2001/03/06	17:04:18	9965.02	54.66
179	2001/03/06	17:04:27	9947.65	55.07	2001/03/06	17:04:58	9964.88	54.65
180	2001/03/06	17:05:08	9947.11	55.07	2001/03/06	17:05:38	9964.84	54.66
181	2001/03/06	17:05:48	9949.14	55.06	2001/03/06	17:06:18	9964.81	54.66
182	2001/03/06	17:06:28	9948.49	55.06	2001/03/06	17:06:57	9964.86	54.66
183	2001/03/06	17:07:08	9947.54	55.06	2001/03/06	17:07:37	9964.75	54.66
184	2001/03/06	17:07:47	9948.48	55.05	2001/03/06	17:08:17	9964.76	54.66
185	2001/03/06	17:08:27	9931.86	55.06	2001/03/06	17:08:57	9947.43	54.65
186			Off Bottom					

Print Filter Used: Nth Line = 4.000