

6651/7271		N/A		01-18463-01	
Container Identity		Percent Full	Sample Point I.D.	Client I.D.	Meter Number
Paramount Resources Ltd.					
Operator Name				LSD	Unique Well Identifier
Paramount et al Cameron 300/B-08-60-10-73/00				SOLID	
Well Name				Name of Sampler	Company
SULPHUR POINT			Meter Run		
Field or Area		Pool or Zone	Sample Point		
Test Recovery		Interval 1	Interval 2	Interval 3	Elevations
From: 1403					789.9 786.21
To: 1421					KB GFD
Test Type	No.	Multiple Recovery			
Production Rates					
Water m ³ /d		Oil m ³ /d		Gas 10 ³ m ³ /day	
		28.321			
		Gauge Pressures kPa		Temperatures °C	
		70.0 N/A		18.0 23.0	
		Source As Received		Source As Received	
2001/03/25 16:00		2001/03/29		2001/04/10	
Date Sampled Start		Date Sampled End		Date Received	
				Date Reported	
				CB	
				Analyst	

COMPOSITION

COMP.	MOLE FRACTION AIR FREE AS REC'D	MOLE FRACTION AIR FREE ACID GAS FREE	LIQUID VOLUME ml/m3 AIR FREE AS REC'D
H2	NA	NA	
He	0.0000	0.0000	
N2	0.0354	0.0378	
CO2	0.0514	0.0000	
H2S	0.0120	0.0000	
C1	0.8716	0.9306	
C2	0.0132	0.0141	47.19
C3	0.0074	0.0079	27.20
IC4	0.0019	0.0020	8.17
NC4	0.0026	0.0027	10.72
IC5	0.0010	0.0010	4.64
NC5	0.0009	0.0010	4.49
C6	0.0008	0.0009	4.39
C7+	0.0019	0.0020	11.41
TOTAL	1.0000	1.0000	118.21
C10+	0.00011	0.00011	0.90
C12+	0.00000	0.00000	0.00

PROPERTIES

Calculated Mole Weight		Calculated Relative Density	
Moisture Free as Sampled		Moisture Free as Sampled Moisture & Acid Gas Free	
19.0	105.9	0.657	0.603
Total	C7+		
Calculated Pseudo Critical Properties			
As Sampled		Acid Gas Free	
4742.3	201.7	4543.6	193.8
pPc (kPa)	pTc (Kelvin)	pPc (kPa)	pTc (Kelvin)
Calculated Gross Heating Value (Mj/m3)			
@ 101.325 kPa & 15°C			
36.09	38.22	211.24	
A.P.M.C. (AGA #5)	A.P.M.C. (AGA #5) Acid Gas Free	C7+ as received	
		Gas Compressibility	
		@ 101.325 kPa & 15°C	
		0.9977	


NA = H2 not reported due to possible degradation of H2S

Onsite H2S by Tutwiler: 1.20 mole percent.

Shaded areas indicate mandatory information required for EUB .pas files

Results relate only to items tested

Remarks:



Project Number: 01-18463-01

Sample Point ID:

Client: Paramount Resources Ltd.

Client ID:

Location: Paramount et al Cameron 300/B-08-60-10-73/00

Sample Point: Meter Run

Date Sampled (start): 2001/03/25 16:00

Date Sampled (end):

COMPONENT	BOILING POINT (°C)	MOLE FRACTION AIR FREE AS REC'D.	MOLE FRACTION AIR & ACID GAS FREE	LIQUID VOLUME ml/m3 AIR FREE AS REC'D	
Hydrogen	-253	NA	NA		
Helium	-269	0.0000	0.0000		
Nitrogen	-196	0.0354	0.0378		
Carbon Dioxide	-79	0.0514	0.0000		
Hydrogen Sulphide	-60	0.0120	0.0000		
Methane	-162	0.8716	0.9306		
Ethane	-189	0.0132	0.0141	47.19	
Propane	-42	0.0074	0.0079	27.20	
I-Butane	-12	0.00189	0.00202	8.17	
N-Butane	0	0.00255	0.00272	10.72	
I-Pentane	28	0.00095	0.00101	4.64	
N-Pentane	36	0.00093	0.00099	4.49	
C6	69	0.00080	0.00085	4.39	
C7	70-98	0.00075	0.00080	4.16	
C8	99-126	0.00073	0.00078	4.44	
C9	127-151	0.00029	0.00030	1.91	
C10	152-174	0.00008	0.00008	0.63	
C11	175-196	0.00003	0.00003	0.27	
C12	197-216	0.00000	0.00000	0.00	
C13	217-236	0.00000	0.00000	0.00	
C14	237-253	0.00000	0.00000	0.00	
C15+	254+	0.00000	0.00000	0.00	
Total		1.0000	1.0000	118.21	
SPECIFIC COMPONENTS					
neo-Hexane/Cyclopentane (C6)	50	0.00002	0.00002	0.11	
N-Hexane (C6)	69	0.00031	0.00033	1.70	
Methylcyclopentane (C7)	72	0.00011	0.00012	0.52	
Benzene (C7)	80	0.00007	0.00007	0.26	
Cyclohexane (C7)	81	0.00008	0.00009	0.36	
2,2,4 Trimethylpentane (C8)	99	0.00004	0.00004	0.28	
Methylcyclohexane (C8)	101	0.00015	0.00016	0.80	
Toluene (C8)	111	0.00014	0.00015	0.63	
Ethylbenzene (C9)	136	0.00002	0.00002	0.10	
m&p Xylene (C9)	139	0.00007	0.00007	0.36	
o-Xylene (C9)	144	0.00002	0.00002	0.10	
1,2,4 Trimethylbenzene (C10)	169	0.00001	0.00001	0.06	
SUMMARY					
C3+	-42+	0.01640	0.01748	71.02	MOLE WEIGHT AIR FREE AS REC'D
C5+	28+	0.00456	0.00484	24.93	60.2
C6+	36+	0.00268	0.00284	15.80	88.5
C7+	70+	0.00188	0.00199	11.41	100.0
C10+	152+	0.00011	0.00011	0.90	105.9
C12+	197+	0.00000	0.00000	0.00	144.1
					NA

Detection limit for I-Butane+ components is 0.00001
Detection limit for all other components is 0.0001

Results relate only to items tested