



APPROVAL TO ALTER CONDITION OF A WELL

This application is to be submitted to the Chief Conservation Officer at least 45 days before commencement of operations.

Well Name: Chevron et al Liard M-25
Operator: Chevron Canada Resources
Drilling Rig or Unit: N/A
Coordinates: Lat: 60° 24' 50.8 N
Date ADW Issued September 22, 1999
Elevation KB/RT: 917.8 m

Area: Fort Liard , Northwest Territories
Contractor: Ultraline Services / Trican Well Services
Depth: 3770 m MD , 3374 mTVD
Long: 123° 35' 12.5 w
Date of last Operation: July 6, 2003
(ASL) GL/Seafloor: 910.8 m

TYPE OF OPERATION

Perforating and Stimulation

Perforate and stimulate the wellbore with acid to access dry gas from fractures that are currently not producing.

SUMMARY OF PROPOSED OPERATIONS

Rig in Ultraline Services wireline unit and associated equipment to perform wireline operations.

RIH gauge ring as a dummy run.

RIH with a 63.5 mm jet cutter and cut the 88.9 mm packer tailpipe at ~ 3425 m to expose the zone of interest.

RIH with a 8 m x 54 mm strip perforating gun and perforate the following openhole interval : 3442 – 3450 m.

Rig in Precision Well Testing inline test equipment and Trican coil tubing equipment.

RIH jetting nozzle on coil tubing and acid wash perforated interval with 40 m3 15 % HCL acid.

Flow back well through inline test equipment to recover spent acid.

Gaslift well with coil tubing and nitrogen to assist well in flowing.

Rig out and move off location with equipment.

Signed: BT Kalsi

Responsible Officer

Name: BT Kalsi

Date: 2003-07-15

Title: Completions Engineer

Company: Chevron Canada Resources

Phone: 403-234-5721

APPROVAL

An approved copy of this notice is to be posted at each wellsite.

Current Well Status

Suspended ☐

Completed ☐

Abandoned ☐

Signed: J. Macdonald

Chief Conservation Officer

Date: July 17/03

File: 9211-C004-1-3

WID: 1867

UWI: 300L266030123302