

**Daily Completion Workover Report**

Well Name:	ANADARKO LIARD P-16		Date:	2/21/2004	
Well Location:	300/P- 16 Lat: 60° 30' Long: 123° 30'		Report #:	2	
Contractor:	RAPID WIRELINE	Rig #:	Engineer:	DAVID SALAHUB 403-231-0577	
Supervisor:	JOE GRAVES 250-261-4889	Licence:	1976	Final Report:	Y
Phone #:		Objective:	MAINTENANCE	Start Date:	2/16/2004
Event Type:	MAINTENANCE		Objective2:	OTHER	
AFE Number:					

COSTS		WELL		SURFACE	
Daily Cost:	20,634	PBD:	(m)	KB:	333.35 (m)
Cum Cost:	23,922	TD:	2,991.00 (m)	CF:	(m)
AFE Cost:		H2S:	0.00 (%)	GL:	327.25 (m)

JOB

Status: SHUT IN, 1030 HRS. BLEED OFF, FILL TUBING, RUN HOOK WALL AND BP VALVE

Comments: DRIVE TO LOCATION, CONDUCT SAFETY MEETING, BLEED OFF WELL, FILL TUBING WITH INHIBITED WATER, RUN HOOK WELL, RUN B.P. VALVE, FILL W.HEAD WITH METHANOL, LOCK & SECURE WELL.

HOURS	ZONE Interval:	Zone:	Pool:
Daily Hours:	5.00		
Cum. Hours:	14.00		
Man Hours Worked:	(t-km)		

WELL EQUIPMENT		REPORTS		SAFETY	
Casing Size:	177.8 (mm)	Packer:	Log: F	Perf: F	Last Safety Meeting: 02/21/2004
Casing Depth:	2,991.00 (m)	Set @:	Flow: F	Stim: F	Last BOP Drill:
Liner Size:	(mm)	Tubing Size:	88.9 (mm)	Cement: F	Swab: F
Liner Depth:	(m)	Tubing Depth:	2,980.44 (m)	Last PCP Rig Inspection: NONE	

FLUIDS(m3)	OIL		WATER		OTHER	
	Day	Cum	Day	Cum	Day	Cum
In Well:	0.00	0.00	0.00	0.00	0.00	0.00
Recovered:	0.00	0.00	0.00	0.00	0.00	0.00
Left to Recover:	0.00		0.00		0.00	
Haul In:	0.00	0.00	0.00	0.00	0.00	0.00
Haul Off:	0.00	0.00	0.00	0.00	0.00	0.00
Non-Recov. Ann. Fluid:		0.00		0.00		0.00

Time and Operations Summary

From:	To:	Hrs:	Phase:	Code:	Sub Code:	Description:
10:00	10:15	0.25	EVALPR	48		CONDUCT SAFETY MEETING WITH ALL PERSONNEL. SITP 23,726 KPA. SICP 84 KPA. RIG IN RAPID WIRELINE FLARE STACK AND BLEED OFF TUBING PRESSURE TO ZERO, PLUG HOLDING AT 1330 HRS. FILL TUBING WITH 13.5 M3 OF INHIBITED FRESH WATER. RIG IN RAPID WIRELINE SLICKLINE TRUCK AND RUN AND SET SLIP STOP AND HOOKWALL PLUG AT 64 MCF AT 1415 HRS. SHUT IN AND SECURE WELL, RIG OUT RAPID WIRELINE, LEFT LOCATION AT 1500 HRS. (COOPER CAMERON TO SET BACK PRESSURE VALVE IN TUBING HANGER AND FILL WELL HEAD WITH METHANOL).
10:15	15:00	4.75	EVALPR	47		