

**Well Information**

Operator: PARAMOUNT RESOURCES LTD.
Well Name: PARA ET AL CAMERON (2) M-73 (MD)
Location: M-73
UWI: 302M736010117150
Pool: _____
Field: Cameron Hills
Province / State: NWT
Country: Canada

Elevations

Reference: _____ **Ground:** 771.8 m
Cut(-) / Fill(+): +0.3 m **Kelly Bushing:** 776.05 m
K.B. to Ground: 4.25 m **Casing Flange:** _____ m

Total Depth

Measurement Type	Measured Depth	True Vertical Depth
Drillers TD (Tally)	1522.8 m	1449.56 m
Drillers TD (Strap or SLM)	m	m
Loggers TD	m	m

Surface Co - Ordinates

Well Type: Deviated
Longitude: 1172931.9 **N / S Co - Ordinates:** _____
Latitude: 600252.3 **E / W Co - Ordinates:** _____

Bottom Hole Co - Ordinates

Longitude: 1172950.2 **N / S Co - Ordinates:** _____
Latitude: 600252.8 **E / W Co - Ordinates:** _____

Well Summary

Spud Date: Mar 20, 2005 @ 10:00hrs
TD Date: Mar 26, 2005 @ 10:15hrs
Rig Release Date: Mar 28, 2005
Contractor: Precision Drilling Rig #247

Drilling Fluid Summary

Fluid Type	From	To
Gel-Chem	0 m	429 m
Water	429 m	1200 m
Gel-Chem	1200 m	1522 m

Casing Summary


Type	Hole Size	Casing Size	Landed
Surface	311 mm	219.1 mm	428.98 m



Work Schedule

Contractor	Geologist	Log Interval	Dates Logged
RUNNING HORSE RESOURCES INC.	Phillip Dang	429 m - 1522 m	Mar 21, 2005 - Mar 27, 2005

Remarks

MD Composite Strip Log 1:240 scale





SH: m - occly dk gy brn - brn gy, m
gn gy, sbfis - fis, sily micmica, calcs -
mrly ip

SH: m gn gy, occly m gy brn - brn gy,
sbfis - fis, sily micmica, calcs. Tr ls
strgs, crm - tan, crpxl, tt, ns

LS: crm - lt gy brn, mdst, crpxl, sily -
modly arg, tt, ns

LS: crm - lt gy brn, lt gy - brn gy ip,
mdst, crpxl, sily - modly arg, tt, ns

SH: m gn gy, occly m gy brn - brn gy,
sbfis - fis, sily micmica, v calcs - mrly

LS: lt brn gy - crm gy, mdst, crpxl,
modly arg, tt, ns

SH: m gn gy, occly m gy brn - brn gy,
sbfis - fis, sily micmica, v calcs - mrly

LS: bf - lt av brn - brn, mdst, crpxl.

