



Scale 1:240 (5"=100') Metric

Well Name: Para et al Cameron J-74
Location: Unit J Section 74 Grid Area 60°10"N, 117°15"W
Licence Number: 1125
Spud Date: Feb 28, 2006 16:30hrs
Surface Coordinates: Latitude: 60°03'38.894" North
Longitude: 117°28'55.779" West
Bottom Hole Coordinates: Latitude: 60°03'38.894" North
Longitude: 117°28'55.779" West
Ground Elevation (m): 771.10 K.B. Elevation (m): 775.30
Logged Interval (m): 15 To: 1465 Total Depth (m): 1465
Formation: Primary = Sulphur Point Dolomite Secondary = Slave Point Limestone
Type of Drilling Fluid: Gel Chem

Printed by STRIP.LOG from WellSight Systems 1-800-447-1534 www.WellSight.com

OPERATOR

Company: Paramount Resources Ltd.
Address: 4700 Bankers Hall West 888 3rd Street S.W.
Calgary, Alberta Canada T2P 5C5
Tel: (403) 290-3600 Fax: (403) 262-7994


GEOLOGIST

Name: Silviu Gridan, B.Sc.
Company: Running Horse Resources Inc.
Address: www.WellsiteGeologists.com
WellsiteGeologists@telus.net
Tel: (403) 234-7625 Fax: (403) 263-7626


Comments

This well was drilled by Precision Drilling Rig #129
Paramount AFE No.: 05N610061
Wireline services provided by Precision Unit #


ROCK TYPES




Anhy
Bent
Brec
Cht




Clyst
Coal
Congl
Dol



Gyp
Igne
Lmst
Meta



Mrlst
Salt
Shale
Shcol



Shgy
Sltst
Ss
Till

ACCESSORIES

MINERAL

Anhy
 Arggrn
 Arg
 Bent
 Bit
 Breclrag
 Calc
 Carb
 Chtdk
 Chtlt
 Dol
 Feldspar
 Ferrpel
 Ferr
 Glau



Gyp
 Hvymin
 Kaol
 Marl
 Minxl
 Nodule
 Phos
 Pyr
 Salt
 Sandy
 Silt
 Sil
 Sulphur
 Tuff



FOSSIL

Algae
 Amph
 Belm
 Bioclst
 Brach
 Bryozoa
 Cephal
 Coral
 Crin
 Echin
 Fish
 Foram
 Fossil
 Gastro
 Oolite



Ostra
 Pelec
 Pellet
 Pisolite
 Plant
 Strom



STRINGER

Anhy
 Arg
 Bent
 Coal
 Dol
 Gyp
 Ls
 Mrst



Sltstrg
 Ssstrg

TEXTURE

Boundst
 Chalky
 Cryxln
 Earthy
 Finexln
 Grainst
 Lithogr
 Microxln
 Mudst
 Packst
 Wackest



OTHER SYMBOLS

POROSITY

Earthy
 Fenest
 Fracture
 Inter
 Moldic
 Organic
 Pinpoint



Vuggy

SORTING

Well
 Moderate
 Poor



ROUNDING

Rounded
 Subrnd
 Subang
 Angular



OIL SHOW

Even





Spotted
 Ques
 Dead




EVENT

Casing
 Rft
 Sidewall







300


Sonic (usec/m)


100


300

Sonic (usec/m)

100







300



Sonic (usec/m)

100

300

Sonic (usec/m)

100



Depth: 435m
Progress: 191m
Survey at 435.00m
0.75 deg

Surface casing
219.1mm set at 435m

March 4, 2006
March 5, 2006
Depth: 435m
Progress: 0m
Bit #1 200mm
Varel MKS55
Serial #: 2426
IN: 435m

DENS: 1000kg/m3
VIS: 29s/L
pH: 10.5

Note: Gas Scale
Change at 450m

0	Scale Change	10
0	ROP (min/m)	1500
0	Gas (units)	150
125	Gamma (API)	375
125	Caliper X (mm)	375
-50	Caliper Y (mm)	50
	SP (mV)	

WOB: 3.5KDaN
RPM: 85
SPM: 115

DENS: 1000kg/m3
VIS: 29s/L
pH: 10.5



WOB: 3.5KDaN
RPM: 85
SPM: 115

PUMP: 1.37m3/min
PRESS: 4420kPa
ANN/FI: 47 4m/min


300

Sonic (usec/m)

100



300	Sonic (usec/m)	100
		
[539 - 545] SS 80%, med gy, v f grnd, rry f grnd, sb ang to sr grns, w srt, mod cmtd, fri ip, silc cmt, abnt glau, arg ip, p intgr por, ns		
300	Sonic (usec/m)	100
WABAMUN 553m (222.3m SSL)		
		



WOB: 8.0KDaN
RPM: 75
SPM: 115


Loss circulation
at 584m

DENS: 1010kg/m3
VIS: 29s/L
pH: 10

WOB: 8.0KDaN
RPM: 80
SPM: 115

ROP (min/m) 10
Gas (units) 500
Gamma (API) 150
Caliper X (mm) 375
Caliper Y (mm) 375
SP (mV) 50

570
575
580
585
590
595
600
605
610
615
620
625
630







300


Sonic (usec/m)



100

LS 100%, wh to tan gy, pred crptxl to mnrcmxln, occly vf
xl n, mudst to wkst, rry chky, lmpy to blk, mass, dns,
comy tt wi assumed p rthy por, ns









300

300

Sonic (usec/m)

Sonic (usec/m)

100

100

