



Scale 1:240 (5"=100') Metric

Well Name: Para et al Cameron J-74
Location: Unit J Section 74 Grid Area 60°10"N, 117°15"W
Licence Number: 1125
Spud Date: Feb 28, 2006 16:30hrs
Surface Coordinates: Latitude: 60°03'38.894" North
Longitude: 117°28'55.779" West
Bottom Hole Coordinates: Latitude: 60°03'38.894" North
Longitude: 117°28'55.779" West
Ground Elevation (m): 771.10 K.B. Elevation (m): 775.30
Logged Interval (m): 15 To: Total Depth (m):
Formation: Primary = Sulphur Point Dolomite Secondary = Slave Point Limestone
Type of Drilling Fluid: Gel Chem

Printed by STRIP.LOG from WellSight Systems 1-800-447-1534 www.WellSight.com

OPERATOR

Company: Paramount Resources Ltd.
Address: 4700 Bankers Hall West 888 3rd Street S.W.
Calgary, Alberta Canada T2P 5C5
Tel: (403) 290-3600 Fax: (403) 262-7994


GEOLOGIST

Name: Silviu Gridan, B.Sc.
Company: Running Horse Resources Inc.
Address: www.WellsiteGeologists.com
WellsiteGeologists@telus.net
Tel: (403) 234-7625 Fax: (403) 263-7626


Comments

This well was drilled by Precision Drilling Rig #129
Paramount AFE No.: 05N610061
Wireline services provided by Precision Unit #


ROCK TYPES




Anhy
Bent
Brec
Cht




Clyst
Coal
Congl
Dol



Gyp
Igne
Lmst
Meta



Mrlst
Salt
Shale
Shcol



Shgy
Sltst
Ss
Till

	Anhy
	Arggrn
	Arg
	Bent
	Bit
	Brecfrag
	Calc
	Carb
	Chtdk
	Chltlt
	Dol
	Feldspar
	Ferrpel
	Ferr
	Glau

Gyp
Hvymin
Kaol
Marl
Minxl
Nodule
Phos
Pyr
Salt
Sandy
Silt
Sil
Sulphur
Tuff

- **Algae**
- **Amph**
- **Belm**
- **Bioclst**
- **Brach**
- **Bryozoa**
- **Cephal**
- **Coral**
- **Crin**
- **Echin**
- **Fish**
- **Foram**
- **Fossil**
- **Gastro**
- **Oolite**

Ostra
Pelec
Pellet
Pisolite
Plant
Strom

 Anhy
 Arg
 Bent
 Coal
 Dol
 Gyp
 Ls
 Mrst

 **Slitstrg**
 **Ssstrg**

BS	Boundst
C	Chalky
CX	Cryxln
E	Earthy
FX	Finexln
GS	Grainst
L	Lithogr
MX	Microxln
MS	Mudst
PS	Packst
WS	Wackest

	Earthy
	Fenest
	Fracture
	Inter
	Moldic
	Organic
	Pinpoint



Vuggy

 Well
 Moderate
 Poor

ROUNDING

R	Rounded
r	Subrnd
a	Subang
A	Angular


☐ ☐ ☐


Spotted Ques Dead


Core
Dst

 Casing
 Rft
 Sidewall

Even







300


Sonic (usec/m)


100

300

Sonic (usec/m)

100





300



Sonic (usec/m)

100

300

Sonic (usec/m)

100



Depth: 435m
Progress: 191m
Survey at 435.00m
0.75 deg

Surface casing
219.1mm set at 435m

March 4, 2006
March 5, 2006
Depth: 435m
Progress: 0m
Bit #1 200mm
Varel MKS55
Serial #: 2426
IN: 435m

DENS: 1000kg/m3
VIS: 29s/L
pH: 10.5

Note: Gas Scale
Change at 450m

0	Scale Change	10
0	ROP (min/m)	1500
0	Gas (units)	150
125	Gamma (API)	375
125	Caliper X (mm)	375
-50	Caliper Y (mm)	50
	SP (mV)	

WOB: 3.5KDaN
RPM: 85
SPM: 115

DENS: 1000kg/m3
VIS: 29s/L
pH: 10.5



WOB: 3.5KDaN
RPM: 85
SPM: 115

PUMP: 1.37m3/min
PRESS: 4420kPa
ANN/FI: 47 4m/min


300

Sonic (usec/m)

100







300	Sonic (usec/m)	100
		
[539 - 545] SS 80%, med gy, v f grnd, rry f grnd, sb ang to sr grns, w srt, mod cmtd, fri ip, silc cmt, abnt glau, arg ip, p intgr por, ns		
300	Sonic (usec/m)	100
WABAMUN 553m (222.3m SSL)		
		





LS 100%, wh to tan gy, pred crptxl to mnrcmxln, occly vf
xl n, mudst to wkst, rry chky, lmpy to blk, mass, dns,
comy tt wi assumed p rthy por, ns

300 Sonic (usec/m) 100









300


Sonic (usec/m)


100


300


Sonic (usec/m)

100












300

Sonic (usec/m)

100





300

Sonic (usec/m)



100

[1295 to 1305] SH 75%, lt gn gy, sub fis to plty, sl mmica, mod hd, calc, sub wxt tex, tr pyr, SH 25%, med gy, blk, hd, mmica ip, slty, tr desm pyr, non calc, f to med tex

300

Sonic (usec/m)

100



[1305 to 1315] SH 60%, lt gn gy, sub fis to plty, sl mmica, mod hd, calc, sub wxt tex, SH 40%, med gy, blk, hd, mmica ip, slty, tr desm pyr, non calc, f to med tex

[1315 to 1323.5] SH 100%, lt to med gy, blk to sub fis, mod hd, mmica ip, tr desm pyr, v calc, slty ip, med tex

BEAVERHILL LAKE 1323.5
(-548.2m SSL)

[1323.5 - 1335] SH 40%, lt gn gy, sub fis to plty, dull to sl
mmica, hd, calc, sub wxt tex ip, tr pyr, SH 40%, med to dk
gy, blkly, hd, mmica ip, slty, tr desm pyr, loc limy strks, f
to med tex, LS 20%, off wxt to lt gy, buff to rry lt brn, mict
to occ v fxlIn, mudst, lmpy to blkly, tt, dns, ns

[1335 - 1349] SH 60%, med to dk gy, blkly, hd, mmica ip, slty, tr desm pyr, loc limy strks bcmg v calc, f to med tex ip, SH 20%, lt gn gy, sub fis to pty, dull to sl mmica, hd, sl calc, sub wxt tex ip, tr pyr, LS 20%, off wht to lt gy, buff to rry lt brn, mict to occ v xln, mudst, lmpy to blkly, tt, dns, ns

**SLAVE POINT 1349m
(-573.7m SSL)**

300 Sonic (usec/m)

100