



Scale 1:240 (5"=100') Metric

Well Name: Para et al Cameron J-74
Location: Unit J Section 74 Grid Area 60°10"N, 117°15"W
Licence Number: 1125
Spud Date: Feb 28, 2006 16:30hrs
Surface Coordinates: Latitude: 60°03'38.894" North
Longitude: 117°28'55.779" West
Bottom Hole Coordinates: Latitude: 60°03'38.894" North
Longitude: 117°28'55.779" West
Ground Elevation (m): 771.10 K.B. Elevation (m): 775.30
Logged Interval (m): 15 To: 1465 Total Depth (m): 1465
Formation: Primary = Sulphur Point Dolomite Secondary = Slave Point Limestone
Type of Drilling Fluid: Gel Chem

Printed by STRIP.LOG from WellSight Systems 1-800-447-1534 www.WellSight.com

OPERATOR

Company: Paramount Resources Ltd.
Address: 4700 Bankers Hall West 888 3rd Street S.W.
Calgary, Alberta Canada T2P 5C5
Tel: (403) 290-3600 Fax: (403) 262-7994


GEOLOGIST

Name: Silviu Gridan, B.Sc.
Company: Running Horse Resources Inc.
Address: www.WellsiteGeologists.com
WellsiteGeologists@telus.net
Tel: (403) 234-7625 Fax: (403) 263-7626


Comments

This well was drilled by Precision Drilling Rig #129
Paramount AFE No.: 05N610061
Wireline services provided by Precision Unit #


ROCK TYPES




Anhy
Bent
Brec
Cht




Clyst
Coal
Congl
Dol



Gyp
Igne
Lmst
Meta




Mrlst
Salt
Shale
Shcol





Shgy
Sltst
Ss
Till

BS	Boundst
C	Chalky
EX	CryxIn
E	Earthy
FX	FinexIn
GS	Grainst
L	Lithogr
MX	MicroxIn
MS	Mudst
PS	Packst
WS	Wackest

 Casing
 Rft
 Sidewall







300


Sonic (usec/m)


100


300

Sonic (usec/m)

100







300



Sonic (usec/m)

100

300

Sonic (usec/m)

100



Depth: 435m
Progress: 191m
Survey at 435.00m
0.75 deg

Surface casing
219.1mm set at 435m

March 4, 2006
March 5, 2006
Depth: 435m
Progress: 0m
Bit #1 200mm
Varel MKS55
Serial #: 2426
IN: 435m

DENS: 1000kg/m3
VIS: 29s/L
pH: 10.5

Note: Gas Scale
Change at 450m

Scale Change
ROP (min/m) 10
Gas (units) 1500
Gamma (API) 150
Caliper X (mm) 375
Caliper Y (mm) 375
SP (mV) 50

WOB: 3.5KDaN
RPM: 85
SPM: 115

DENS: 1000kg/m3
VIS: 29s/L
pH: 10.5

WOB: 3.5KDaN
RPM: 85
SPM: 115



PUMP: 1.37m3/min
PRESS: 4420kPa
ANN/FI: 47 4m/min

435
440
445
450
455
460
465
470
475
480
485
490
495


300

Sonic (usec/m)

100







300	Sonic (usec/m)	100
		
[539 - 545] SS 80%, med gy, v f grnd, rry f grnd, sb ang to sr grns, w srt, mod cmtd, fri ip, silc cmt, abnt glau, arg ip, p intgr por, ns		
300	Sonic (usec/m)	100
WABAMUN 553m (222.3m SSL)		
		






LS 100%, wh to tan gy, pred crptxl to mnrcmxln, occly vf
xl n, mudst to wkst, rry chky, lmpy to blk, mass, dns,
comy tt wi assumed p rthy por, ns

300 Sonic (usec/m) 100









300

300




Sonic (usec/m)


Sonic (usec/m)





100

100












300

Sonic (usec/m)

100

WOB: 5.5 KDaN





300

Sonic (usec/m)



100

[1295 to 1305] SH 75%, lt gn gy, sub fis to plty, sl mmica, mod hd, calc, sub wxt tex, tr pyr, SH 25%, med gy, blk, hd, f to med tex, mmica ip, slty, tr desm pyr, non calc

300

Sonic (usec/m)

100



[1305 to 1315] SH 60%, lt gn gy, sub fis to plty, sl mmica, mod hd, calc, sub wxt tex, SH 40%, med gy, blkly, hd, f to med tex, mmica ip, slty, tr desm pyr, non calc

[1315 to 1323.5] SH 70%, lt to med gy, blkly to sub fis, mod hd, med tex, mmica ip, tr desm pyr, v calc, slty ip, SH 30%, lt gn gy, sub fis to plty, sub wxt tex, sl mmica, mod hd, calc

BEAVERHILL LAKE 1323.5 (- 548.2m SSL)

[1323.5 - 1335] SH 40%, lt gn gy, sub fis to plty, dull to sl mmica, hd, calc, sub wxt tex ip, tr pyr, SH 40%, med to dk gy, blkly, hd, mmica ip, slty, tr desm pyr, loc limy strks, f to med tex, LS 20%, off wht to lt gy, buff to rry lt brn, crptxl to occ v f xln, mudst, lmpy to blkly, tt, dns, ns


[1335 - 1349] SH 60%, med to dk gy, blkly, hd, mmica ip, slty, tr desm pyr, loc limy strks bcmg v calc, f to med tex ip, SH 20%, lt gn gy, sub fis to plty, dull to sl mmica, hd, sl calc, sub wxt tex ip, tr pyr, LS 20%, off wht to lt gy, buff to rry lt brn, crptxl to occ v f xln and rry f xln, mudst, lmpy to blkly, tt, dns, ns

SLAVE POINT 1349m (- 573.7m SSL)

[1349 - 1357] LS 100%, crm to lt brn, mot, predy crptxl & mcnln, rry f xln, mudst to wkst, chky tex ip, lmpy to blkly, tr pyr, arg, dns with tr intxl & assumed rthy por, tt, questionable show

[1357 - 1363] LS 100%, crm to lt brn, mot, predy crptxl, rry v f xln, mudst to wkst, chky tex ip, lmpy to blkly, tr pyr, arg, dns with tr intxl, tt, no flor, nsoc, ns

[1363 - 1371] LS 100%, crm to tan, loc lt brn, mudst to wkst, predy crptxl to mcnln, occly f xln, chky tex ip, arg, tr bitns prgs, dns, loc p pp & vugy por, tr p intxl por & assumed rthy por, sply pale yel flor, wk yel gn ribn cut, wk hydrc od



[1371 - 1377] LS 100%, crm to lt brn, mudst to wkst, predy crptxl to mcxln, bcmg vf to f & med xln, chky tex ip, arg, lmpy to blkly, p rthy & loc p intxl por (2 - 5%), g pp & vugy por (up to 12%), occly bitns prtgs, tr dd o stns, sply pale yel flr, slow wh yel ribn cut, strong hydc od

[1377 - 1385] LS 90%, crm to tan, rry brn, arg, mot, mudst, crptxl to mcxln, grdg to f xln, lmpy to blkly, chky tex ip, tt, mas, dol ip, assumed p rthy por (0 to 2%), sply pale yel flr, wk yel ribn cut, DOL 5%, med brn, crptxl to mcxln, blkly, tt, ns, ANHY 5%, offwht, crptxl, pearly lustre ip

[1385 - 1392] LS 70%, crm to tan to lt gy tan, arg, mudst, crptxl to mcxln, occ f xln, lmpy, chky tex, tt, anhy ip, v p rthy por, sply pale yel flr, wk wh yel ribn cut, DOL 10%, med brn, crptxl to mcxln, blkly, tt, ns, ANHY 20%, offwht, crptxl, pearly lustre ip

F4 MARKER 1392m (- 616.7m SSL)

[1392 - 1399] LS 75%, lt gy to lt brn ip, mudst, predy crptxl to occ mcxln, arg, lumpy, anhy, dolc ip, tt, no flr, nsoc, ns, DOL 20%, med brn, crptxl to mcxln, blkly, tt, ns, ANHY 5%, offwht to rry tan, crptxl to mcxln, pearly lustre, tt

WATT MOUNTAIN 1399m (- 623.7m SSL)

[1399 - 1409.5] SH 100%, lt gn gy, rr dk gy, waxy tex, sft, calc, com desm pyr

SULPHUR POINT LST 1409.5m (- 634.2m SSL)

[1409.5 - 1417] LS 100%, pred offwht to tan, lt brn to dk brn, gy ip, pred crptxl to f and med xln, mudst to wkst, sl dolc, sl anhy, argl ip, lmpy to blkly, sply yel flr, no cut, tt to p (0 to 3%) intxl por and assumed p rthy por

SULPHUR POINT DOL 1417m (- 641.7m SSL)

[1417 - 1425] DOL 100%, lt brn, mcxln to vf xln & f to med xln, grnst, suc tex, sdy appnc, str of fr (up to 7%) intxl por and fr vugy por, sply yel flr, slow strmg mky yel wh ribn cut, wk hydc od

[1425 - 1430] DOL 100%, lt brn to brn, mcxln to vf & rry f xln, grnst, suc tex, sdy appnc ip, p to fr (up to 7%) intxl and vugy por, sply yel flr, slow mky yel wh ribn cut, wk hydc od

[1430 - 1435] DOL 80%, lt brn to brn, mcxln to med xln, grnst, suc tex, tt ip, sl anhy, p to fr (up to 6%) intxl por, sply yel flr, slow mky yel wh ribn cu, SH 20%, gy to gn gy, waxy tex, ply to sub fis, tr pyr

[1435 - 1441] DOL 100%, lt brn to brn, mcxln to med xln, grnst, suc tex, tt, sl anhy, p to fr (0 to 3%) intxl por, sply

