

MORNING

LICENCE NO.

2041

WELL NAME & NO.

PARA ET AL CAMERON L-29

OPERATOR

PARAMOUNT RESOURCES LTD.

CONTRACTOR NAME

PRECISION DRILLING, DIV OF PDC

SURFACE LOCATION

L-29-60 DEG10-117DEG 30

UNIQUE ID

300L296010117300

SIGNATURE OF OPERATOR'S REPRESENTATIVE

BRIAN NEIGUM

SIGNATURE OF CONTRACTOR'S RIG MANAGER

DAVE CROWLEY

DAILY CHECKS

(1.) Daily Walk Around Inspection

(2.) Detailed Inspection - Weekly (Using Check List)

(3.) H2S Signs Posted if Required

(4.) Well Licence & Stick Diagram Posted

(5.) Flare Lines Staked

(6.) BOP Drills Performed

(7.) Visually Inspect BOPs- Flare Lines & Degasser Lines

(1.) Rig Site Health & Safety Meeting (one/crew/month)

(2.) CA ODC Rig Safet Inspection Checklist (one/rig/month)

(3.) Mast Inspection before Raising or Lowering

(4.) Crown Saver Checked

(5.) Motor Kills Checked

YEAR
2007

MONTH
1

DAY
26

LAST CASING TUBING OR LINER

O.D. (mm)

MIN I.D. (mm)

MASS (kg/m3)

MAKE

GRADE

NO. of JOINTS

TOTAL LENGTH

KB TO CSG HEAD

SET AT (m)

SPUD DATE

TIME

RIG RELEASE

TIME

WELL TYPE

VERT.

RE-ENTRY

NO

OPERATOR'S SAFE

06N7100017

KELLY BSHG

OP FUEL

CONTRACTOR'S JOB NUM

77

TOUR SHEET SERIAL NUM

PREC220_20070126_2D

VENDOR SOFTWARE VERSION

EDR_3-24 ETS 2.2

CODE NO.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

TOTALS

SHALE SHAKER(S)

NO.

TYPE

TYPE

RENTALS / SERVICES

MORN

DAY

EVE

RIGUP & TEARDOWN

DRILL ACTUAL

REAMING

CORING

COND MUD & CIRC

TRIPS

RIG SERVICE

REPAIR RIG

CUT OFF DRILL LINE

DEV. SURVEY

WIRELINE LOGS

RUN CSG & CEMENT

WAIT ON CEMENT

NIPPLE UP B.O.P.

TEST B.O.P.

DRILLSTEM TEST

PLUG BACK

SQUEEZE CEMENT

FISHING

DIR. WORK

SAFETY MEETING

NO.

TYPE

TYPE

CREW VEHICLE

SCREENS CHANGED

NEW/ USED

TOP

TOP

MIDDLE

MIDDLE

BOTTOM

BOTTOM

84

MORN

DAY

EVE

TOTAL

10.00

8.00

4.00

12.00

84

NO.

DRILLING ASSEMBLY (AT END OF TOUR)

LENGTH

BIT RECORD

MORNING TOUR

MUD RECORD

METRES DRILLED

TIME LOG

BIT

O.D.

BIT NO.

SIZE

IADC CODE

MANUFACTURER

TYPE

SERIAL NO.

JETS

DEPTH OUT (m)

DEPTH IN (m)

TOTAL DRILLED (m)

TOTAL HRS RUN

CUTTING STRUCTURE

TI

T₆

MDC

LOC

BRG

GAGE

ODC

REASON PULLED

TOTAL RUN m/HR

D.P.

STANDS

D.P.

SINGLES

KELLY DOWN

HOLE CONDITION

HOLE DRAG

TORQUE AT BOTTOM

FILL ON BOTTOM (m)

WT. OF D.C.

WT. OF STRING

MUD TYPE

WATER BASED

OIL BASED

TIME

DENSITY (kg/m3)

FUNNEL VISCOSITY

FLUID LOSS (cm3)

pH

MUD MATERIALS ADDED

PRODUCT

AMOUNT

UNIT

SOLIDS CONTROL

CENTRIFUGE

HOURS RUN

INTAKE DENSITY (kg/m3)

OVER FLOW DENSITY

UNDER FLOW DENSITY

REDUCED PUMP SPEED

@

@

DEVIATION SURVEYS

DEPTH (m)

DEVIATION

DIRECTION

BOILERS

1

2

HRS RUN

8

HRS RUN

BOILER pH

BOILER pH

STACK TEMP

STACK TEMP

CIRCULATION PRESSURE kPa

PUMP NO. 1

PUMP NO. 2

LINER SIZE

SPM

LINER SIZE

SPM

NOTES :

DRILLER SIGNATURE

SPECIAL EVENT

TIME / DEPTH

SAFETY TOPIC

MEHL

MACP

DAY

[illegible]

[illegible]

MORNING

LICENCE NO.

2041

WELL NAME & NO.

PARA ET AL CAMERON L-29

OPERATOR

PARAMOUNT RESOURCES LTD.

CONTRACTOR NAME

PRECISION DRILLING, DIV OF PDC

SURFACE LOCATION

L-29-60 DEG10-117DEG 30

UNIQUE ID

300L296010117300

SIGNATURE OF OPERATOR'S REPRESENTATIVE

BRIAN NEIGUM

SIGNATURE OF CONTRACTOR'S RIG MANAGER

DAVE CROWLEY

DAILY CHECKS
(1.) Daily Walk Around Inspection
(2.) Detailed Inspection - Weekly (Using Check List)
(3.) H2S Signs Posted if Required
(4.) Well Licence & Stock Diagram Posted
(5.) Flare Lines Staked
(6.) BOP Drills Performed
(7.) Visually Inspect BOPs- Flare Lines & Degasser Lines
(1.) Rig Site Health & Safety Meeting (one/crew/month)
(2.) CAODC Rig Safety Inspection Checklist (one/rig/month)
(3.) Mast Inspection before Raising or Lowering
(4.) Crown Saver Checked
(5.) Motor Kills Checked

OPR R.M.
BN DC

WEATHER
BN DC

YEAR
2007

MONTH
1

DAY
27

LAST CASING TUBING OR LINER
FUEL @ 08:00 HRS

O.D. (mm)

MIN I.D. (mm)

MASS (kg/m3)

MAKE

GRADE

NO. of JOINTS

TOTAL LENGTH

KB TO CSG HEAD

SET AT (m)

SPUD DATE

TIME

RIG RELEASE

TIME

WELL TYPE
VERT.

RE-ENTRY
NO

OPERATOR'S SAFE
06N7100017

KELLY BSHG

OP FUEL

CONTRACTOR'S JOB NUM
77

TOUR SHEET SERIAL NUM
PREC220_20070127_1D

VENDOR SOFTWARE VERSION
EDR_3-2-4 ETS 2.2

TEMPERATURE
-12
CURRENT CONDITIONS
OVERCAST
WIND DIRECTION
S.E.
ROAD CONDITION
SLIPPERY

DC/ DP
DC
DP
DP

DC / DP SIZE
165
102
102

MASS
136
43.2
23.38

GRADE
DC
HWDP
SS/95

MINIMUM I.D.
57
72
82

T. JNT. O.D.
165
134
134

TYPE THREAD
41/2 XH
4FH
4FH

NO. of JOINTS
22
8
235

PUMP TYPE
F-800
PZ-7

PUMP MANUFACTURER
EMSCO
GARDNER DENVER

STROKE LENGTH
228.8
178

CODE NO.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

TOTALS

SHALE SHAKER(S)

RENTALS / SERVICES

MORN

DAY

EVE

RIGUP & TEARDOWN

DRILL ACTUAL

REAMING

CORING

COND MUD & CIRC

TRIPS

RIG SERVICE

REPAIR RIG

CUT OFF DRILL LINE

DEV. SURVEY

WIRELINE LOGS

RUN CSG & CEMENT

WAIT ON CEMENT

NIPPLE UP B.O.P.

TEST B.O.P.

DRILLSTEM TEST

PLUG BACK

SQUEEZE CEMENT

FISHING

DIR. WORK

SAFETY MEETING

W.O.D.

NO.

TYPE

TYPE

SWACO

SCREENS CHANGED

NEW/ USED

TOP

TOP

MIDDLE

MIDDLE

BOTTOM

BOTTOM

CREW VEHICLE

MORN

DAY

EVE

MORN

DAY

EVE

TOTAL

8.00

12.00

4.00

24.00

38

38

NO.

DRILLING ASSEMBLY (AT END OF TOUR)

LENGTH

BIT RECORD

MORNING TOUR

MUD RECORD

METRES DRILLED

TIME LOG

BIT

O.D.

BIT NO.

SIZE

IADC CODE

MANUFACTURER

TYPE

SERIAL NO.

JETS

DEPTH OUT (m)

DEPTH IN (m)

TOTAL DRILLED (m)

TOTAL HRS RUN

CUTTING STRUCTURE

TI

To

MDC

LOC

BRG

GAGE

ODC

REASON PULLED

TOTAL RUN m/HR

D.P.

STANDS

D.P.

SINGLES

KELLY DOWN

HOLE DRAG

TORQUE AT BOTTOM

FILL ON BOTTOM (m)

MUD TYPE

WATER BASED

OIL BASED

TIME

DENSITY (kg/m3)

FUNNEL VISCOSITY

FLUID LOSS (cm3)

pH

MUD MATERIALS ADDED

PRODUCT

AMOUNT

UNIT

SOLIDS CONTROL

CENTRIFUGE

HOURS RUN

INTAKE DENSITY (kg/m3)

OVER FLOW DENSITY

UNDER FLOW DENSITY

REDUCED PUMP SPEED

@

@

DEVIATION SURVEYS

DEPTH (m)

DEVIATION

DIRECTION

BOILERS

1

2

HRS RUN

0

HRS RUN

BOILER pH

BOILER pH

STACK TEMP

STACK TEMP

DRILLER SIGNATURE

DAVE CROWLEY

SPECIAL EVENT

TIME / DEPTH

NOTES

SAFETY TOPIC

MEHL

MACP

DAY

LICENCE NO.

2041

WELL NAME & NO.

PARA ET AL CAMERON L-29

OPERATOR

PARAMOUNT RESOURCES LTD.

CONTRACTOR NAME

PRECISION DRILLING, DIV OF PDC

SURFACE LOCATION

L-29-60 DEG10-117DEG 30

UNIQUE ID

300L296010117300

SIGNATURE OF OPERATOR'S REPRESENTATIVE

BRIAN NEIGUM

SIGNATURE OF CONTRACTOR'S RIG MANAGER

DAVE CROWLEY

DAILY CHECKS

(1.) Daily Walk Around Inspection
(2.) Detailed Inspection - Weekly (Using Check List)
(3.) H2S Signs Posted if Required
(4.) Well Licence & Stick Diagram Posted
(5.) Flare Lines Staked
(6.) BOP Drills Performed
(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines
(1.) Rig Site Health & Safety Meeting (one/crew/month)
(2.) CAODC Rig Safety Inspection Checklist (one/rig/month)
(3.) Mast Inspection before Raising or Lowering
(4.) Crown Saver Checked
(5.) Motor Kills Checked

OPR R M
BN DC

DC

DC

DC

YEAR

2007

MONTH

1

DAY

27

LAST CASING TUBING OR LINER

FUEL @ 08:00 HRS

RIG NO.

220

RIG

55

BOILER

TEMPERATURE

-12

CURRENT CONDITIONS

OVERCAST

WIND DIRECTION

S.E.

ROAD CONDITION

SLIPPERY

DC / DP

165

DC / DP SIZE

136

MASS

DC

GRADE

57

MINIMUM I.D.

165

T. JNT. O.D.

41/2 XH

TYPE THREAD

22

NO. OF JOINTS

F-800

PUMP TYPE

EMSCO

PUMP MANUFACTURER

228.8

STROKE LENGTH

178

MASS

23.38

GRADE

SS/95

MINIMUM I.D.

82

T. JNT. O.D.

134

TYPE THREAD

4FH

NO. OF JOINTS

235

PUMP TYPE

PZ-7

PUMP MANUFACTURER

GARDNER DENVER

STROKE LENGTH

178

SPUD DATE

RIG RELEASE

WELL TYPE

VERT.

RE-ENTRY

NO

OPERATOR'S SAFE

06N7100017

KELLY BSHG.

OP FUEL

CONTRACTOR'S JOB NUM

77

TOUR SHEET SERIAL NUM

PREC220_20070127_1D

VENDOR SOFTWARE VERSION

EDR_3-2-4 ETS 2.2

CODE NO.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

TOTALS

RIGUP & TEARDOWN

DRILL ACTUAL

REAMING

CORING

COND MUD & CIRC

TRIPS

RIG SERVICE

REPAIR RIG

CUT OFF DRILL LINE

DEV. SURVEY

WIRELINE LOGS

RUN CSG & CEMENT

WAIT ON CEMENT

NIPPLE UP B.O.P.

TEST B.O.P.

DRILLSTEM TEST

PLUG BACK

SQUEEZE CEMENT

FISHING

DIR. WORK

SAFETY MEETING

W.O.D.

MORN

DAY

EVE

TOTAL

SHALE SHAKER(S)

RENTALS / SERVICES

MORN

DAY

EVE

NO.

DRILLING ASSEMBLY (AT END OF TOUR)

LENGTH

BIT RECORD

DAY TOUR

MUD RECORD

METRES DRILLED

TIME LOG

BIT

O.D.

BIT NO.

SIZE

IADC CODE

MANUFACTURER

TYPE

SERIAL NO.

JETS

DEPTH OUT (m)

DEPTH IN (m)

TOTAL DRILLED (m)

TOTAL HRS RUN

CUTTING STRUCTURE

TI

T₀

MDC

LOC

BRG

GAGE

ODC

REASON PULLED

TOTAL RUN m/HR

D.P.

STANDS

D.P.

SINGLES

KELLY DOWN

TOTAL

WT. OF D.C.

WT. OF STRING

HOLE CONDITION

HOLE DRAG

TORQUE AT BOTTOM

FILL ON BOTTOM (m)

MUD TYPE

WATER BASED

OIL BASED

TIME

DENSITY (kg/m3)

FUNNEL VISCOSITY

FLUID LOSS (cm3)

pH

MUD MATERIALS ADDED

PRODUCT

AMOUNT

UNIT

SOLIDS CONTROL

CENTRIFUGE

HOURS RUN

INTAKE DENSITY (kg/m3)

OVER FLOW DENSITY

UNDER FLOW DENSITY

REDUCED PUMP SPEED

@

@

DEVIATION SURVEYS

DEPTH (m)

DEVIATION

DIRECTION

BOILERS

1

2

HRS RUN

0

HRS RUN

BOILER pH

BOILER pH

STACK TEMP

STACK TEMP

DRILLER SIGNATURE

DAVE D CROWLEY

SPECIAL EVENT

TIME / DEPTH

DETAILS OF OPERATIONS IN SEQUENCE & REMARKS

MOVE RIG AND RIG UP

NOTES

SAFETY TOPIC

MEHL

MACP

[illegible]

LICENCE NO.		WELL NAME & NO.		DAILY CHECKS										YEAR		MONTH		DAY		LAST CASING TUBING OR LINER		O.D. (mm)		MIN I.D. (mm)		MASS (kg/m3)		MAKE		GRADE		NO. of JOINTS		TOTAL LENGTH		KB TO CSG HEAD		SET AT (m)		SPUD DATE		2007/01/28		TIME		14:30																																							
2041		PARA ET AL CAMERON L-29		CONTRACTOR NAME										PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		RIG NO.		220		RIG		55		TEMPERATURE		20		DC / DP		DC / DP		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		OP. FUEL		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070128_1D		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		RIG NO.		220		RIG		55		TEMPERATURE		20		DC / DP		DC / DP		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		OP. FUEL		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070128_1D		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2									
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		RIG NO.		220		RIG		55		TEMPERATURE		20		DC / DP		DC / DP		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		OP. FUEL		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070128_1D		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2									
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		RIG NO.		220		RIG		55		TEMPERATURE		20		DC / DP		DC / DP		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		OP. FUEL		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070128_1D		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2									
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		RIG NO.		220		RIG		55		TEMPERATURE		20		DC / DP		DC / DP		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		OP. FUEL		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070128_1D		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2									
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		RIG NO.		220		RIG		55		TEMPERATURE		20		DC / DP		DC / DP		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		OP. FUEL		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070128_1D		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2									
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		RIG NO.		220		RIG		55		TEMPERATURE		20		DC / DP		DC / DP		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		OP. FUEL		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070128_1D		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2									
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		OPERATOR		PARAMOUNT RESOURCES LTD.																																																																			

DAY

LICENCE NO.		WELL NAME & NO.		DAILY CHECKS										YEAR		MONTH		DAY		LAST CASING TUBING OR LINER		O.D. (mm)		MIN I.D. (mm)		MASS (kg/m3)		MAKE		GRADE		NO. of JOINTS		TOTAL LENGTH		KB TO CGG HEAD		SET AT (m)		SPUD DATE		2007/01/28		TIME		14:30			
2041		PARA ET AL CAMERON L-29												2007		1		28																						RIG RELEASE				TIME					
OPERATOR				CONTRACTOR NAME										RIG NO.		220		FUEL @ 08:00 HRS																				WELL TYPE		VERT.		RE-ENTRY		NO					
PARAMOUNT RESOURCES LTD.				PRECISION DRILLING, DIV OF PDC										RIG		55		BOILER																				OPERATOR'S SAFE		06N7100017									
SURFACE LOCATION				UNIQUE ID										TEMPERATURE		-20		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG				OP FUEL			
L-29-60 DEG10-117DEG 30				300L296010117300										(1.) Rig Site Health & Safety Meeting (one/crow/month)																								CONTRACTOR'S JOB NUM		77									
SIGNATURE OF OPERATOR'S REPRESENTATIVE				SIGNATURE OF CONTRACTOR'S RIG MANAGER										(2.) CAODC Rig Safe Inspection Checklist (one/rig/month)																								TOUR SHEET SERIAL NUM		PREC220_20070128_1D									
BRIAN NEIGUM				DAVE CROWLEY										(3.) Mast Inspection before Raising or Lowering																								VENDOR SOFTWARE VERSION		EDR_3-24 ETS 2.2									
BRIAN NEIGUM				DAVE CROWLEY										(4.) Crown Saver Checked																																			
BRIAN NEIGUM				DAVE CROWLEY										(5.) Motor Kills Checked																																			
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC		DC							
BRIAN NEIGUM				DAVE CROWLEY										WEATHER		DC		DC		DC																													

[illegible]

MORNING

[illegible]

LICENCE NO.		WELL NAME & NO.		YEAR		MONTH		DAY		LAST CASING TUBING OR LINER		O.D. (mm)		MIN I.D. (mm)		MASS (kg/m3)		MAKE		GRADE		NO. of JOINTS		TOTAL LENGTH		KB TO CSG HEAD		SET AT (m)		SPUD DATE		2007/01/28		TIME		14:30																											
2041		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		DAILY CHECKS		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
OPERATOR		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		(1.) Daily Walk Around Inspection		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
SURFACE LOCATION		L-29-60 DEG10-117DEG 30		UNIQUE ID		300L296010117300		(2.) Detailed Inspection - Weekly (Using Check List)		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		(3.) H2S Signs Posted if Required		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		UNIQUE ID		300L296010117300		(4.) Well Licence & Stick Diagram Posted		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		UNIQUE ID		300L296010117300		(5.) Flare Lines Staked		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		UNIQUE ID		300L296010117300		(6.) BOP Drills Performed		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		UNIQUE ID		300L296010117300		(7.) Visually Inspect BOPs - Flare Lines & Degasser Lines		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	
SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		UNIQUE ID		300L296010117300		(1.) Rig Site Health & Safety Meeting (one/crew/month)		RIG NO.		220		FUEL @ 08:00 HRS		RIG		174		BOILER		TEMPERATURE		-11		CURRENT CONDITIONS		DC/ DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG		CONTRACTOR'S JOB NUM		77		TOUR SHEET SERIAL NUM		PREC220_20070129_1C		VENDOR SOFTWARE VERSION		EDR_3-2-4 ETS 2.2	

LICENCE NO.		WELL NAME & NO.		DAILY CHECKS		YEAR		MONTH		DAY		LAST CASING TUBING OR LINER		O.D. (mm)		MIN I.D. (mm)		MASS (kg/m ³)		MAKE		GRADE		NO. of JOINTS		TOTAL LENGTH		KB TO CSG HEAD		SET AT (m)		SPUD DATE		2007/01/28		TIME		14:30											
2041		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked	
OPERATOR		CONTRACTOR NAME		UNIQUE ID		SIGNATURE OF CONTRACTOR'S RIG MANAGER		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
PARAMOUNT RESOURCES LTD.		PRECISION DRILLING, DIV OF PDC		L-29-60 DEG10-117DEG 30		BRIAN NEIGUM		UNIQUE ID		300L296010117300		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
OPERATOR		CONTRACTOR NAME		UNIQUE ID		SIGNATURE OF CONTRACTOR'S RIG MANAGER		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
PARAMOUNT RESOURCES LTD.		PRECISION DRILLING, DIV OF PDC		L-29-60 DEG10-117DEG 30		BRIAN NEIGUM		UNIQUE ID		300L296010117300		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
OPERATOR		CONTRACTOR NAME		UNIQUE ID		SIGNATURE OF CONTRACTOR'S RIG MANAGER		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
PARAMOUNT RESOURCES LTD.		PRECISION DRILLING, DIV OF PDC		L-29-60 DEG10-117DEG 30		BRIAN NEIGUM		UNIQUE ID		300L296010117300		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
OPERATOR		CONTRACTOR NAME		UNIQUE ID		SIGNATURE OF CONTRACTOR'S RIG MANAGER		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
PARAMOUNT RESOURCES LTD.		PRECISION DRILLING, DIV OF PDC		L-29-60 DEG10-117DEG 30		BRIAN NEIGUM		UNIQUE ID		300L296010117300		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
OPERATOR		CONTRACTOR NAME		UNIQUE ID		SIGNATURE OF CONTRACTOR'S RIG MANAGER		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
PARAMOUNT RESOURCES LTD.		PRECISION DRILLING, DIV OF PDC		L-29-60 DEG10-117DEG 30		BRIAN NEIGUM		UNIQUE ID		300L296010117300		DAVE CROWLEY		DAILY CHECKS		(1.) Daily Walk Around Inspection		(2.) Detailed Inspection - Weekly (Using Check List)		(3.) H2S Signs Posted if Required		(4.) Well Licence & Stick Diagram Posted		(5.) Flare Lines Staked		(6.) BOP Drills Performed		(7.) Visually Inspect BOP's - Flare Lines & Degasser Lines		(1.) Rig Site Health & Safety Meeting (one/crew/month)		(2.) CA ODC Rig Safety Inspection Checklist (one/rig/month)		(3.) Mast Inspection before Raising or Lowering		(4.) Crown Saver Checked		(5.) Motor Kills Checked											
OPERATOR		CONTRACTOR NAME		UNIQUE ID		SIGNATURE OF CONTRACT																																											

[illegible]

DAY

[illegible]

[illegible]

LICENCE NO.		WELL NAME & NO.		DAILY CHECKS										O.P.R./M		YEAR		MONTH		DAY		LAST CASING TUBING OR LINER		O.D. (mm)		MIN I.D. (mm)		MASS (kg/m3)		MAKE		GRADE		NO. of JOINTS		TOTAL LENGTH		KB TO CSG HEAD		SET AT (m)		SPUD DATE		2007/01/28		TIME		14:30																	
2041		PARA ET AL CAMERON L-29												BN		DC		2007		1		31		FUEL @ 08:00 HRS		219.1		205.7		35.71		IPSCO		J55		33		436.16		.66		435.5		RIG RELEASE				TIME																	
OPERATOR				CONTRACTOR NAME										BN		DC		RIG NO.		220		RIG		BOILER																		WELL TYPE		VERT.		RE-ENTRY		NO																	
PARAMOUNT RESOURCES LTD.				PRECISION DRILLING, DIV OF PDC										BN		DC		205		TEMPERATURE																				OPERATOR'S SAFE		06N7100017																							
SURFACE LOCATION				UNIQUE ID										BN		DC		205		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		KELLY BSHG				OF FUEL																	
L-29-60 DEG10-117DEG 30				300L296010117300										BN		DC		205		OVERCAST		DC		165		136		DC		57		165		41/2 XH 22		F-800		EMSCO		228.8		CONTRACTOR'S JOB NUM		77																					
SIGNATURE OF OPERATOR'S REPRESENTATIVE				SIGNATURE OF CONTRACTOR'S RIG MANAGER										BN		DC		205		WIND DIRECTION		DC		165		136		DC		57		165		41/2 XH 22		F-800		EMSCO		228.8		TOUR SHEET SERIAL NUM		PREC220_20070131_1D																					
BRIAN NEIGUM				DAVE CROWLEY										BN		DC		205		S.W. ROAD CONDITION		DP		102		43.2		HWDP		72		134		4FH		8		PZ-7		GARDNER DENVER		178		VENDOR SOFTWARE VERSION		EDR_3-24 ETS 2.2																			
CODE NO.		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		TOTALS		SHALE SHAKER(S)		RENTALS / SERVICES		MORN		DAY		EVE	
		RIGUP & TEARDOWN		DRILL ACTUAL		REAMING		CORING		COND MUD & CIRC		TRIPS		RIG SERVICE		REPAIR RIG		CUT OFF DRILL LINE		DEV. SURVEY		WIRELINE LOGS		RUN CSG & CEMENT		WAIT ON CEMENT		NIPPLE UP B.O.P.		TEST B.O.P.		DRILLSTEM TEST		PLUG BACK		SQUEEZE CEMENT		FISHING		DIR. WORK		SAFETY MEETING		WELD BOWL		LAY DWN DIVERTER						TOTALS		NO. TYPE		TYPE		CREW VEHICLE							
														0.25										1.75		4.0														0.25		0.75		1.0				8.00		1		SWACO													
																												6.0		5.0												1.0						12.00		SCREENS CHANGED		NEW/ USED													
														2.25		0.25		0.25																														1.25		4.00		38		TOP		TOP									
														2.25		0.50		0.25								1.75		4.00		6.00		5.00						0.25		1.75		1.00				1.25		24.00		BOTTOM		BOTTOM													
No.		DRILLING ASSEMBLY (AT END OF TOUR)		LENGTH		BIT RECORD										MORNING TOUR				MUD RECORD										METRES DRILLED								TIME LOG																											
		BIT		O.D.												MUD TYPE				WATER BASED				OIL BASED				FROM								TO		D-R-C		RPM		WOB		FROM		TO		ELAPSED TIME		CODE		DETAILS OF OPERATIONS IN SEQUENCE & REMARKS													
						BIT NO.																														0		015		0.25		21		SAFETY MEETING WITH CEMENTERS																					
						SIZE																																																											

DAY

[illegible]

[illegible]

MORNING

LICENCE NO.

2041

WELL NAME & NO.

PARA ET AL CAMERON L-29

OPERATOR

PARAMOUNT RESOURCES LTD.

CONTRACTOR NAME

PRECISION DRILLING, DIV OF PDC

SURFACE LOCATION

L-29-60 DEG10-117DEG 30

UNIQUE ID

300L296010117300

SIGNATURE OF OPERATOR'S REPRESENTATIVE

BRIAN NEIGUM

SIGNATURE OF CONTRACTOR'S RIG MANAGER

DAVE CROWLEY

DAILY CHECKS

(1.) Daily Walk Around Inspection

(2.) Detailed Inspection - Weekly (Using Check List)

(3.) H2S Signs Posted If Required

(4.) Well Licence & Stick Diagram Posted

(5.) Flare Lines Staked

(6.) BOP Drills Performed

(7.) Visually Inspect BOPs - Flare Lines & Degasser Lines

(1.) Rig Site Health & Safety Meeting (one/crow/month)

(2.) CAODC Rig Safet Inspection Checklist (one/rig/month)

(3.) Mast Inspection before Raising or Lowering

(4.) Crown Saver Checked

(5.) Motor Kills Checked

YEAR
2007

MONTH
2

DAY
1

LAST CASING TUBING OR LINER

FUEL @ 08:00 HRS

RIG
170

BOILER

TEMPERATURE

-11 CURRENT CONDITIONS

OVERCAST

WIND DIRECTION

S.W. ROAD CONDITION

SUPPERY

O.D. (mm)

219.1

MIN I.D. (mm)

205.7

MASS (kg/m3)

35.71

MAKE

IPSCO

GRADE

J55

NO. of JOINTS

33

TOTAL LENGTH

436.16

KB TO CSG HEAD

.66

SET AT (m)

435.5

SPUD DATE

2007/01/28

TIME

14:30

RIG RELEASE

WELL TYPE

VERT.

RE-ENTRY

NO

OPERATOR'S AFE

06N7100017

KELLY BSHG

CONTRACTOR'S JOB NUM

77

TOUR SHEET SERIAL NUM

PREC220_20070201_1D

VENDOR SOFTWARE VERSION

EDR_3-2-4 ETS 2.2

CODE NO.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

TOTALS

SHALE SHAKER(S)

RENTALS / SERVICES

MORN

DAY

EVE

RIGUP & TEARDOWN

DRILL ACTUAL

REAMING

CORING

COND MUD & CIRC

TRIPS

RIG SERVICE

REPAIR RIG

CUT OFF DRILL LINE

DEV. SURVEY

WIRELINE LOGS

RUN CSG & CEMENT

WAIT ON CEMENT

NIPPLE UP B.O.P.

TEST B.O.P.

DRILLSTEM TEST

PLUG BACK

SQUEEZE CEMENT

FISHING

DIR. WORK

SAFETY MEETING

DRILL OUT

LEAK OFF

STEAM STAND PIPE N 4

SCREENS CHANGED

NEW/USED

TOP

MIDDLE

BOTTOM

MORN

DAY

EVE

TOTAL

8.00

12.00

4.00

24.00

84

CREW VEHICLE

NO.

DRILLING ASSEMBLY (AT END OF TOUR)

LENGTH

BIT RECORD

MORNING TOUR

MUD RECORD

METRES DRILLED

TIME LOG

BIT

O.D.

.28

BIT NO.

1

MUD TYPE

WATER BASED

OIL BASED

FROM

TO

D-R-C

RPM

WOB

FROM

TO

ELAPSED TIME

CODE

DETAILS OF OPERATIONS IN SEQUENCE & REMARKS

TORQUE SUB

160

1.97

SIZE

200

TIME

435

532

D

90

5

0

030

0.50

9

CUT OFF DRILLING LINE

D.C.

166

9.38

IADC CODE

DENSITY (kg/m3)

030

130

1.00

6

FINISH RUNNING IN HOLE

STAB

191

1.61

MANUFACTURER

VAREL

FUNNEL VISCOSITY

130

215

0.75

25

STEAM 4 INCH VALVE AND ICE PLUG IN STAND PIPE

SHOCK SUB

161

2.12

TYPE

A06332

FLUID LOSS (cm3)

215

230

0.25

7

RIG SERVICE FUNCTION ANNULAR 12 SECS TO CLOSE

D.C.

164

103.86

SERIAL NO.

1763

pH

230

245

0.25

23

BOP DRILL 90 SECS TO SECURE WELL

JAR

169

4.95

JETS

7X

9.5

MUD MATERIALS ADDED

SOLIDS CONTROL

CIRCULATION PRESSURE kPa

PUMP NO. 1

PUMP NO. 2

400

430

0.50

5

CIRCULATE HOLE CLEAN

D.C.

166

37.53

DEPTH OUT (m)

200

PRODUCT

AMOUNT

UNIT

CENTRIFUGE

5900

152

110

152

430

445

0.25

23

LEAK OFF TEST

X/O

.69

DEPTH IN (m)

422

ALKAPAM 1103D

6

SX

HOURS RUN

INTAKE DENSITY (kg/m3)

OVER FLOW DENSITY

UNDER FLOW DENSITY

700

715

0.25

10

DEVIATION SURVEY

H.W.D.P.

74.77

TOTAL DRILLED (m)

110

ENVIROFLOC

24

SX

1155

@

66

@

715

800

0.75

2

DRILL F/505 TO 532

DEPTH OUT (m)

200

DRILLING DETERGENT

1

SX

HOURS RUN

INTAKE DENSITY (kg/m3)

OVER FLOW DENSITY

UNDER FLOW DENSITY

DEVIATION SURVEYS

DEPTH (m)

DEVIATION

DIRECTION

DEPTH IN (m)

422

CUTTING STRUCTURE

TI

Te

MDC

LOC

BRG

GAGE

ODC

REASON PULLED

TOTAL RUN m/HR

BOILERS

1

2

HRS RUN

8

HRS RUN

TOTAL DRILLED (m)

110

DRILLER SIGNATURE

SPECIAL EVENT

DAVE D CROWLEY

TIME / DEPTH

SAFETY TOPIC

MEHL

MACP

TOTAL HRS RUN

4.25

HOLE CONDITION

HOLE DRAG

TORQUE AT BOTTOM

FILL ON BOTTOM (m)

STACK TEMP

370

STACK TEMP

BOP DRILL

30

3606

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

LICENCE NO.		WELL NAME & NO.		DAILY CHECKS		YEAR		MONTH		DAY		LAST CASING TUBING OR LINER		O.D. (mm)		MIN I.D. (mm)		MASS (kg/m3)		MAKE		GRADE		NO. of JOINTS		TOTAL LENGTH		KB TO CSG HEAD		SET AT (m)		SPUD DATE		2007/01/28		TIME		14:30																															
2041		PARAMOUNT RESOURCES LTD.		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO	
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO			
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO			
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO			
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO			
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO			
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO			
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS		GRADE		MINIMUM I.D.		T. JNT. O.D.		TYPE THREAD		NO. of JOINTS		PUMP TYPE		PUMP MANUFACTURER		STROKE LENGTH		RIG RELEASE		VERT.		RE-ENTRY		NO			
OPERATOR		CONTRACTOR NAME		PRECISION DRILLING, DIV OF PDC		SURFACE LOCATION		L-29-60 DEG10-117DEG 30		SIGNATURE OF OPERATOR'S REPRESENTATIVE		BRIAN NEIGUM		UNIQUE ID		300L296010117300		SIGNATURE OF CONTRACTOR'S RIG MANAGER		DAVE CROWLEY		DAILY CHECKS		FUEL @ 08:00 HRS		RIG NO.		220		RIG		BOILER		TEMPERATURE		CURRENT CONDITIONS		DC / DP		DC / DP SIZE		MASS																											

[illegible]

DAY

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

MORNING

LICENCE NO.

2041

WELL NAME & NO.

PARA ET AL CAMERON L-29

OPERATOR

PARAMOUNT RESOURCES LTD.

CONTRACTOR NAME

PRECISION DRILLING, DIV OF PDC

SURFACE LOCATION

L-29-60 DEG10-117DEG 30

UNIQUE ID

300L296010117300

SIGNATURE OF OPERATOR'S REPRESENTATIVE

BRIAN NEIGUM

SIGNATURE OF CONTRACTOR'S RIG MANAGER

DAVE CROWLEY

DAILY CHECKS

(1.) Daily Walk Around Inspection
(2.) Detailed Inspection - Weekly (Using Check List)
(3.) H2S Signs Posted if Required
(4.) Well Licence & Stick Diagram Posted
(5.) Flare Lines Staked
(6.) BOP Drills Performed
(7.) Visually Inspect BOPs- Flare Lines & Degasser Lines

OPR R M
BN DC
BN DC
BN DC
BN DC
BN DC

WEATHER
TEMPERATURE
CURRENT CONDITIONS
OVERCAST
WIND DIRECTION
S.W.
ROAD CONDITION
SLIPPERY

YEAR

2007

MONTH

2

DAY

7

LAST CASING TUBING OR LINER

O.D. (mm)

219.1

MIN I.D. (mm)

205.7

MASS (kg/m3)

35.71

MAKE

IPSCO

GRADE

J55

NO. of JOINTS

33

TOTAL LENGTH

436.16

KB TO CSG HEAD

.66

SET AT (m)

435.5

RIG NO.

220

FUEL @ 08:00 HRS

RIG

69

BOILER

TEMPERATURE
-25
CURRENT CONDITIONS
OVERCAST
WIND DIRECTION
S.W.
ROAD CONDITION
SLIPPERY

DC / DP
DC
DP
DP

MASS
136
43.2
23.38

GRADE
DC
HWDP
SS/95

MINIMUM I.D.
57
72
82

T. JNT. O.D.
165
134
134

TYPE THREAD
41/2 XH
4FH
4FH

NO. of JOINTS
22
8
235

PUMP TYPE
F-800
PZ-7

PUMP MANUFACTURER
EMSCO
GARDNER DENVER

STROKE LENGTH
228.8
178

SPUD DATE

2007/01/28

TIME

14:30

RIG RELEASE DATE

2007/02/07

TIME

23:59

WELL TYPE

VERT.

RE-ENTRY

NO

OPERATOR'S SAFE

06N7100017

KELLY BSHG.

OP. FUEL

CONTRACTOR'S JOB NUM

77

TOUR SHEET SERIAL NUM

PREC220_20070207_1E

VENDOR SOFTWARE VERSION

EDR_3-2-4 ETS 2.2

CODE NO.

1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

TOTALS

SHALE SHAKER(S)

NO. TYPE TYPE

RENTALS / SERVICES

CREW VEHICLE

MORN

DAY

EVE

RIGUP & TEARDOWN

DRILL ACTUAL

REAMING

CORING

COND MUD & CIRC

TRIPS

RIG SERVICE

REPAIR RIG

CUT OFF DRILL LINE

DEV. SURVEY

WIRELINE LOGS

RUN CSO & CEMENT

WAIT ON CEMENT

NIPPLE UP B.O.P.

TEST B.O.P.

DRILLSTEM TEST

PLUG BACK

SQUEEZE CEMENT

FISHING

DIR. WORK

SAFETY MEETING

MORN

DAY

EVE

TOTAL

2.0

5.75

2.0

3.75

7.75

3.75

0.25

0.25

8.00

12.00

4.00

24.00

NO. TYPE TYPE

SWACO

SCREENS CHANGED

NEW / USED

TOP

TOP

110

MIDDLE

MIDDLE

BOTTOM

BOTTOM

84

NO.

DRILLING ASSEMBLY (AT END OF TOUR)

LENGTH

BIT

O.D.

BIT NO.

SIZE

IADC CODE

MANUFACTURER

TYPE

SERIAL NO.

JETS

DEPTH OUT (m)

DEPTH IN (m)

TOTAL DRILLED (m)

TOTAL HRS RUN

CUTTING STRUCTURE

TI

T₀

MDC

LOC

BRG

GAGE

ODC

REASON PULLED

TOTAL RUN m/Hr

HOLE CONDITION

HOLE DRAG

TORQUE AT BOTTOM

FILL ON BOTTOM (m)

MUD TYPE

WATER BASED

OIL BASED

TIME

DENSITY (kg/m3)

FUNNEL VISCOSITY

FLUID LOSS (cm3)

pH

MUD MATERIALS ADDED

PRODUCT

AMOUNT

UNIT

SOLIDS CONTROL

HOURS RUN

INTAKE DENSITY (kg/m3)

OVER FLOW DENSITY

UNDER FLOW DENSITY

HOURS RUN

INTAKE DENSITY (kg/m3)

OVER FLOW DENSITY

UNDER FLOW DENSITY

BOILERS

1

2

HRS RUN

8

HRS RUN

BOILER pH

11

BOILER pH

STACK TEMP

370

STACK TEMP

FROM

TO

D-R-C

RPM

WOB

FROM

TO

ELAPSED TIME

CODE

DETAILS OF OPERATIONS IN SEQUENCE & REMARKS

0

145

1.75

12

RUN CASING

145

200

0.25

22

H2S ALARM FALSE ALARM

200

600

4.00

12

RUN CASING

600

800

2.00

5

CONDITION MUD & CIRCULATE

REDUCED PUMP SPEED

2675

@

64

@

DEVIATION SURVEYS

DEPTH (m)

DEVIATION

DIRECTION

NOTES : ELEVATORS CIRT #55625

FUNCTION TEST CROWN SAVER

VISUALLY INSPECT TONGS LINES BRAKES PINS LINKAGE AND ANCHOR

DRILLER SIGNATURE

DAVE D CROWLEY

SPECIAL EVENT

TIME / DEPTH

SAFETY TOPIC

MEHL

MACP

CASING

3051

DAY

LICENCE NO.						WELL NAME & NO.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2041						PARA ET AL CAMERON L-29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
OPERATOR PARAMOUNT RESOURCES LTD.						CONTRACTOR NAME PRECISION DRILLING, DIV OF PDC						DAILY CHECKS (1.) Daily Walk Around Inspection (2.) Detailed Inspection - Weekly (Using Check List) (3.) H2S Signs Posted if Required (4.) Well Licence & Stick Diagram Posted (5.) Flare Lines Staked (6.) BOP Drills Performed (7.) Visually Inspect BOP's - Flare Lines & Degasser Lines (1.) Rig Site Health & Safety Meeting (one/crew/month) (2.) CAODC Rig Safet Inspection Checklist (one/rig/month) (3.) Mast Inspection before Raising or Lowering (4.) Crown Saver Checked (5.) Motor/Kills Checked																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
SURFACE LOCATION L-29-60 DEG10-117DEG 30						UNIQUE ID 300L296010117300						SIGNATURE OF CONTRACTOR'S RIG MANAGER DAVE CROWLEY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
SIGNATURE OF OPERATOR'S REPRESENTATIVE BRIAN NEIGUM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<table><tr><th>CODE NO.</th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th><th>13</th><th>14</th><th>15</th><th>16</th><th>17</th><th>18</th><th>19</th><th>20</th><th>21</th><th>22</th><th>23</th><th>24</th><th>25</th><th>26</th><th>TOTALS</th><th colspan="4">SHALE SHAKER(S)</th><th colspan="3">RENTALS / SERVICES</th><th>MORN</th><th>DAY</th><th>EVE</th></tr><tr><td></td><td>RIGUP & TEARDOWN</td><td>DRILL ACTUAL</td><td>REAMING</td><td>CORING</td><td>COND MUD & CIRC</td><td>TRIPS</td><td>RIG SERVICE</td><td>REPAIR RIG</td><td>CUT OFF DRILL LINE</td><td>DEV. SURVEY</td><td>WIRELINE LOGS</td><td>RUN CSG & CEMENT</td><td>WAIT ON CEMENT</td><td>NIPPLE UP B.O.P.</td><td>TEST B.O.P.</td><td>DRILLS TEM TEST</td><td>PLUG BACK</td><td>SQUEEZE CEMENT</td><td>FISHING</td><td>DIR. WORK</td><td>SAFETY MEETING</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>NO.</td><td>TYPE</td><td>TYPE</td><td colspan="3">CREW VEHICLE</td><td></td><td></td><td></td></tr><tr><td>MORN</td><td></td><td></td><td></td><td></td><td>2.0</td><td></td><td></td><td></td><td></td><td></td><td></td><td>5.75</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.25</td><td></td><td></td><td></td><td></td><td>8.00</td><td>1</td><td>SWACO</td><td></td><td colspan="3"></td><td></td><td></td><td></td></tr><tr><td>DAY</td><td>6.0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>2.0</td><td></td><td>3.75</td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.25</td><td></td><td></td><td></td><td></td><td>12.00</td><td></td><td>TOP</td><td>NEW/ USED</td><td>TOP</td><td colspan="3"></td><td></td><td></td><td></td></tr><tr><td>EVE</td><td>4.0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>4.00</td><td></td><td>MIDDLE</td><td>MIDDLE</td><td colspan="3"></td><td></td><td></td><td></td></tr><tr><td>TOTAL</td><td>10.00</td><td></td><td></td><td></td><td>2.00</td><td></td><td></td><td></td><td></td><td></td><td></td><td>7.75</td><td></td><td>3.75</td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.25</td><td>0.25</td><td></td><td></td><td></td><td>24.00</td><td></td><td>BOTTOM</td><td>BOTTOM</td><td colspan="3"></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>84</td><td></td><td></td><td colspan="3"></td><td></td><td></td><td></td></tr></table>																												CODE NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	TOTALS	SHALE SHAKER(S)				RENTALS / SERVICES			MORN	DAY	EVE		RIGUP & TEARDOWN	DRILL ACTUAL	REAMING	CORING	COND MUD & CIRC	TRIPS	RIG SERVICE	REPAIR RIG	CUT OFF DRILL LINE	DEV. SURVEY	WIRELINE LOGS	RUN CSG & CEMENT	WAIT ON CEMENT	NIPPLE UP B.O.P.	TEST B.O.P.	DRILLS TEM TEST	PLUG BACK	SQUEEZE CEMENT	FISHING	DIR. WORK	SAFETY MEETING								NO.	TYPE	TYPE	CREW VEHICLE						MORN					2.0							5.75										0.25					8.00	1	SWACO								DAY	6.0											2.0		3.75							0.25					12.00		TOP	NEW/ USED	TOP							EVE	4.0																									4.00		MIDDLE	MIDDLE							TOTAL	10.00				2.00							7.75		3.75							0.25	0.25				24.00		BOTTOM	BOTTOM																																		84																																																																																																																																																																																																																																																																																																																	
CODE NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	TOTALS	SHALE SHAKER(S)				RENTALS / SERVICES			MORN	DAY	EVE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	RIGUP & TEARDOWN	DRILL ACTUAL	REAMING	CORING	COND MUD & CIRC	TRIPS	RIG SERVICE	REPAIR RIG	CUT OFF DRILL LINE	DEV. SURVEY	WIRELINE LOGS	RUN CSG & CEMENT	WAIT ON CEMENT	NIPPLE UP B.O.P.	TEST B.O.P.	DRILLS TEM TEST	PLUG BACK	SQUEEZE CEMENT	FISHING	DIR. WORK	SAFETY MEETING								NO.	TYPE	TYPE	CREW VEHICLE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
MORN					2.0							5.75										0.25					8.00	1	SWACO																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
DAY	6.0											2.0		3.75							0.25					12.00		TOP	NEW/ USED	TOP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
EVE	4.0																									4.00		MIDDLE	MIDDLE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
TOTAL	10.00				2.00							7.75		3.75							0.25	0.25				24.00		BOTTOM	BOTTOM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																											84																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
<table><tr><th>NO.</th><th colspan="2">DRILLING ASSEMBLY (AT END OF TOUR)</th><th>LENGTH</th><th colspan="4">BIT RECORD</th><th colspan="2">DAY TOUR</th><th colspan="4">MUD RECORD</th><th colspan="5">METRES DRILLED</th><th colspan="10">TIME LOG</th></tr><tr><td></td><td>BIT</td><td>O.D.</td><td></td><td>BIT NO.</td><td></td><td></td><td></td><td>MUD TYPE</td><td></td><td>WATER BASED</td><td></td><td>OIL BASED</td><td></td><td>FROM</td><td>TO</td><td>D-R-C</td><td>RPM</td><td>WOB</td><td>FROM</td><td>TO</td><td>ELAPSED TIME</td><td>CODE</td><td colspan="10">DETAILS OF OPERATIONS IN SEQUENCE & REMARKS</td></tr><tr><td></td><td></td><td></td><td></td><td>SIZE</td><td></td><td></td><td></td><td>TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>800</td><td>815</td><td>0.25</td><td>21</td><td colspan="10">SAFETY MEETING WITH CEMENTERS</td></tr><tr><td></td><td></td><td></td><td></td><td>IADC CODE</td><td></td><td></td><td></td><td>DENSITY (kg/m3)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>815</td><td>1015</td><td>2.00</td><td>12</td><td colspan="10">CEMENT</td></tr><tr><td></td><td></td><td></td><td></td><td>MANUFACTURER</td><td></td><td></td><td></td><td>FUNNEL VISCOSITY</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1015</td><td>1400</td><td>3.75</td><td>14</td><td colspan="10">NIPPLE DOWN BOPS - SET SLIPS</td></tr><tr><td></td><td></td><td></td><td></td><td>TYPE</td><td></td><td></td><td></td><td>FLUID LOSS (cm3)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1400</td><td>2000</td><td>6.00</td><td>1</td><td colspan="10">TEAR OUT RIG</td></tr><tr><td></td><td></td><td></td><td></td><td>SERIAL NO.</td><td></td><td></td><td></td><td>pH</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="10"></td></tr><tr><td></td><td></td><td></td><td></td><td>JETS</td><td></td><td></td><td></td><td colspan="3">MUD MATERIALS ADDED</td><td colspan="4">SOLIDS CONTROL</td><td>CIRCULATION PRESSURE kPa</td><td colspan="2">PUMP NO. 1</td><td colspan="2">PUMP NO. 2</td><td></td><td></td><td></td><td colspan="10">CEMENT THE LONG STRING CASING WITH 21 TONNE OG THIXLITE +1% SMS</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PRODUCT</td><td>AMOUNT</td><td>UNIT</td><td colspan="4">CENTRIFUGE</td><td>LINER SIZE</td><td>SPM</td><td>LINER SIZE</td><td>SPM</td><td></td><td></td><td></td><td></td><td colspan="10">AND 12.5 TONNE OF EXPANDOMIX LWL +.1%CFL-3, .2% LTR + .2% SPC -II</td></tr><tr><td></td><td></td><td></td><td></td><td>DEPTH OUT (m)</td><td></td><td></td><td></td><td>HOURS RUN</td><td>INTAKE DENSITY (kg/m3)</td><td>OVER FLOW DENSITY</td><td>UNDER FLOW DENSITY</td><td colspan="4">REDUCED PUMP SPEED</td><td>@</td><td></td><td>@</td><td></td><td></td><td></td><td colspan="10">WE ONLY GOT BACK 2M3 RUFFLY OF THE PREFLUSH, WE ALSO DIDN'T BUMP THE PLUG.</td></tr><tr><td></td><td></td><td></td><td></td><td>DEPTH IN (m)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="4">DEVIATION SURVEYS</td><td colspan="4"></td><td></td><td></td><td></td><td colspan="10">STOPPED PUMPING AT 09:55 HRS FEB 7/07. THE FLOAT HELD GOOD BJN</td></tr><tr><td></td><td></td><td></td><td></td><td>TOTAL DRILLED (m)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>HOURS RUN</td><td>INTAKE DENSITY (kg/m3)</td><td>OVER FLOW DENSITY</td><td>UNDER FLOW DENSITY</td><td colspan="4"></td><td>DEPTH (m)</td><td>DEVIATION</td><td>DIRECTION</td><td colspan="10"></td></tr><tr><td></td><td></td><td></td><td></td><td>TOTAL HRS RUN</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td colspan="4">BOILERS</td><td colspan="4"></td><td colspan="4"></td><td colspan="10"></td></tr><tr><td></td><td></td><td></td><td></td><td colspan="4">CUTTING STRUCTURE</td><td></td><td></td><td></td><td></td><td>1</td><td></td><td>2</td><td colspan="4"></td><td colspan="4"></td><td colspan="10"></td></tr><tr><td></td><td></td><td></td><td></td><td>TI</td><td>To</td><td>MDC</td><td>LOC</td><td>BRG</td><td>GAGE</td><td>ODC</td><td>REASON PULLED</td><td>TOTAL RUN m/Hr</td><td>HRS RUN</td><td>12</td><td>HRS RUN</td><td colspan="4"></td><td colspan="4"></td><td colspan="10"></td></tr><tr><td></td><td>D.P.</td><td>STANDS</td><td></td><td colspan="4"></td><td></td><td></td><td></td><td></td><td>BOILER PH</td><td>11</td><td>BOILER PH</td><td colspan="4"></td><td colspan="4"></td><td colspan="10"></td></tr><tr><td>KELLY DOWN</td><td></td><td></td><td></td><td colspan="4">HOLE CONDITION</td><td></td><td></td><td></td><td></td><td>STACK TEMP</td><td>370</td><td>STACK TEMP</td><td colspan="4"></td><td colspan="4">DRILLER SIGNATURE</td><td>SPECIAL EVENT</td><td colspan="4"></td><td colspan="2">SAFETY TOPIC</</td></tr></table>																												NO.	DRILLING ASSEMBLY (AT END OF TOUR)		LENGTH	BIT RECORD				DAY TOUR		MUD RECORD				METRES DRILLED					TIME LOG											BIT	O.D.		BIT NO.				MUD TYPE		WATER BASED		OIL BASED		FROM	TO	D-R-C	RPM	WOB	FROM	TO	ELAPSED TIME	CODE	DETAILS OF OPERATIONS IN SEQUENCE & REMARKS														SIZE				TIME											800	815	0.25	21	SAFETY MEETING WITH CEMENTERS														IADC CODE				DENSITY (kg/m3)											815	1015	2.00	12	CEMENT														MANUFACTURER				FUNNEL VISCOSITY											1015	1400	3.75	14	NIPPLE DOWN BOPS - SET SLIPS														TYPE				FLUID LOSS (cm3)											1400	2000	6.00	1	TEAR OUT RIG														SERIAL NO.				pH																													JETS				MUD MATERIALS ADDED			SOLIDS CONTROL				CIRCULATION PRESSURE kPa	PUMP NO. 1		PUMP NO. 2					CEMENT THE LONG STRING CASING WITH 21 TONNE OG THIXLITE +1% SMS																		PRODUCT	AMOUNT	UNIT	CENTRIFUGE				LINER SIZE	SPM	LINER SIZE	SPM					AND 12.5 TONNE OF EXPANDOMIX LWL +.1%CFL-3, .2% LTR + .2% SPC -II														DEPTH OUT (m)				HOURS RUN	INTAKE DENSITY (kg/m3)	OVER FLOW DENSITY	UNDER FLOW DENSITY	REDUCED PUMP SPEED				@		@				WE ONLY GOT BACK 2M3 RUFFLY OF THE PREFLUSH, WE ALSO DIDN'T BUMP THE PLUG.														DEPTH IN (m)								DEVIATION SURVEYS											STOPPED PUMPING AT 09:55 HRS FEB 7/07. THE FLOAT HELD GOOD BJN														TOTAL DRILLED (m)								HOURS RUN	INTAKE DENSITY (kg/m3)	OVER FLOW DENSITY	UNDER FLOW DENSITY					DEPTH (m)	DEVIATION	DIRECTION															TOTAL HRS RUN								BOILERS																										CUTTING STRUCTURE								1		2																							TI	To	MDC	LOC	BRG	GAGE	ODC	REASON PULLED	TOTAL RUN m/Hr	HRS RUN	12	HRS RUN																				D.P.	STANDS										BOILER PH	11	BOILER PH																			KELLY DOWN				HOLE CONDITION								STACK TEMP	370	STACK TEMP					DRILLER SIGNATURE				SPECIAL EVENT					SAFETY TOPIC</	
NO.	DRILLING ASSEMBLY (AT END OF TOUR)		LENGTH	BIT RECORD				DAY TOUR		MUD RECORD				METRES DRILLED					TIME LOG																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	BIT	O.D.		BIT NO.				MUD TYPE		WATER BASED		OIL BASED		FROM	TO	D-R-C	RPM	WOB	FROM	TO	ELAPSED TIME	CODE	DETAILS OF OPERATIONS IN SEQUENCE & REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				SIZE				TIME											800	815	0.25	21	SAFETY MEETING WITH CEMENTERS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				IADC CODE				DENSITY (kg/m3)											815	1015	2.00	12	CEMENT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				MANUFACTURER				FUNNEL VISCOSITY											1015	1400	3.75	14	NIPPLE DOWN BOPS - SET SLIPS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				TYPE				FLUID LOSS (cm3)											1400	2000	6.00	1	TEAR OUT RIG																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				SERIAL NO.				pH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				JETS				MUD MATERIALS ADDED			SOLIDS CONTROL				CIRCULATION PRESSURE kPa	PUMP NO. 1		PUMP NO. 2					CEMENT THE LONG STRING CASING WITH 21 TONNE OG THIXLITE +1% SMS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
								PRODUCT	AMOUNT	UNIT	CENTRIFUGE				LINER SIZE	SPM	LINER SIZE	SPM					AND 12.5 TONNE OF EXPANDOMIX LWL +.1%CFL-3, .2% LTR + .2% SPC -II																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				DEPTH OUT (m)				HOURS RUN	INTAKE DENSITY (kg/m3)	OVER FLOW DENSITY	UNDER FLOW DENSITY	REDUCED PUMP SPEED				@		@				WE ONLY GOT BACK 2M3 RUFFLY OF THE PREFLUSH, WE ALSO DIDN'T BUMP THE PLUG.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				DEPTH IN (m)								DEVIATION SURVEYS											STOPPED PUMPING AT 09:55 HRS FEB 7/07. THE FLOAT HELD GOOD BJN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
				TOTAL DRILLED (m)								HOURS RUN	INTAKE DENSITY (kg/m3)	OVER FLOW DENSITY	UNDER FLOW DENSITY					DEPTH (m)	DEVIATION	DIRECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				TOTAL HRS RUN								BOILERS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				CUTTING STRUCTURE								1		2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				TI	To	MDC	LOC	BRG	GAGE	ODC	REASON PULLED	TOTAL RUN m/Hr	HRS RUN	12	HRS RUN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	D.P.	STANDS										BOILER PH	11	BOILER PH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
KELLY DOWN				HOLE CONDITION								STACK TEMP	370	STACK TEMP					DRILLER SIGNATURE				SPECIAL EVENT					SAFETY TOPIC</																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

[illegible]