

NEBCOPY

SET PLUG LOG
** WIRELINE DEPTH ONLY **PROVINCE NORTHWEST TERRITORIES
FIELD FORT LIARD
WELL PARA ET AL
COMPANY PARAMOUNT RESOURCES INC.

COMPANY PARAMOUNT RESOURCES INC.

WELL PARA ET AL FORT LIARD I-46

FIELD FORT LIARD

PROVINCE NORTHWEST TERRITORIES

LSD 02 Sec. 34 Twp. 086 Rge. 13W6
Perm. Datum Ground Level Elev. 537.50
Log measured from K.B. , 5.00 m above
Permanent Datum.
Other Services:
G-RING
CEMENTELEV. K.B. 542.50
G.L. 537.50

UWI 3001466010123150

Licence 1221

Date 07-FEB-2008

Service Order 10190161

Run No. ONE

BHT 60°C

Depth-Driller 2008.0

Depth-Logger 1616.0

Btm. Log Inter. 1613.3

Top Log Inter. 1535.0

Fluid in Hole INHIBITED WATER

Fluid Level 125 m

Bit Size (mm) 222.0

Unit # 14187

Location FORT ST. JOHN, BC

Recorded By T. PROGAS

Witnessed By AL IRONSDIE

Other Services

Service Type

Bridge Plug WEATHERFORD ALPHA

Product Packer

Cement Retainer

Cement

Tubing Bottom Junk Basket Type TITAN

Seating Nipple Gauge Ring Size 96.3 mm

All interpretations of log data are opinions based on inferences from electrical or other measurements. We do not guarantee the accuracy or correctness of any interpretation or recommendation and we shall not be liable or responsible for any loss, cost, damages or expenses incurred or sustained by anyone resulting from any interpretation or recommendation made by any of our employees or agents.

REMARKS Rig: CONCORD #84
LOG CORRELATED TO LINER TOP ONLY

Service Order # 10190161

*** WIRELINE DEPTH ONLY ***

NO CORRELATION LOGS AVAILABLE

LOGGED AS PER CUSTOMER REQUEST

EQUIPMENT DATA

Run No.	Tool Type	Tool No.	Other
ONE	CCS-DA	14187	JUNK BASKET/GUAGE RING 96.3 mm
TWO	BST-10	14187	SET PLUG @ 1604.0 m WIRELINE DEPTH ONLY
THREE	D-BAIL	14187	DUMP BAIL CEMENT 1596.0-1604.0 m

Date 07-FEB-2008


Type PERMANENT

Model DB-10

Size 114.3 mm


Depth 1604.0

Make WEATHERFORD



Shot V-I Characteristics

Top shot at 1604.00m 02/07/09 17:55:43



Hold the SHOOT and ARM switches

Shooting

Power supply is ramping down

Follow SAFETY MANUAL Procedures for Shooting

Sat Feb 7 17:55:44 2009

Job # 10190161

REMARKS

SET PLUG @ 1604.0 m

WIRELINE DEPTH ONLY

CORRELATED TO G-RING PASS

DEPTH SCALE: 1:240


VERSION: 80214133R



114.3 mm BRIDGE PLUG


10190161 PLUGRUN

FINISH DEPTH: 1532.6 Meters DIRECTION: UP DATE: 02/07/2009 TIME: 18:04 MODE: TRACE PLAYBACK

Tension	Tension
0 Kilograms 5000	0 Kilograms 5000
CCL TO CORRELATE	CCL TO POSITION
-1000 Millivolts 1000	-1000 Millivolts 1000







CCL TO CORRELATE		
-1000	Millivolts	1000
Tension		
0	Kilograms	5000

START DEPTH: 1619.1	DIRECTION: UP	DATE: 02/07/2009	TIME: 17:47	MODE: TRACE PLAYBACK
10190161 GUAGERING				
96.7 mm GUAGE RING				
DEPTH SCALE: 1:240		VERSION: 80214133R		

COMPANY PARAMOUNT RESOURCES INC.		
WELL	PARA ET AL FORT LIARD I-46	
FIELD	FORT LIARD	
PROVINCE NORTHWEST TERRITORIES		