

NEBCOPY
COLLAR LOG

PROVINCE NWT FIELD BOVIE LAKE WELL PARAMOUNT ANADARKO BOVIE J-76 COMPANY PARAMOUNT RESOURCES LTD.		COMPANY PARAMOUNT RESOURCES LTD.		WELL PARAMOUNT ANADARKO BOVIE J-76		FIELD BOVIE LAKE		PROVINCE NORTHWEST TERRITORIES	
LOCATION 300J766020122450 Perm. Datum Ground Level Elev. 412.00 Log measured from K.B. , 5.30 m above Permanent Datum. DUMP CEMENT X 3 Elev. K.B. 417.30 G.L. 412.00		Other Services: GAUGE RING BRIDGE PLUGS DUMP CEMENT X 3 Elev. K.B. 417.30 G.L. 412.00		DATE FEBRUARY 22, 2009		Service Order 10205910		Run No. ONE	
BHT 56°C		Depth-Driller 3353.0		Depth-Logger 2851.3		Btm. Log Inter. 2728.5		Top Log Inter. 20.0	
Fluid in Hole FRESH WATER		Gun Type		Gun Size		Tubing/Casing Record		Bit Size (mm) N/A	
Fluid Level 115.0		Size mm Wt. Kg/m		From To		Unit # 14172		Location EDMONTON	
Recorded By BEAU NYCHKA		177.8		38.68		SURFACE 1028.0		Witnessed By AL IRONSDIE	
114.3		17.26		2739.0		3349.0		Other Services	
Service		Type		Size		Depth		Bridge Plug ALPHA 10K PERMANENT	
Product. Packer ALPHA 10K PERMANENT		177.8 mm		2715.0 m		50.0 m		Cement Retainer	
Cement CLASS 'G' OILWELL		6.0 m LIN.		2845.3 m		CEMENT CLASS 'G' OILWELL		6.0 m LIN.	
Tubing Bottom JUNK BASKET TYPE INANICOR #25		2709.0 m		Seating Nipple Gauge Ring Size 155.0 mm					

All interpretations of log data are opinions based on inferences from electrical or other measurements. We do not guarantee the accuracy or correctness of any interpretation or recommendation and we shall not be liable or responsible for any loss, cost, damages or expenses incurred or sustained by anyone resulting from any interpretation or recommendation made by any of our employees or agents.

REMARKS Rig: CONCORD #84 Service Order # 10205910
LOG CORRELATED LINER TOP AND DATA PROVIDED BY PARAMOUNT STICK DIAGRAM

LOG FOR SECOND BRIDGE PLUG CORRELATED TO KB ONLY. IN ORDER TO BYPASS SOFTWARE SAFETY SWITCHES, EXACTLY 100.0 m WAS ADDED TO COMPUTER DEPTH. BRIDGE PLUG SET AT 50.0m AS REQUIRED BY BOARD.

WELL LOGGED AS PER CUSTOMER REQUEST

EQUIPMENT DATA

Run No.	Tool Type	Tool No.	Other
ONE	CCLT	CYTHERIA	DUMP BAIL CEMENT ON TOP OF 114.3 mm PLUG
TWO	CCLT	BELLADONNA	155.0 mm GAUGE RING WITH TORPEDO SINKER BAR
THREE	CCLT	JENNA	SET 177.8 mm BRIDGE PLUG
FOUR	CCLT	CYTHERIA	DUMP BAIL CEMENT
FIVE	CCLT	CYTHERIA	DUMP BAIL CEMENT
SIX	CCLT	JENNA	SET 177.8 mm BRIDGE PLUG

Date 22-FEB-2009


Type PERMANENT

Model ALPHA 10k


Size 177.8 mm

Depth 50.0 m

Make WEATHERFORD



Shot V-I Characteristics
Top shot at 149.94m 02/22/09 14:33:12



Hold the SHOOT and ARM switches

Shooting

When successful shot indication obtained:

release SHOOT and ARM switches

Follow SAFETY MANUAL Procedures for Shooting

Sun Feb 22 14:33:18 2009

Job # 10205910

REMARKS

BRIDGE PLUG SET, AS REQUESTED AT 50.0m
IN ORDER TO BYPASS SOFTWARE SAFETY SWITCHES, ADDED EXACTLY 100.00m
PRIOR TO LOGGING POSITIONING PASS AS SHOWN BELOW.
COLLARS VERIFIED TO MATCH UNMODIFIED CORRELATION PASS.


DEPTH SCALE: 1:240

VERSION: 80214133R

MAIN PASS


10205910 BP2MAIN

FINISH DEPTH: 121.2 Meters DIRECTION: UP DATE: 02/22/2009 TIME: 14:42 MODE: TRACE PLAYBACK



REMARKS																										
CORRELATION PASS PULLED TO VERIFY PLUG NOT POSITIONED ON COLLAR. PASS CORRELATED TO KB ONLY.																										
DEPTH SCALE: 1:240		VERSION: 80214133R																								
REPEAT PASS																										
10205910 BP2REP																										
FINISH DEPTH: 23.2 Meters DIRECTION: UP DATE: 02/22/2009 TIME: 14:38 MODE: TRACE PLAYBACK																										
<table><tr><td colspan="3">TENSION</td></tr><tr><td>0</td><td>Pounds</td><td>5000</td></tr><tr><td colspan="3">CCL TO CORRELATE</td></tr><tr><td>-3000</td><td>Millivolts</td><td>3000</td></tr></table> <table><tr><td colspan="3">CCL TO CORRELATE</td></tr><tr><td>-3000</td><td>Millivolts</td><td>3000</td></tr><tr><td colspan="3">TENSION</td></tr><tr><td>0</td><td>Pounds</td><td>5000</td></tr></table>			TENSION			0	Pounds	5000	CCL TO CORRELATE			-3000	Millivolts	3000	CCL TO CORRELATE			-3000	Millivolts	3000	TENSION			0	Pounds	5000
TENSION																										
0	Pounds	5000																								
CCL TO CORRELATE																										
-3000	Millivolts	3000																								
CCL TO CORRELATE																										
-3000	Millivolts	3000																								
TENSION																										
0	Pounds	5000																								
START DEPTH: 79.9 DIRECTION: UP DATE: 02/22/2009 TIME: 14:38 MODE: TRACE PLAYBACK																										
10205910 BP2REP																										
REPEAT PASS																										
DEPTH SCALE: 1:240		VERSION: 80214133R																								

REMARKS	
BRIDGE PLUG SET: 2715.0 m	



COMPANY PARAMOUNT RESOURCES LTD.

WELL PARAMOUNT ANADARKO BOVIE J-76

FIELD BOVIE LAKE PROVINCE NWT



Weatherford®