

March 29, 2011

National Energy Board
444 – Seventh Avenue S.W.
Calgary, Alberta
T2P 0X8

Attention: Mr. John McCarthy
Chief Conservation Officer

Dear Sir:

Re: Paramount Resources Ltd. (Paramount) Cameron Hills Area – 2011 Pressure Survey Program

Pursuant to section 76 (1) (a) of the Canada Oil and Gas Drilling and Production Regulations and subsequent to our letter of December 16, 2010 outlining our 2011 pressure survey program, Paramount is submitting the following Cameron Hills pressure surveys (paper copy and CD) to the National Energy Board:

- M-73 60° 10' N, 117° 15' W;
- C-75 60° 10' N, 117° 15' W
- J-62 60° 10' N, 117° 15' W; and
- I-73 60° 10' N, 117° 15' W.

We were unable to obtain a pressure survey for I-74 60° 10' N, 117° 15' W because of the lack of time left in the season.

If you require additional information then please contact Tom Hong at (403) 290-3696 or tom.hong@paramountres.com.

Yours truly,

PARAMOUNT RESOURCES

A handwritten signature in blue ink, appearing to read "Tom Hong", with a stylized flourish extending from the end.

Tom Hong

Area Engineering Manager, Northern Operating Unit

c.c. Well files
COU Northern Files



BOTTOM HOLE STATIC GRADIENT

***PARAMOUNT RESOURCES LTD.
PARAMOUNT ET AL CAMERON M-073
M-073***

FORMATION: SULPHUR POINT

LICENSE #: N/A

TEST DATE: MARCH 20, 2011

*Test By: Integrated Production Services Ltd.
Tel: (780) 683-2205*

PREPARED FOR: PARAMOUNT RESOURCES LTD.

PREPARED BY: CALSCAN SERVICES LTD.

DATE: MARCH 28, 2011



Technical Reporting Services
Manufacture/Calibration/Repair of Downhole & Surface Recorders
4188, 93 Street, Edmonton, Alberta T6E 5P5 Tel: (780) 944-1377 Fax: (780) 944-1406
Website: www.calscan.net

INTEGRATED PRODUCTION SERVICES LTD.

Subsurface Pressure Measurements

Company: PARAMOUNT RESOURCES LTD.
BH Location: M-073
Field: CAMERON HILLS
Pool/Formation: SULPHUR POINT

Well name: PARAMOUNT ET AL CAMERON M-073
SH Location: M-073
Well Fluid Status: Gas

Well Type: VERTICAL WELL
Prod. Int. (MD mKB): 1415.5 to 1420.5
Prod. Int. (TVD mKB): 1415.5 to 1420.5
Tubing (OD/ID mm): 73.0 / 62.0
Elevation: (CF) 771.6 (KB) 775.2
Pool datum:

Flow Regime: TUBING FLOW
Drilling Leg: N/A
Mid-pt. Prod. Int (MD mKB): 1418.0
Mid-pt. Prod. Int (TVD mKB): 1418.0
Casing (OD/ID mm): 139.7 / 125.7
Packer: YES H2S: YES
Datum depth of well KB:

Type of test: BOTTOM HOLE STATIC GRADIENT

Date of test: 2011 03 20
Initial Tubing Pres. (kPaa): 5125.0
Initial Casing Pres. (kPaa): 4434.0
Shut in date/time: N/A
Temperature at Run Depth (C): 56.1

Test Purpose: Annual Pressure
Final Tubing Pres. (kPaa): 5119.0
Final Casing Pres. (kPaa): 4431.0
Duration of Shut in (hrs): N/A
Pressure at MPP (kPaa): 5937.2

TOP RECORDER

Element serial#: 90068
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 20 1005:00
Gauge stopped: 2011 03 20 1352:00
On bottom: 2011 03 20 1028:00
Off bottom: 2011 03 20 1238:00
Run Depth (TVD mCF): 1413.8
Grad. at run depth: 7.115
Pres. at run depth: 5931.5
Pres. at mid point perf.: 5935.9
Pres. at datum depth:

BOTTOM RECORDER

Element serial#: 90069
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 20 1005:00
Gauge stopped: 2011 03 20 1352:00
On bottom: 2011 03 20 1028:00
Off bottom: 2011 03 20 1238:00
Run Depth (TVD mCF): 1414.3
Grad. at run depth: 7.288
Pres. at run depth: 5936.4
Pres. at mid point perf.: 5937.2
Pres. at datum depth:

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
-0.5	3.20	5100.8	0.000
299.5	13.50	5245.2	0.481
599.5	25.20	5377.8	0.442
899.5	35.50	5508.3	0.435
1199.5	49.30	5637.4	0.430
1323.5	54.60	5690.6	0.429
1353.5	55.30	5703.5	0.428
1383.5	55.70	5716.0	0.416
1413.8	56.10	5931.5	7.115

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
0.0	3.10	5105.8	0.000
300.0	13.60	5249.7	0.480
600.0	25.30	5383.4	0.446
900.0	34.90	5513.8	0.435
1200.0	49.10	5639.8	0.420
1324.0	54.60	5690.6	0.409
1354.0	55.20	5703.0	0.413
1384.0	55.60	5715.6	0.421
1414.3	56.10	5936.4	7.288

Fluid level: N/A

Fluid level: N/A

Remarks:


Gradient run from bottom to surface.

Gauges on bottom for approximately 130 minutes, pressure held steady.


Shut-in date/time not provided.

Report by CALSCAN SERVICES LTD.

PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: M-073
Date of Test: 2011 03 20
Recorder Serial Number: 90068



TEMPERATURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: M-073
Date of Test: 2011 03 20
Recorder Serial Number: 90068




PRESSURE & TEMPERATURE VS TIME

Company: PARAMOUNT RESOURCES LTD.


Location: M-073

Date of Test: 2011 03 20 - 2011 03 20


Recorder Serial Number: 90068




PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: M-073
Date of Test: 2011 03 20
Recorder Serial Number: 90069



TEMPERATURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: M-073
Date of Test: 2011 03 20
Recorder Serial Number: 90069



PRESSURE & TEMPERATURE VS TIME
Company: PARAMOUNT RESOURCES LTD.
Location: M-073
Date of Test: 2011 03 20 - 2011 03 20
Recorder Serial Number: 90069





BOTTOM HOLE STATIC GRADIENT

***PARAMOUNT RESOURCES LTD.
PARAMOUNT ET AL CAMERON C-075
C-075***

FORMATION: SULPHUR POINT

LICENSE #: N/A

TEST DATE: MARCH 19, 2011

*Test By: Integrated Production Services Ltd.
Tel: (780) 683-2205*

PREPARED FOR: PARAMOUNT RESOURCES LTD.

PREPARED BY: CALSCAN SERVICES LTD.

DATE: MARCH 28, 2011



Technical Reporting Services
Manufacture/Calibration/Repair of Downhole & Surface Recorders
4188, 93 Street, Edmonton, Alberta T6E 5P5 Tel: (780) 944-1377 Fax: (780) 944-1406
Website: www.calscan.net

INTEGRATED PRODUCTION SERVICES LTD.

Subsurface Pressure Measurements

Company: PARAMOUNT RESOURCES LTD.
BH Location: C-075
Field: CAMERON HILLS
Pool/Formation: SULPHUR POINT

Well name: PARAMOUNT ET AL CAMERON C-075
SH Location: C-075
Well Fluid Status: Gas

Well Type: VERTICAL WELL
Prod. Int. (MD mKB): 1433.0 to 1436.5
Prod. Int. (TVD mKB): 1433.0 to 1436.5
Tubing (OD/ID mm): 73.0 / 62.0
Elevation: (GL) 783.6 (KB) 788.5
Pool datum:

Flow Regime: TUBING FLOW
Drilling Leg: N/A
Mid-pt. Prod. Int (MD mKB): 1434.8
Mid-pt. Prod. Int (TVD mKB): 1434.8
Casing (OD/ID mm): 114.3 / 103.9
Packer: YES H2S: YES
Datum depth of well KB:

Type of test: BOTTOM HOLE STATIC GRADIENT

Date of test: 2011 03 19
Initial Tubing Pres. (kPaa): 4977.0
Initial Casing Pres. (kPaa): 93.0
Shut in date/time: 2008 01 21 1200
Temperature at Run Depth (C): 56.8

Test Purpose: Annual Pressure
Final Tubing Pres. (kPaa): 4970.0
Final Casing Pres. (kPaa): 93.0
Duration of Shut in (hrs): 27674.8
Pressure at MPP (kPaa): 5649.6

TOP RECORDER

Element serial#: 90068
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 19 1214:00
Gauge stopped: 2011 03 19 1558:00
On bottom: 2011 03 19 1235:00
Off bottom: 2011 03 19 1445:00
Run Depth (TVD mCF): 1429.5
Grad. at run depth: 2.013
Pres. at run depth: 5645.2
Pres. at mid point perf.: 5646.0
Pres. at datum depth:

BOTTOM RECORDER

Element serial#: 90069
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 19 1214:00
Gauge stopped: 2011 03 19 1558:00
On bottom: 2011 03 19 1235:00
Off bottom: 2011 03 19 1445:00
Run Depth (TVD mCF): 1430.0
Grad. at run depth: 2.203
Pres. at run depth: 5649.8
Pres. at mid point perf.: 5649.6
Pres. at datum depth:

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
-0.5	2.70	4951.0	0.000
299.5	12.00	5098.7	0.492
599.5	25.20	5233.6	0.450
899.5	35.30	5365.7	0.440
1199.5	49.10	5498.5	0.443
1339.5	55.30	5559.2	0.433
1369.5	56.10	5572.2	0.433
1399.5	56.60	5584.8	0.421
1429.5	56.80	5645.2	2.013

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
0.0	2.70	4956.5	0.000
300.0	12.00	5103.7	0.490
600.0	25.20	5238.4	0.449
900.0	34.50	5370.8	0.441
1200.0	48.90	5499.0	0.428
1340.0	55.00	5559.0	0.428
1370.0	55.90	5571.6	0.420
1400.0	56.60	5583.7	0.402
1430.0	56.80	5649.8	2.203

Fluid level: N/A

Fluid level: N/A


Remarks:

Gradient run from bottom to surface.


Gauges on bottom for approximately 130 minutes, pressure held steady.

Report by CALSCAN SERVICES LTD.

PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: C-075
Date of Test: 2011 03 19
Recorder Serial Number: 90068



TEMPERATURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: C-075
Date of Test: 2011 03 19
Recorder Serial Number: 90068




PRESSURE & TEMPERATURE VS TIME

Company: PARAMOUNT RESOURCES LTD.


Location: C-075

Date of Test: 2011 03 19 - 2011 03 19


Recorder Serial Number: 90068



PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: C-075
Date of Test: 2011 03 19
Recorder Serial Number: 90069



TEMPERATURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: C-075
Date of Test: 2011 03 19
Recorder Serial Number: 90069




PRESSURE & TEMPERATURE VS TIME

Company: PARAMOUNT RESOURCES LTD.

Location: C-075

Date of Test: 2011 03 19 - 2011 03 19

Recorder Serial Number: 90069





BOTTOM HOLE STATIC GRADIENT

***PARAMOUNT RESOURCES LTD.
PARAMOUNT HB ET AL CAMERON HILLS J-62
J-62***

FORMATION: SULPHUR POINT

LICENSE #: N/A

TEST DATE: MARCH 17, 2011

*Test By: Integrated Production Services Ltd.
Tel: (780) 683-2205*

PREPARED FOR: PARAMOUNT RESOURCES LTD.

PREPARED BY: CALSCAN SERVICES LTD.

DATE: MARCH 25, 2011



Technical Reporting Services
Manufacture/Calibration/Repair of Downhole & Surface Recorders
4188, 93 Street, Edmonton, Alberta T6E 5P5 Tel: (780) 944-1377 Fax: (780) 944-1406
Website: www.calscan.net

INTEGRATED PRODUCTION SERVICES LTD.

Subsurface Pressure Measurements

Company: PARAMOUNT RESOURCES LTD.
BH Location: J-62
Field: CAMERON HILLS
Pool/Formation: SULPHUR POINT

Well name: PARAMOUNT HB ET AL CAMERON HI
SH Location: J-62
Well Fluid Status: Gas

Well Type: VERTICAL WELL
Prod. Int. (MD mKB): 1384.5 to 1389.0
Prod. Int. (TVD mKB): 1384.5 to 1389.0
Tubing (OD/ID mm): 73.0 / 62.0
Elevation: (GL) 751.9 (KB) 755.0
Pool datum:

Flow Regime: TUBING FLOW
Drilling Leg: N/A
Mid-pt. Prod. Int (MD mKB): 1386.8
Mid-pt. Prod. Int (TVD mKB): 1386.8
Casing (OD/ID mm): 139.7 / 125.7
Packer: YES H2S: YES
Datum depth of well KB:

Type of test: BOTTOM HOLE STATIC GRADIENT

Date of test: 2011 03 17
Initial Tubing Pres. (kPaa): 7271.0
Initial Casing Pres. (kPaa): 1689.0
Shut in date/time: N/A
Temperature at Run Depth (C): 56.6

Test Purpose: Annual Pressure
Final Tubing Pres. (kPaa): 7267.0
Final Casing Pres. (kPaa): 1690.0
Duration of Shut in (hrs): N/A
Pressure at MPP (kPaa): 8115.5

TOP RECORDER

Element serial#: 90068
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 17 1118:00
Gauge stopped: 2011 03 17 1458:00
On bottom: 2011 03 17 1136:00
Off bottom: 2011 03 17 1346:00
Run Depth (TVD mCF): 1383.2
Grad. at run depth: 0.612
Pres. at run depth: 8111.9
Pres. at mid point perf.: 8112.3
Pres. at datum depth:

BOTTOM RECORDER

Element serial#: 90069
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 17 1118:00
Gauge stopped: 2011 03 17 1458:00
On bottom: 2011 03 17 1136:00
Off bottom: 2011 03 17 1346:00
Run Depth (TVD mCF): 1383.7
Grad. at run depth: 0.759
Pres. at run depth: 8115.4
Pres. at mid point perf.: 8115.5
Pres. at datum depth:

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
-0.5	2.20	7244.1	0.000
299.5	11.00	7437.8	0.645
599.5	24.10	7631.9	0.647
899.5	35.00	7819.3	0.624
1199.5	50.20	8000.9	0.605
1292.5	54.70	8057.4	0.608
1322.5	55.70	8075.5	0.601
1352.5	56.30	8093.1	0.590
1383.2	56.60	8111.9	0.612

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
0.0	2.30	7245.4	0.000
300.0	11.40	7439.3	0.646
600.0	24.30	7633.5	0.647
900.0	35.40	7820.8	0.624
1200.0	50.10	8001.5	0.602
1293.0	54.50	8057.0	0.597
1323.0	55.50	8074.2	0.573
1353.0	56.20	8092.1	0.598
1383.7	56.60	8115.4	0.759

Fluid level: N/A


Fluid level: N/A

Remarks:


Gradient run from bottom to surface.
Gauges on bottom for approximately 130 minutes, pressure held steady.
Shut-in date/time not provided.

Report by CALSCAN SERVICES LTD.

PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: J-62
Date of Test: 2011 03 17
Recorder Serial Number: 90068



TEMPERATURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: J-62
Date of Test: 2011 03 17
Recorder Serial Number: 90068




PRESSURE & TEMPERATURE VS TIME

Company: PARAMOUNT RESOURCES LTD.


Location: J-62

Date of Test: 2011 03 17 - 2011 03 17

Recorder Serial Number: 90068



PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: J-62
Date of Test: 2011 03 17
Recorder Serial Number: 90069




TEMPERATURE VS DEPTH PLOT

Company: PARAMOUNT RESOURCES LTD.

Location: J-62

Date of Test: 2011 03 17

Recorder Serial Number: 90069




PRESSURE & TEMPERATURE VS TIME

Company: PARAMOUNT RESOURCES LTD.

Location: J-62

Date of Test: 2011 03 17 - 2011 03 17

Recorder Serial Number: 90069





BOTTOM HOLE STATIC GRADIENT

***PARAMOUNT RESOURCES LTD.
PARAMOUNT ET AL CAMERON I-073
I-073***

FORMATION: SULPHUR POINT

LICENSE #: N/A

TEST DATE: MARCH 18, 2011

*Test By: Integrated Production Services Ltd.
Tel: (780) 683-2205*

PREPARED FOR: PARAMOUNT RESOURCES LTD.

PREPARED BY: CALSCAN SERVICES LTD.

DATE: MARCH 28, 2011



Technical Reporting Services
Manufacture/Calibration/Repair of Downhole & Surface Recorders
4188, 93 Street, Edmonton, Alberta T6E 5P5 Tel: (780) 944-1377 Fax: (780) 944-1406
Website: www.calscan.net

INTEGRATED PRODUCTION SERVICES LTD.

Subsurface Pressure Measurements

Company: PARAMOUNT RESOURCES LTD.
BH Location: I-073
Field: CAMERON HILLS
Pool/Formation: SULPHUR POINT

Well name: PARAMOUNT ET AL CAMERON I-073
SH Location: I-073
Well Fluid Status: Gas

Well Type: VERTICAL WELL
Prod. Int. (MD mKB): 1415.0 to 1419.0
Prod. Int. (TVD mKB): 1415.0 to 1419.0
Tubing (OD/ID mm): 73.0 / 62.0
Elevation: (GL) 774.8 (KB) 779.3
Pool datum:

Flow Regime: TUBING FLOW
Drilling Leg: N/A
Mid-pt. Prod. Int (MD mKB): 1417.0
Mid-pt. Prod. Int (TVD mKB): 1417.0
Casing (OD/ID mm): 177.8 / 161.7
Packer: YES H2S: YES
Datum depth of well KB:

Type of test: BOTTOM HOLE STATIC GRADIENT

Date of test: 2011 03 18
Initial Tubing Pres. (kPaa): 5914.0
Initial Casing Pres. (kPaa): 93.0
Shut in date/time: 2008 01 20 0800
Temperature at Run Depth (C): 56.1

Test Purpose: Annual Pressure
Final Tubing Pres. (kPaa): 5916.0
Final Casing Pres. (kPaa): 93.0
Duration of Shut in (hrs): 27675.4
Pressure at MPP (kPaa): 6614.7

TOP RECORDER

Element serial#: 90068
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 18 0842:00
Gauge stopped: 2011 03 18 1234:00
On bottom: 2011 03 18 0913:00
Off bottom: 2011 03 18 1123:00
Run Depth (TVD mCF): 1412.0
Grad. at run depth: 0.493
Pres. at run depth: 6610.4
Pres. at mid point perf.: 6610.7
Pres. at datum depth:

BOTTOM RECORDER

Element serial#: 90069
Pressure Range (kPaa): 0 - 41461.0
Gauge Type: CAL-SCAN 1.25" STRAIN
Res./Accuracy (%): 0.0003 / 0.024
Manufacturer: CAL-SCAN SERVICES LTD.
Latest calibration: 2010 11 16
Gauge started: 2011 03 18 0842:00
Gauge stopped: 2011 03 18 1234:00
On bottom: 2011 03 18 0913:00
Off bottom: 2011 03 18 1123:00
Run Depth (TVD mCF): 1412.5
Grad. at run depth: 0.643
Pres. at run depth: 6614.6
Pres. at mid point perf.: 6614.7
Pres. at datum depth:

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
-0.5	-1.70	5881.5	0.000
299.5	11.30	6053.3	0.573
599.5	24.40	6206.0	0.509
899.5	34.70	6353.4	0.491
1199.5	48.90	6504.0	0.502
1321.5	54.40	6565.8	0.506
1351.5	55.20	6580.6	0.493
1381.5	55.70	6595.3	0.491
1412.0	56.00	6610.4	0.493

Depth m	Temp Deg.C	Pressure kPaa	Gradient kPa/m
0.0	-1.90	5896.0	0.000
300.0	11.10	6059.4	0.545
600.0	24.10	6210.9	0.505
900.0	35.10	6359.1	0.494
1200.0	48.80	6506.5	0.492
1322.0	54.50	6565.6	0.484
1352.0	55.10	6580.3	0.490
1382.0	55.70	6595.0	0.490
1412.5	56.10	6614.6	0.643

Fluid level: N/A

Fluid level: N/A


Remarks:

Gradient run from bottom to surface.

Gauges on bottom for approximately 130 minutes, pressure held steady.

Report by CALSCAN SERVICES LTD.

PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: I-073
Date of Test: 2011 03 18
Recorder Serial Number: 90068




TEMPERATURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.

Location: I-073

Date of Test: 2011 03 18

Recorder Serial Number: 90068




PRESSURE & TEMPERATURE VS TIME

Company: PARAMOUNT RESOURCES LTD.


Location: I-073

Date of Test: 2011 03 18 - 2011 03 18

Recorder Serial Number: 90068



PRESSURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.
Location: I-073
Date of Test: 2011 03 18
Recorder Serial Number: 90069




TEMPERATURE VS DEPTH PLOT
Company: PARAMOUNT RESOURCES LTD.

Location: I-073

Date of Test: 2011 03 18

Recorder Serial Number: 90069



PRESSURE & TEMPERATURE VS TIME

Company: PARAMOUNT RESOURCES LTD.

Location: I-073

Date of Test: 2011 03 18 - 2011 03 18

Recorder Serial Number: 90069

