

Big Eagle Services


JOB REPORT

Company: Husky Oil
Contact: Cal Conklin
Location: Husky Little Bear H-64

Email:

Date February 25, 2012
Start Time 0:19:03
End Time
PO#:
AFE#:
LSD#: Little bear H-64
Phone#:

Unit#: PT112
Operator: Husky oil
Swamper: N/A
Fluid Pumped: 68 Liters
Chemical Pumped: Water



Comments: Formation integrity test

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)							
00:00 0.041	0	0							
00:00 1.953	0	0							
00:00 3.952	0	0							
00:00 5.953	0	0							
00:00 7.953	0	0							
00:00 9.953	0	0							
00:00 11.953	0	0							
00:00 13.953	0	0							
00:00 15.959	0	0							
00:00 17.969	0	0							
00:00 19.969	0	0							
00:00 21.969	0	0							
00:00 23.970	0	0							
00:00 25.975	0	0							
00:00 27.991	0	0							
00:00 30.053	0	0							
00:00 32.066	0	0							
00:00 34.154	0	0							
00:00 36.158	0	0							
00:00 38.180	0	0							
00:00 40.253	0	0							
00:00 42.252	0	0							
00:00 44.255	0	0							
00:00 46.354	0	0							
00:00 48.385	0	0							
00:00 50.469	0	0							
00:00 52.553	0	1							
00:00 54.552	0	4							
00:00 56.558	0	6							
00:00 58.654	32	8							
00:01 0.653	11	9							
00:01 2.657	32	9							
00:01 4.753	32	9							
00:01 6.752	0	10							
00:01 8.774	0	11							
00:01 10.854	0	11							
00:01 12.854	11	11							
00:01 14.853	63	11							
00:01 16.897	53	11							

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:01 18.952	11	11						
00:01 20.972	42	10						
00:01 23.052	63	9						
00:01 25.086	85	9						
00:01 27.153	127	9						
00:01 29.178	106	9						
00:01 31.198	159	9						
00:01 33.255	148	9						
00:01 35.354	190	10						
00:01 37.354	233	10						
00:01 39.354	254	10						
00:01 41.357	275	10						
00:01 43.453	307	10						
00:01 45.456	317	10						
00:01 47.595	391	10						
00:01 49.653	391	10						
00:01 51.653	412	10						
00:01 53.653	412	10						
00:01 55.654	423	10						
00:01 57.654	476	10						
00:01 59.659	465	10						
00:02 1.689	508	10						
00:02 3.757	560	10						
00:02 5.765	539	10						
00:02 7.790	582	10						
00:02 9.854	624	10						
00:02 11.854	645	10						
00:02 13.888	666	10						
00:02 15.953	677	10						
00:02 17.953	698	10						
00:02 19.978	751	10						
00:02 22.054	751	10						
00:02 24.203	846	10						
00:02 26.253	825	10						
00:02 28.267	899	10						
00:02 30.354	888	10						
00:02 32.392	936	10						
00:02 34.453	925	10						
00:02 36.506	1,020	10						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:02 38.592	994	10						
00:02 40.654	999	10						
00:02 42.653	1,068	10						
00:02 44.679	1,100	10						
00:02 46.798	1,131	10						
00:02 48.858	1,126	10						
00:02 50.954	1,184	10						
00:02 53.053	1,216	10						
00:02 55.052	1,184	10						
00:02 57.053	1,269	10						
00:02 59.074	1,322	10						
00:03 1.197	1,301	10						
00:03 3.252	1,385	10						
00:03 5.290	1,396	10						
00:03 7.353	1,375	10						
00:03 9.394	1,406	10						
00:03 11.452	1,459	10						
00:03 13.501	1,470	10						
00:03 15.552	1,501	10						
00:03 17.553	1,512	9						
00:03 19.585	1,575	10						
00:03 21.654	1,597	10						
00:03 23.684	1,628	10						
00:03 25.752	1,681	10						
00:03 27.807	1,649	10						
00:03 29.853	1,681	9						
00:03 31.853	1,692	10						
00:03 33.853	1,745	10						
00:03 35.853	1,787	10						
00:03 37.853	1,808	10						
00:03 39.853	1,829	10						
00:03 41.853	1,871	9						
00:03 43.853	1,861	10						
00:03 45.853	1,903	10						
00:03 47.853	1,914	9						
00:03 49.853	1,935	10						
00:03 51.853	2,009	10						
00:03 53.853	1,988	10						
00:03 55.853	2,030	10						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:03 57.853	2,083	10						
00:03 59.853	2,062	10						
00:04 1.853	2,115	10						
00:04 3.854	2,157	10						
00:04 5.883	2,189	10						
00:04 7.917	2,231	10						
00:04 9.954	2,194	10						
00:04 11.953	2,263	10						
00:04 13.999	2,363	10						
00:04 16.053	2,305	10						
00:04 18.078	2,358	10						
00:04 20.090	2,379	10						
00:04 22.154	2,400	10						
00:04 24.190	2,469	10						
00:04 26.253	2,458	10						
00:04 28.310	2,516	10						
00:04 30.371	2,580	10						
00:04 32.453	2,590	10						
00:04 34.501	2,622	10						
00:04 36.561	2,622	10						
00:04 38.624	2,590	10						
00:04 40.716	2,675	10						
00:04 42.793	2,686	10						
00:04 44.890	2,770	10						
00:04 46.987	2,781	10						
00:04 49.094	2,876	10						
00:04 51.158	2,844	10						
00:04 53.255	2,781	10						
00:04 55.354	2,823	10						
00:04 57.353	2,802	10						
00:04 59.384	2,908	10						
00:05 1.452	2,950	10						
00:05 3.452	2,918	10						
00:05 5.517	3,013	10						
00:05 7.553	3,035	10						
00:05 9.553	3,035	10						
00:05 11.553	3,056	10						
00:05 13.553	3,140	10						
00:05 15.552	3,140	10						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:05 17.553	3,161	10						
00:05 19.553	3,235	10						
00:05 21.553	3,204	10						
00:05 23.553	3,235	10						
00:05 25.581	3,235	10						
00:05 27.654	3,267	9						
00:05 29.654	3,288	10						
00:05 31.654	3,426	10						
00:05 33.654	3,410	9						
00:05 35.653	3,394	10						
00:05 37.654	3,489	9						
00:05 39.654	3,442	10						
00:05 41.654	3,373	10						
00:05 43.654	3,421	9						
00:05 45.653	3,516	9						
00:05 47.654	3,600	9						
00:05 49.654	3,606	9						
00:05 51.654	3,637	9						
00:05 53.654	3,542	9						
00:05 55.653	3,674	9						
00:05 57.654	3,584	9						
00:05 59.654	3,801	9						
00:06 1.654	3,764	9						
00:06 3.654	3,806	9						
00:06 5.653	3,743	9						
00:06 7.654	3,896	9						
00:06 9.654	3,817	9						
00:06 11.654	3,907	9						
00:06 13.654	3,976	9						
00:06 15.653	4,039	9						
00:06 17.654	3,965	10						
00:06 19.654	3,933	10						
00:06 21.654	4,050	9						
00:06 23.654	4,007	10						
00:06 25.653	3,986	10						
00:06 27.654	4,092	10						
00:06 29.654	4,177	10						
00:06 31.654	4,102	10						
00:06 33.654	4,166	10						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:06 35.653	4,177	10						
00:06 37.654	4,251	10						
00:06 39.654	4,325	10						
00:06 41.654	4,325	10						
00:06 43.654	4,314	10						
00:06 45.653	4,367	10						
00:06 47.654	4,441	10						
00:06 49.654	4,420	10						
00:06 51.654	4,494	10						
00:06 53.654	4,451	9						
00:06 55.653	4,525	10						
00:06 57.654	4,621	10						
00:06 59.654	4,557	10						
00:07 1.654	4,589	10						
00:07 3.654	4,642	10						
00:07 5.653	4,599	10						
00:07 7.654	4,589	10						
00:07 9.654	4,716	10						
00:07 11.654	4,695	10						
00:07 13.654	4,663	10						
00:07 15.653	4,721	10						
00:07 17.654	4,689	10						
00:07 19.654	4,758	10						
00:07 21.654	4,853	10						
00:07 23.654	4,795	10						
00:07 25.654	4,885	10						
00:07 27.654	4,906	10						
00:07 29.654	4,800	10						
00:07 31.654	4,975	10						
00:07 33.654	4,980	10						
00:07 35.654	5,075	10						
00:07 37.654	5,096	10						
00:07 39.654	5,197	10						
00:07 41.654	5,086	10						
00:07 43.654	5,186	10						
00:07 45.653	5,297	10						
00:07 47.654	5,244	10						
00:07 49.654	5,213	10						
00:07 51.654	5,398	10						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:07 53.654	5,223	10						
00:07 55.653	5,139	7						
00:07 57.654	5,192	1						
00:07 59.654	5,170	0						
00:08 1.654	5,149	0						
00:08 3.654	5,149	0						
00:08 5.654	5,170	0						
00:08 7.654	5,170	0						
00:08 9.654	5,192	0						
00:08 11.654	5,149	0						
00:08 13.654	5,181	0						
00:08 15.671	5,149	0						
00:08 17.753	5,181	0						
00:08 19.753	5,181	0						
00:08 21.753	5,149	0						
00:08 23.753	5,181	0						
00:08 25.753	5,160	0						
00:08 28.097	5,170	0						
00:08 30.154	5,181	0						
00:08 32.154	5,160	0						
00:08 34.154	5,149	0						
00:08 36.154	5,202	0						
00:08 38.154	5,170	0						
00:08 40.154	5,160	0						
00:08 42.153	5,149	0						
00:08 44.153	5,160	0						
00:08 46.154	5,160	0						
00:08 48.154	5,149	0						
00:08 50.154	5,192	0						
00:08 52.154	5,181	0						
00:08 54.154	5,181	0						
00:08 56.154	5,170	0						
00:08 58.154	5,149	0						
00:09 0.154	5,107	0						
00:09 2.154	5,202	0						
00:09 4.154	5,181	0						
00:09 6.154	5,160	0						
00:09 8.154	5,149	0						
00:09 10.154	5,160	0						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:09 12.154	5,181	0						
00:09 14.154	5,202	0						
00:09 16.154	5,160	0						
00:09 18.154	5,149	0						
00:09 20.154	5,160	0						
00:09 22.154	5,128	0						
00:09 24.154	5,170	0						
00:09 26.154	5,192	0						
00:09 28.154	5,181	0						
00:09 30.154	5,160	0						
00:09 32.154	5,160	0						
00:09 34.154	5,181	0						
00:09 36.154	5,149	0						
00:09 38.154	5,170	0						
00:09 40.154	5,139	0						
00:09 42.154	5,181	0						
00:09 44.154	5,181	0						
00:09 46.154	5,149	0						
00:09 48.153	5,107	0						
00:09 50.154	5,139	0						
00:09 52.154	5,149	0						
00:09 54.154	5,149	0						
00:09 56.154	5,181	0						
00:09 58.154	5,118	0						
00:10 0.154	5,139	0						
00:10 2.154	5,128	0						
00:10 4.154	5,160	0						
00:10 6.154	5,181	0						
00:10 8.154	5,149	0						
00:10 10.154	5,149	0						
00:10 12.154	5,160	0						
00:10 14.154	5,118	0						
00:10 16.154	5,149	0						
00:10 18.154	5,139	0						
00:10 20.154	5,170	0						
00:10 22.154	5,118	0						
00:10 24.154	5,160	0						
00:10 26.154	5,160	0						
00:10 28.154	5,170	0						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:10 30.154	5,181	0						
00:10 32.154	5,139	0						
00:10 34.154	5,118	0						
00:10 36.154	5,149	0						
00:10 38.154	5,149	0						
00:10 40.154	5,149	0						
00:10 42.154	5,170	0						
00:10 44.154	5,160	0						
00:10 46.154	5,139	0						
00:10 48.154	5,149	0						
00:10 50.154	5,149	0						
00:10 52.154	5,149	0						
00:10 54.154	5,149	0						
00:10 56.154	5,160	0						
00:10 58.154	5,118	0						
00:11 0.154	5,139	0						
00:11 2.154	5,149	0						
00:11 4.154	5,149	0						
00:11 6.154	5,160	0						
00:11 8.154	5,139	0						
00:11 10.154	5,149	0						
00:11 12.154	5,139	0						
00:11 14.154	5,160	0						
00:11 16.154	5,160	0						
00:11 18.154	5,149	0						
00:11 20.154	5,160	0						
00:11 22.154	5,149	0						
00:11 24.154	5,139	0						
00:11 26.154	5,181	0						
00:11 28.154	5,123	0						
00:11 30.154	5,139	0						
00:11 32.154	5,096	0						
00:11 34.154	5,128	0						
00:11 36.154	5,128	0						
00:11 38.154	5,128	0						
00:11 40.154	5,054	0						
00:11 42.154	5,128	0						
00:11 44.154	5,128	0						
00:11 46.154	5,107	0						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:11 48.156	5,139	0						
00:11 50.253	5,086	0						
00:11 52.252	5,107	0						
00:11 54.253	5,096	0						
00:11 56.252	5,118	0						
00:11 58.253	5,118	0						
00:12 0.253	5,096	0						
00:12 2.253	5,128	0						
00:12 4.253	5,107	0						
00:12 6.253	5,054	0						
00:12 8.253	5,086	0						
00:12 10.253	5,086	0						
00:12 12.253	5,107	0						
00:12 14.253	5,096	0						
00:12 16.253	5,065	0						
00:12 18.253	5,028	0						
00:12 20.253	4,917	0						
00:12 22.253	4,800	0						
00:12 24.253	4,790	0						
00:12 26.253	4,758	0						
00:12 28.253	4,747	0						
00:12 30.253	4,716	0						
00:12 32.253	4,737	0						
00:12 34.253	4,758	0						
00:12 36.253	4,726	0						
00:12 38.253	4,737	0						
00:12 40.253	4,695	0						
00:12 42.253	4,705	0						
00:12 44.253	4,695	0						
00:12 46.253	4,663	0						
00:12 48.253	4,652	0						
00:12 50.253	4,652	0						
00:12 52.253	4,684	0						
00:12 54.253	4,631	0						
00:12 56.253	4,642	0						
00:12 58.253	4,663	0						
00:13 0.253	4,610	0						
00:13 2.253	4,578	0						
00:13 4.253	4,621	0						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)							
00:13 6.253	4,610	0							
00:13 8.253	4,599	0							
00:13 10.253	4,589	0							
00:13 12.253	4,578	0							
00:13 14.253	4,578	0							
00:13 16.253	4,589	0							
00:13 18.253	4,557	0							
00:13 20.253	4,589	0							
00:13 22.253	4,547	0							
00:13 24.253	4,557	0							
00:13 26.253	4,557	0							
00:13 28.253	4,568	0							
00:13 30.253	4,557	0							
00:13 32.253	4,525	0							
00:13 34.253	4,536	0							
00:13 36.253	4,547	0							
00:13 38.253	4,504	0							
00:13 40.253	4,515	0							
00:13 42.253	4,483	0							
00:13 44.253	4,473	0							
00:13 46.253	4,473	0							
00:13 48.253	4,504	0							
00:13 50.253	4,515	0							
00:13 52.253	4,483	0							
00:13 54.253	4,430	0							
00:13 56.253	4,451	0							
00:13 58.253	4,473	0							
00:14 0.253	4,399	0							
00:14 2.253	4,430	0							
00:14 4.253	4,473	0							
00:14 6.252	4,420	0							
00:14 8.252	4,420	0							
00:14 10.253	4,451	0							
00:14 12.253	4,399	0							
00:14 14.253	4,430	0							
00:14 16.253	4,388	0							
00:14 18.253	381	0							
00:14 20.253	0	0							
00:14 22.253	0	0							

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:14 24.253	0	0						
00:14 26.254	0	0						
00:14 28.311	0	0						
00:14 30.354	0	0						
00:14 32.354	0	0						
00:14 34.354	0	0						
00:14 36.354	0	0						
00:14 38.354	0	0						
00:14 40.354	0	0						
00:14 42.354	0	0						
00:14 44.354	0	0						
00:14 46.354	0	0						
00:14 48.623	0	0						
00:14 50.653	0	0						
00:14 52.654	0	0						
00:14 54.663	0	0						
00:14 56.716	0	0						
00:14 58.753	0	0						
00:15 0.753	0	0						
00:15 2.753	0	0						
00:15 4.753	0	0						
00:15 6.753	0	0						
00:15 8.753	0	0						
00:15 10.753	0	0						
00:15 12.753	0	0						
00:15 14.753	0	0						
00:15 16.753	0	0						
00:15 18.753	0	0						
00:15 20.754	0	0						
00:15 22.854	0	0						
00:15 24.854	0	0						
00:15 26.854	0	0						
00:15 28.854	0	0						
00:15 30.854	0	0						
00:15 32.854	0	0						
00:15 34.854	0	0						
00:15 36.854	0	0						
00:15 38.854	0	0						
00:15 40.854	0	0						

Time	PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:15 42.854	0	0						
00:15 44.854	0	0						
00:15 46.854	0	0						
00:15 48.854	0	0						
00:15 50.854	0	0						
00:15 52.854	0	0						
00:15 54.855	0	0						
00:15 56.952	0	0						
00:15 58.952	0	0						
00:16 0.952	0	0						
00:16 2.952	0	0						
00:16 4.952	0	0						
00:16 6.952	0	0						
00:16 8.952	0	0						
00:16 10.952	0	0						
00:16 12.952	0	0						
00:16 14.952	0	0						
00:16 16.952	0	0						
00:16 18.953	0	0						
00:16 20.952	0	0						
00:16 22.952	0	0						
00:16 24.952	0	0						
00:16 26.952	0	0						
00:16 28.952	0	0						
00:16 30.952	0	0						
00:16 32.952	0	0						
00:16 34.952	0	0						
00:16 36.952	0	0						
00:16 38.952	0	0						
00:16 40.952	0	0						
00:16 42.952	0	0						
00:16 44.952	0	0						
00:16 46.952	0	0						
00:16 48.952	0	0						
00:16 50.952	0	0						
00:16 52.952	0	0						
00:16 54.953	0	0						
00:16 56.952	0	0						
00:16 58.952	0	0						

Time		PUMP PRESSURE (KPA)	TRIPLEX FLOWRATE (L/MIN)						
00:17	0.952	0	0						
00:17	2.952	0	0						
00:17	4.952	0	0						
00:17	6.952	0	0						
00:17	8.952	0	0						
00:17	10.952	0	0						
00:17	12.952	0	0						
00:17	14.952	0	0						