



FILE NO:	COMPANY	MGM ENERGY CORP	
API NO:	WELL	MGM SHELL EAST MACKAY 1-78	
	FIELD	EAST MACKAY	
	PROVINCE	NORTHWEST TERRITORIES	
Ver. 3.87	LOCATION:	OTHER SERVICES	
UID:		SBT-CCL-GR	
3001786450125 30			
LICENSE:			
1202			
	LAT 64.795 N	LONG 125.722 W	
PERMANENT DATUM	G.L.	ELEVATION	155.00 M
LOG MEASURED FROM	K.B.	6.20 M	ABOVE P.D.
DRILL. MEAS. FROM	KELLY BUSHING		
		KB	161.20 M
		DF	
		GL	155.00 M
DATE	22-FEB-2013		
RUN	3	TRIP	3
SERVICE ORDER	CA215447		
DEPTH DRILLER	1978.5 M		
DEPTH LOGGER	1973.5 M		
BOTTOM LOGGED INTERVAL	1948.0 M		
TOP LOGGED INTERVAL	1840.0 M		
TIME STARTED	22-FEB-2013 22:45		
TIME FINISHED	23-FEB-2013 20:30		
OPERATOR RIG TIME	21.75 HOURS		
TYPE OF FLUID IN HOLE	BRINE OR SALT WATER		
FLUID DENSITY	1125.0 G/L		
FLUID SALINITY	N/A		
FLUID LEVEL	10.0 M		
LOGGED CEMENT TOP	390.0 M		
WELLHEAD PRESSURE	0.0 KPA		
MAXIMUM HOLE DEVIATION	3.1 DEG		
NOMINAL LOGGING SPEED	9.0 M/MN		
MAX. RECORDED TEMP.	NOT RECORDED		
REFERENCE LOG	BAKER HUGHES WIRELINE		
REFERENCE LOG DATE	17-FEB-2012		
EQUIP. NO.	Z008672	CANADA	PERF
RECORDED BY	J. COLLIER/I. ZALESKI		
WITNESSED BY	B. MURPHY		

CASING RECORD			
SIZE	WEIGHT	GRADE	FROM
244.5 MM	59.5 KG/M	NA	0.0 M
177.8 MM	38.7 KG/M	L-80	0.0 M
			1978.5 M

BOREHOLE RECORD		
BIT SIZE	FROM	TO
222.0 MM	0.0 M	401.8 M
222.0 MM	401.8 M	1978.5 M

RUN 3 TRIP 3 : RUNS WERE CORRELATED TO SBT LOG DATED 22-FEB-2013

REMARKS

PERF INTERVALS:
1946 - 1948 M WITH 127MM ERHSC 17SPM 60 DEG PHASING 25GR CONNEX LOW DEBRIS
1882 - 1884 M WITH 127MM ERHSC 17SPM 60 DEG PHASING 25GR CONNEX LOW DEBRIS
1869 - 1871 M WITH 127MM ERHSC 17SPM 60 DEG PHASING 25GR CONNEX LOW DEBRIS
1847 - 1849 M WITH 79MM ERHSC 10SPM 120 DEG PHASING 22.7GR TITAN PROSPECTORS
1840 - 1842 M WITH 79MM ERHSC 10SPM 120 DEG PHASING 22.7GR TITAN PROSPECTORS
EACH 127MM GUN HAD 34 CHARGES
EACH 79MM GUN HAD 21 CHARGES

CHARGE SPECIFICS:
GEODYNAMICS CONNEX 25G LOW DEBRIS PN 20202521004
TITAN 22.7G PN EXP 3323-422T PROSPECTORS
RIG: AKITA 37

EQUIPMENT DATA					
RUN	TRIP	TOOL	SERIES NO.	SERIAL NO.	POSITION
3	1	CCL	N/A	N/A	FREE
3	2	CCL	N/A	N/A	FREE
3	3	CCL	N/A	N/A	FREE
3	3	CCL	N/A	N/A	FREE
3	4	CCL	N/A	N/A	FREE

IST CORRELATION PASS 1:240 SCALE

ECLIPS 6.1! Aug 06, 2010
Updates: 1,2 Patches: 3
Sat Feb 23 05:49:45 2013

Perpft /main/62 Cplot Pdf-Cpp /main/16 Fileview 5.61


PARAMETER AND FILTER SUMMARY REPORT					
FILE: /data/MGM/run3_ch/m112b04.prm LOGGING MODE: DEPTH DIRECTION: UP TOP DEPTH: 1902.752 m BOTTOM DEPTH: 1967.998 m					
MEASUREMENT TYPE		PARAMETER	VALUE	UNITS	INTERVAL (m)
SPEED	FILTER ()		medium (1)	TOP	
TENSION	FILTER ()		medium (1)	BOTTOM	

CURVE DESCRIPTION REPORT			CURVE DESCRIPTION
CURVE NAME	CREATION DATE		
F1:ACCLK	Feb 23 04:52:44 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING	
F1:CCLK	Feb 23 04:52:44 2013	CASING COLLAR LOCATOR	
F1:MMRK	Feb 23 04:52:44 2013	MINUTE MARK	
F1:SPD	Feb 23 04:52:44 2013	SPEED	
F1:TEN	Feb 23 04:52:44 2013	DIFFERENTIAL TENSION	

CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)
CURVE MEASURE POINT OFFSET							
ACCLK	0.00	SPD	0.00	TEN	-0.38		


Presentation	: sysa:/data/MGM/run3_ch/corr1.pdf [1:240 Scale]
Pilot Interval	: 1902.85 - 1968.23 Meters
Data File 1	: F1 : sysa:/data/MGM/run3_ch/m112b04.off
Created On	: Feb 23 04:52:44 2013
Company	: MGM ENERGY CORP
Well	: MGM SHELL EAST MACKAY I-78
Field	: EAST MACKAY
File Interval	: 1902.85 - 1968.55 Meters
Oct	: m112b


SPEED [spd]	(m/min)
0	200
METERS	
CCL1	(m)
100	300
200	400
TOOL STICKING	
DIFF. TENSION [ten]	
-100	-2400



1950

1925





1ST SHOOTING PASS 1:240 SCALE
PERF INTERVAL: 1946 – 1948 M
CCL MP TO TOP SHOT: 3.57 M
CCL STOP AT 1942.43 M

ECLIPS 6.1! Aug 06, 2010
Updates: 1,2 Patches: 3
Sat Feb 23 05:49:09 2013

Perfit / main/62	Cplot	Pdf_Cpp / main/16	Fileview 5.61
PARAMETER AND FILTER SUMMARY REPORT			
FILE: /data/MGM/runs_ch/m112b05.prm LOGGING MODE: DEPTH UP TOP DEPTH: 1905.476 m BOTTOM DEPTH: 1967.998 m			
MEASUREMENT TYPE	PARAMETER	VALUE	UNITS
SPEED	FILTER ()	medium (1)	TOP
TENSION	FILTER ()	medium (1)	BOTTOM

CURVE DESCRIPTION REPORT


CURVE NAME	CREATION DATE	CURVE DESCRIPTION
------------	---------------	-------------------

F1:ACCLQK	Feb 23 05:05:52 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING
F1:CCLOK	Feb 23 05:05:52 2013	CASING COLLAR LOCATOR
F1:MMRK	Feb 23 05:05:52 2013	MINUTE MARK
F1:SPD	Feb 23 05:05:52 2013	SPEED
F1:TEN	Feb 23 05:05:52 2013	DIFFERENTIAL TENSION

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)
SYMMETRIC FILTER				
FILE: /data/MGM/run3_ch/m112b06.prm LOGGING MODE: DEPTH UP TOP DEPTH: 1861.109 m BOTTOM DEPTH: 1923.993 m				
PARAMETER AND FILTER SUMMARY REPORT				

Perfit / main/62	Cplot	Pdf_Cpp / main/16	Fileview 5.61
ECLIPS 6.1! Aug 06, 2010 Updates: 1,2 Patches: 3			
Sat Feb 23 05:49:27 2013			

2ND CORRELATION PASS 1:240 SCALE





SPEED	FILTER ()	medium (1)	TOP
TENSION	FILTER ()	medium (1)	BOTTOM


CURVE DESCRIPTION REPORT			
CURVE NAME	CREATION DATE	CURVE DESCRIPTION	
F1:ACCLQK	Feb 23 05:23:03 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING	
F1:CCLK	Feb 23 05:23:03 2013	CASING COLLAR LOCATOR	
F1:MMRK	Feb 23 05:23:03 2013	MINUTE MARK	
F1:SPD	Feb 23 05:23:03 2013	SPEED	
F1:TEN	Feb 23 05:23:03 2013	DIFFERENTIAL TENSION	

CURVE MEASURE POINT OFFSET				
CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE
ACCLQK	0.00	SPD	0.00	TEN
				-0.38
				OFFSET (m)

Presentation	: sysa:/data/MGM/run3-ch/corr2.pdf [1:240 Scale]	
Plot Interval	: 1861.05 - 1924.07 Meters	
Data File 1	: F1 : sysa:/data/MGM/run3-ch/m112b06.off	
Created On	: Feb 23 05:23:03 2013	
Company	: MGM ENERGY CORP	
Well	: MGM SHELL EAST MACKAY I-78	
Field	: EAST MACKAY	
File Interval	: 1861.05 - 1924.43 Meters	
Oct	: m112b	



2ND SHOOTING PASS 1:240 SCALE
PERF INTERVAL: 1882 - 1884 M
CCL MP TO TOP SHOT: 0.8 M



CCL STOP AT 1881.2 M

ECLIPS 6.1! Aug 06, 2010
Updates: 1,2 Patches: 3

Sat Feb 23 19:57:31 2013

PerpIt / main/62 Cplot Pdf_Cpp / main/16 Fileview 5.61

PARAMETER AND FILTER SUMMARY REPORT

FILE: /data/MGM/run3-ch/m112b07.prm
LOGGING MODE: DEPTH
TOP DEPTH: 1849.298 m
BOTTOM DEPTH: 1922.983 m
DIRECTION: UP

SYMMETRIC FILTER

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)
SPEED	FILTER ()	medium (1)		TOP
TENSION	FILTER ()	medium (1)		BOTTOM

CURVE DESCRIPTION REPORT


CURVE NAME	CREATION DATE	CURVE DESCRIPTION
F1:ACCLK	Feb 23 05:31:33 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING
F1:CCLK	Feb 23 05:31:33 2013	CASING COLLAR LOCATOR
F1:MMRK	Feb 23 05:31:33 2013	MINUTE MARK
F1:SPD	Feb 23 05:31:33 2013	SPEED
F1:TEN	Feb 23 05:31:33 2013	DIFFERENTIAL TENSION

CURVE MEASURE POINT OFFSET

CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)
ACCLK	0.00	SPD	0.00	TEN	-0.38		


Presentation : sysa:/data/MGM/run3-ch/shot2.pdf [1:240 Scale]
Plot Interval : 1849.09 - 1923 Meters


Data File 1 : F1 : sysa:/data/MGM/run3-ch/m112b07.off
Created On : Feb 23 05:31:33 2013
Company : MGM ENERGY CORP
Well : MGM SHELL EAST MACKAY I-78
Field : EAST MACKAY
File Interval : 1849.09 - 1923.36 Meters
Oct : m112b



1875

1900





3RD CORRELATION PASS 1:240 SCALE


ECLIPS 6.11 Aug 06, 2010
Updates: 1,2 Patches: 3
Sat Feb 23 20:01:54 2013


Perpfit / main/62 Cplot Pdf_Cpp / main/16 Fileview 5.61

PARAMETER AND FILTER SUMMARY REPORT				
FILE:	/data/MGM/run3_ch/m112b11.prm	LOGGING MODE:	UP	DIRECTION:
TOP DEPTH:	1792.700 m	BOTTOM DEPTH:	1918.812 m	
SYMMETRIC FILTER				
MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)
SPEED	FILTER ()	medium (1)	TOP	''
TENSION	FILTER ()	medium (1)	BOTTOM	''

CURVE DESCRIPTION REPORT				
CURVE NAME		CREATION DATE		CURVE DESCRIPTION
F1:ACCLK	Feb 23 09:20:34 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING	F1:MMRK	Feb 23 09:20:34 2013
F1:CCLK	Feb 23 09:20:34 2013	CASING COLLAR LOCATOR	F1:SPD	Feb 23 09:20:34 2013
F1:TEN	Feb 23 09:20:34 2013	DIFFERENTIAL TENSION	F1:MMRK	Feb 23 09:20:34 2013

CURVE MEASURE POINT OFFSET				
CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE
ACCLK	0.00	SPD	0.00	TEN
				-0.38







1850

1875

1900





3RD SHOOTING PASS 1:240 SCALE
PERF INTERVAL: 1869 – 1871 M
CCL MP TO TOP SHOT: 0.78 M
CCL STOP AT 1868.22 M

ECLIPS 6.1! Aug 06, 2010
Updates: 1,2 Patches: 3

Sat Feb 23 20:10:45 2013

Perpit / main/62 Cplot Pdf_Cpp / main/16 Fileview 5.61

PARAMETER AND FILTER SUMMARY REPORT


FILE: /data/mgm/run3_ch/m112b12.prm
LOGGING MODE: DEPTH
TOP DEPTH: 1721.777 m
BOTTOM DEPTH: 1918.263 m
DIRECTION: UP


MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)
SPEED	FILTER ()	medium (1)		TOP
TENSION	FILTER ()	medium (1)		BOTTOM


CURVE DESCRIPTION REPORT

CURVE NAME CREATION DATE CURVE DESCRIPTION

F1:ACCLQK	Feb 23 09:41:33 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING
F1:CCLKQ	Feb 23 09:41:33 2013	CASING COLLAR LOCATOR
F1:MMRK	Feb 23 09:41:33 2013	MINUTE MARK
F1:SPD	Feb 23 09:41:33 2013	SPEED
F1:TEN	Feb 23 09:41:33 2013	DIFFERENTIAL TENSION








1825

1850

1875



4TH CORRELATION PASS 1:240 SCALE

ECLIPS 6.1! Aug 06, 2010
Updates: 1,2 Patches: 3

Perfit /main/62
Cplot
Pdf_Cpp /main/16
Fileview 5.61

PARAMETER AND FILTER SUMMARY REPORT

FILE: /data/MGM/run3-ch/m112b15.prm
LOGGING MODE: UP
DEPTH: 1721.301 m
TOP DEPTH: 1900.295 m
BOTTOM DEPTH: 1900.295 m



SYMMETRIC FILTER


MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)
SPEED	FILTER ()	medium (1)	TOP	..
	FILTER ()	medium (1)	BOTTOM	..


CURVE NAME	CREATION DATE	CURVE DESCRIPTION
CURVE DESCRIPTION REPORT		
F1:ACCLQK	Feb 23 15:25:33 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING
F1:CCLK	Feb 23 15:25:33 2013	CASING COLLAR LOCATOR
F1:MMRK	Feb 23 15:25:33 2013	MINUTE MARK
F1:SPD	Feb 23 15:25:33 2013	SPEED
F1:TEN	Feb 23 15:25:33 2013	DIFFERENTIAL TENSION

CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)
ACCLQK	0.00	SPD	0.00	TEN	-0.38		
CURVE MEASURE POINT OFFSET							

Presentation	: sysa:/data/MGM/run3-ch/corr4.pdf [1:240 Scale]	Plot Interval	: 1721.24 - 1900.01 Meters
Data File 1	: F1 : sysa:/data/MGM/run3-ch/m112b15.off	Created On	: Feb 23 15:25:33 2013
Company	: MGM ENERGY CORP	Well	: MGM SHELL EAST MACKAY I-78
Field	: EAST MACKAY	File Interval	: 1721.24 - 1900.35 Meters
Oct	: m112b		








PARAMETER AND FILTER SUMMARY REPORT

Perfit / main/62
Cplot
Pdf_Cpp / main/16
Fileview 5.61

ECLIPS 6.1! Aug 06, 2010
Updates: 1,2 Patches: 3
Sat Feb 23 20:11:44 2013

4TH SHOOTING PASS 1:240 SCALE
PERF INTERVAL: 1847 - 1849 M
CCL MP TO TOP SHOT: 1.29 M
CCL STOP AT 1845.71 M





MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)
SPEED	FILTER ()	medium (1)	TOP	BOTTOM
TENSION	FILTER ()	medium (1)	TOP	BOTTOM

CURVE DESCRIPTION REPORT				
CURVE NAME	CREATION DATE	CURVE DESCRIPTION		
F1:ACCLQK	Feb 23 15:50:29 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING		
F1:CCLK	Feb 23 15:50:29 2013	CASING COLLAR LOCATOR		
F1:MMRK	Feb 23 15:50:29 2013	MINUTE MARK		
F1:SPD	Feb 23 15:50:29 2013	SPEED		
F1:TEN	Feb 23 15:50:29 2013	DIFFERENTIAL TENSION		

CURVE	OFFSET (m)	CURVE	SPD	0.00	TEN	-0.38	CURVE	OFFSET (m)
CURVE MEASURE POINT OFFSET								

Presentation	: sysa:/dat1a/MGM/run3_ch/shot4.pdf [1:240 Scale]	
Data File 1	: F1 : sysa:/dat1a/MGM/run3_ch/m112b16.off	
Created On	: Feb 23 15:50:29 2013	
Company	: MGM ENERGY CORP	
Well	: MGM SHELL EAST MACKAY I-78	
Field	: EAST MACKAY	
File Interval	: 1804.3 - 1902.33 Meters	
Oct	: m112b	





Sat Feb 23 20:14:22 2013


Fileview 5.61

MEASUREMENT TYPE	PARAMETER	VALUE	UNITS	INTERVAL (m)
------------------	-----------	-------	-------	--------------

SPEED		TENSION	
FILTER ()	medium (1)	FILTER ()	medium (1)

CURVE NAME	CREATION DATE	CURVE DESCRIPTION
1	2023-01-01	Curve 1 Description
2	2023-01-01	Curve 2 Description
3	2023-01-01	Curve 3 Description
4	2023-01-01	Curve 4 Description
5	2023-01-01	Curve 5 Description
6	2023-01-01	Curve 6 Description
7	2023-01-01	Curve 7 Description
8	2023-01-01	Curve 8 Description
9	2023-01-01	Curve 9 Description
10	2023-01-01	Curve 10 Description
11	2023-01-01	Curve 11 Description
12	2023-01-01	Curve 12 Description
13	2023-01-01	Curve 13 Description
14	2023-01-01	Curve 14 Description
15	2023-01-01	Curve 15 Description
16	2023-01-01	Curve 16 Description
17	2023-01-01	Curve 17 Description
18	2023-01-01	Curve 18 Description
19	2023-01-01	Curve 19 Description
20	2023-01-01	Curve 20 Description
21	2023-01-01	Curve 21 Description
22	2023-01-01	Curve 22 Description
23	2023-01-01	Curve 23 Description
24	2023-01-01	Curve 24 Description
25	2023-01-01	Curve 25 Description
26	2023-01-01	Curve 26 Description
27	2023-01-01	Curve 27 Description
28	2023-01-01	Curve 28 Description
29	2023-01-01	Curve 29 Description
30	2023-01-01	Curve 30 Description
31	2023-01-01	Curve 31 Description
32	2023-01-01	Curve 32 Description
33	2023-01-01	Curve 33 Description
34	2023-01-01	Curve 34 Description
35	2023-01-01	Curve 35 Description
36	2023-01-01	Curve 36 Description
37	2023-01-01	Curve 37 Description
38	2023-01-01	Curve 38 Description
39	2023-01-01	Curve 39 Description
40	2023-01-01	Curve 40 Description
41	2023-01-01	Curve 41 Description
42	2023-01-01	Curve 42 Description
43	2023-01-01	Curve 43 Description
44	2023-01-01	Curve 44 Description
45	2023-01-01	Curve 45 Description
46	2023-01-01	Curve 46 Description
47	2023-01-01	Curve 47 Description
48	2023-01-01	Curve 48 Description
49	2023-01-01	Curve 49 Description
50	2023-01-01	Curve 50 Description
51	2023-01-01	Curve 51 Description
52	2023-01-01	Curve 52 Description
53	2023-01-01	Curve 53 Description
54	2023-01-01	Curve 54 Description
55	2023-01-01	Curve 55 Description
56	2023-01-01	Curve 56 Description
57	2023-01-01	Curve 57 Description
58	2023-01-01	Curve 58 Description
59	2023-01-01	Curve 59 Description
60	2023-01-01	Curve 60 Description
61	2023-01-01	Curve 61 Description
62	2023-01-01	Curve 62 Description
63	2023-01-01	Curve 63 Description
64	2023-01-01	Curve 64 Description
65	2023-01-01	Curve 65 Description
66	2023-01-01	Curve 66 Description
67	2023-01-01	Curve 67 Description
68	2023-01-01	Curve 68 Description
69	2023-01-01	Curve 69 Description
70	2023-01-01	Curve 70 Description
71	2023-01-01	Curve 71 Description
72	2023-01-01	Curve 72 Description
73	2023-01-01	Curve 73 Description
74	2023-01-01	Curve 74 Description
75	2023-01-01	Curve 75 Description
76	2023-01-01	Curve 76 Description
77	2023-01-01	Curve 77 Description
78	2023-01-01	Curve 78 Description
79	2023-01-01	Curve 79 Description
80	2023-01-01	Curve 80 Description
81	2023-01-01	Curve 81 Description
82	2023-01-01	Curve 82 Description
83	2023-01-01	Curve 83 Description
84	2023-01-01	Curve 84 Description
85	2023-01-01	Curve 85 Description
86	2023-01-01	Curve 86 Description
87	2023-01-01	Curve 87 Description
88	2023-01-01	Curve 88 Description
89	2023-01-01	Curve 89 Description
90	2023-01-01	Curve 90 Description
91	2023-01-01	Curve 91 Description
92	2023-01-01	Curve 92 Description
93	2023-01-01	Curve 93 Description
94	2023-01-01	Curve 94 Description
95	2023-01-01	Curve 95 Description
96	2023-01-01	Curve 96 Description
97	2023-01-01	Curve 9

CLIPVE MEASURE POINT OFFSET





CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE	OFFSET (m)
	0.00		SPD 0.00	TEN -0.38			


```


Presentation : sysa:/data/MGM/run3-ch/corr5.pdf [1:240 Scale]
Plot Interval : 1722.08 - 1885 Meters

Data File 1 : F1 : sysa:/data/MGM/run3-ch/m112b18.off
Created On : Feb 23 17:49:28 2013
Company : MGM ENERGY CORP
Well : MGM SHELL EAST MACKAY 1-78
Field : EAST MACKAY
File Interval : 1722.08 - 1885.34 Meters
Oct : m112b

```








METERS

1875

1850



MINUTE MARK		
1		

5TH SHOOTING PASS 1:240 SCALE
PERF INTERVAL: 1840 – 1842 M
CCL MP TO TOP SHOT: 1.29 M
CCL STOP AT 1838.71 M

ECLIPS 6.1! Aug 06, 2010
Updates: 1,2 Patches: 3

Sat Feb 23 20:15:35 2013


PARAMETER AND FILTER SUMMARY REPORT			
FILE: /data/MGM/run3-ch/m112b19.prm LOGGING MODE: DEPTH TOP DEPTH: 1807.102 m BOTTOM DEPTH: 1885.647 m			
MEASUREMENT TYPE	PARAMETER	VALUE	UNITS
SPEED	FILTER ()	medium (1)	TOP
TENSION	FILTER ()	medium (1)	BOTTOM


CURVE DESCRIPTION REPORT			CURVE DESCRIPTION	
CURVE NAME	CREATION DATE			
F1:ACCLQK	Feb 23 18:11:25 2013	ANALOG (CONTINUOUS) CCL FOR SHOOTING		
F1:CCLK	Feb 23 18:11:25 2013	CASING COLLAR LOCATOR		
F1:MMRK	Feb 23 18:11:25 2013	MINUTE MARK		
F1:SPD	Feb 23 18:11:25 2013	SPEED		
F1:TEN	Feb 23 18:11:25 2013	DIFFERENTIAL TENSION		

CURVE MEASURE POINT OFFSET				
CURVE	OFFSET (m)	CURVE	OFFSET (m)	CURVE
ACCLQK	0.00	SPD	0.00	TEN
				-0.38
				OFFSET (m)

Presentation	: sysa:/data/MGM/run3-ch/shot5.pdf [1:240 Scale]
Data File 1	: F1 : sysa:/data/MGM/run3-ch/m112b19.off
Created On	: Feb 23 18:11:25 2013
Company	: MGM ENERGY CORP
Well	: MGM SHELL EAST MACKAY I-78
Field	: EAST MACKAY
File Interval	: 1807.04 – 1885.34 Meters
Oct	: m112b

	M	TOOL STICKING
--	---	---------------







COMPANY		MGM ENERGY CORP		WELL		MGM SHELL EAST MACKAY I-78		FIELD		EAST MACKAY		NORTHWEST TERRITORIES		PROVINCE	
LOCATION:		ELEVATIONS:		UID:		3001786450125 30		LICENSE:		1202		KB 161.20 M		DF 155.00 M	
LAT 64.795 N		LONG 125.722 W		DATE		22-FEB-2013									