



**PERFORATING
RECORD**

STRATEGIC OIL AND GAS LTD.									
STRATEGIC ET AL									
CAMERON I-16									
0301166010N11730W									
Northwest Territories									
Company	STRATEGIC OIL AND GAS LTD.								
Well	STRATEGIC ET AL CAMERON I-16								
Field	3001166010N11730W								
Province	Cameron								
Province	Northwest Territories								
Unique Well Identifier:	3001166010N11730W								
Canadian Well Identifier:	N/A								
Surface Location:	I-16								
LSD.	60	SEC.	10	TWP.	117	RGE.	30	W.	Well Licence #
Date	MAR 12 23								
Run Number	One								
Depth - Driller (m)	1489.3								
Depth - Logger (m)	842.0								
Bottom Logged Interval (m)	839.5								
Top Logged Interval (m)	770.0								
Fluid Type	WATER								
Level (m)	FULL								
Wellhead Pressure	0 / 7 MPa								
Max. Recorded Temp.	N/A								
Estimated Cement Top (m)	N/A								
Equipment Number	CCL1								
Unit No. / Location	3002								
Recorded By	CLAYTON RICHARD								
Witnessed By	SHANNON COLE								
Services	Type	Style	Depth (m)	Tubing Record					
Bridge Plug									
Packer									
Retainer				Other Services					
Junk Basket									
Gauge Ring									

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Correlated to: **TITANIUM**

Date: FEB 24 23

Log Type: RCBL

Service Order# 23-0367-04

Remarks:

Thank you for using Titanium Energy Services



PERF RUN NO: ONE

CCL TO TOP SHOT= 1.2 m

CARRIER DATA:

OWEN 86mm ERHSC



CHARGE DATA:

25 GRAM GOODHOLE

INTERVAL(S):

793.0-794.0 m

SHOT LENGTH= 1.0 m

REMARKS:


DEAD TOOL= 0.3 m


PERFORATE 793.0-794.0 m



Database File elm_nwtwl-1482-300-i166010n11730w-elm-perf-mar 12 23\wl-1482-300-i166010n11730w-elm-perf-mar 12 23.db
Dataset Pathname pass3
Presentation Format ccl_vertical
Dataset Creation Sun Mar 12 09:31:36 2023
Charted by Depth in Meters scaled 1:240

0	LTEN (lb)	3000	PERFS	-20	POSITIONING CCL	20
-50	LSPD (m/min)	50			-10	RAWCCL 10





PERFORATE 793.0-794.0 m



Company	STRATEGIC OIL AND GAS LTD.
Well	STRATEGIC ET AL
	CAMERON I-16
Field	3001166010N11730W
Province	Cameron
	Northwest Territories