



PERFORATING
RECORD

Company STRATEGIC OIL AND GAS LTD.
Well STRATEGIC ET AL CAMERON I-16
Field 300166010N11730W
Province Northwest Territories

Company STRATEGIC OIL AND GAS LTD.
Well STRATEGIC ET AL CAMERON I-16
Field 300166010N11730W
Province Northwest Territories
Unique Well Identifier: 300166010N11730W
Canadian Well Identifier: N/A
Surface Location: I-16
LSD. 60 SEC. 10 TWP. 117 RGE. 30 W. Well Licence # 1478
Permanent Datum Ground Level Elevation (m) 731.4 Elevations (m)
Log Measured From 4.0 m Above Permanent Datum K.B. 735.4
Drilling Measured From Kelly Bushing C.F. G.L. 731.4

Date	MAR 14 23	Perforated Intervals			
Run Number	One	Gun Type	ERHSC	Gram (g)	25 GH
Depth - Driller (m)	1489.3	SPM	17	Size (mm)	86.0
Depth - Logger (m)	NOT TAGGED	Phasing	60	To (m)	505.0
Bottom Logged Interval (m)	528.0	From (m)	504.0	To (m)	261.0
Top Logged Interval (m)	230.0	From (m)	260.0	To (m)	
Fluid Type	WATER	From (m)		To (m)	
Level (m)	60.0	From (m)		To (m)	
Wellhead Pressure	0 / 7 MPA	From (m)		To (m)	
Max. Recorded Temp.	N/A	From (m)		To (m)	
Estimated Cement Top (m)	N/A	From (m)		To (m)	
Equipment Number	CCL 1	Casing Record			
Unit No. / Location	3002	Size (mm)	Weight (kg/m)	From (m)	To (m)
Recorded By	CLAYTON RICHARD	339.7	81.1	Surface	63.0
Witnessed By	SHANNON COLE	244.5	53.57	Surface	377.0
Services		139.7	23.07	SURFACE	1489.3
Type	Style	Tubing Record			
Bridge Plug		Other Services			
Packer					
Retainer					
Junk Basket					
Gauge Ring					

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Correlated to: TITANIUM

Date: FEB 24 23

Log Type: RCBL

Service Order# 23-0367-07

Remarks:

Thank you for using Titanium Energy Services


PERF RUN NO: ONE



CCL TO TOP SHOT= 1.2 m

SHOT LENGTH= 1.0 m

DEAD TOOL= 0.3 m



CARRIER DATA:

OWEN 79 mm PAC GUN @ 40 SPM

CHARGE DATA:

3.5 GR

INTERVAL(S):

260.0-261.0 m


REMARKS:




PERFORATE 260.0-261.0 m


Database File elm_nwt\wl-1482-300-i166010n11730w-elm-perf-mar 14 23\wl-1482-300-i166010n11730w-elm-perf-mar 14 23.db
Dataset Pathname pass4
Presentation Format ccl_vertical
Dataset Creation Tue Mar 14 07:41:13 2023
Charted by Depth in Meters scaled 1:240

0	LTEN (lb)	3000	PERFS	-20	POSITIONING CCL	20
-50	LSPD (m/min)	50			-10 RAWCCL	10



225






PERFORATE 260.0-261.0 m

PERF RUN NO: ONE

CCL TO TOP SHOT= 1.2 m

SHOT LENGTH= 1.0 m

DEAD TOOL= 0.3 m



CARRIER DATA:

OWEN 86mm ERHSC

CHARGE DATA:

25 GRAM GOODHOLE

INTERVAL(S):

504.0-505.0 m


REMARKS:



PERFORATE 504.0-505.0 m

Database File	elm_nwtlwl-1482-300-i166010n11730w-elm-perf-mar 14 23\wl-1482-300-i166010n11730w-elm-perf-mar 14 23.db		
Dataset Pathname	pass3		
Presentation Format	ccl_vertical		
Dataset Creation	Tue Mar 14 07:06:52 2023		
Charted by	Depth in Meters scaled 1:240		

0	LTEN (lb)	3000	PERFS	-20	POSITIONING CCL	20
-50	LSPD (m/min)	50			-10 RAWCCL	10



PERFORATE 504.0-505.0 m



Company STRATEGIC OIL AND GAS LTD.
Well STRATEGIC ET AL
CAMERON I-16
Field 300166010N11730W
Cameron
Province Northwest Territories